

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
	1	07/01/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	1	03/26/2009		ND																			
	2	03/26/2009	Non-response to sampling offer in Ongoing 2016 Program.	180																			
BED1	3	12/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	3	09/11/2024		100	6.5	38	<2.0	<2.0	2.2	<2.0	100	51	2.1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	3	09/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	3	06/12/2024	Carbon Changeout 06/12/2024 - 5yr.	<2.0	<2.0	<2.0																	
BED1	3	02/09/2021		<2.0	<2.0	<2.0																	
BED1-DUP	3	02/09/2021		<2.0	<2.0	<2.0																	
BED1	3	10/27/2020		<2.0	<2.0	<2.0																	
BED1	3	06/29/2020		<2.0	<2.0	<2.0																	
BED1	3	12/04/2019		<2.0	<2.0	<2.0																	
PT	3	03/07/2019		110	4.4	24																<4.0	
BED1	3	03/07/2019		<2.0	<2.0	<2.0																	
BED1	3	06/18/2018		<2.0	<2.0	<2.0																	
BED1	3	03/16/2018		<2.0	<2.0	<2.0																	
PT	3	09/07/2017		65	<2.0	<2.0																	
BED1	3	09/07/2017		<2.0	<2.0	<2.0																	
BED1	3	06/27/2017		<2.0	<2.0	<2.0																	
	3	10/26/2016	GAC installed 01/04/2017.	140 B	4.9 B	24 B	<20	<20	3.3 B	<2.0	74 B	54 B	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	3	10/26/2016	GAC installed 01/04/2017.	130 B	4.9 B	22 B	<20	<20	3.3 B	<2.0	73 B	53 B	<2.0	<2.0	<2.0	<2.0	<2.0						
	3	03/26/2009		160																			
	4	03/27/2009	PWS according to homeowner.	100																			
	5	03/27/2009	Non-response to sampling offer in Ongoing 2016 Program.	53																			
	6	03/27/2009	PWS according to homeowner.	ND																			
	7	03/27/2009	Non-response to sampling offer in Ongoing 2016 Program.	63																			
	8	03/27/2009	PWS according to homeowner.	ND																			
BED1	9	11/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	9	08/21/2024		95	16	9.9	<2.0	<2.0	2.8	7.4	60	40	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	9	08/21/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	9	05/28/2024		<2.0	<2.0	<2.0																	
BED1	9	02/12/2024		<2.0	<2.0	<2.0																	
BED1	9	11/10/2023		<2.0	<2.0	<2.0																	
PT	9	08/09/2023		87	9.5	9.7																	
BED1	9	08/09/2023		<2.0	<2.0	<2.0																	
BED1	9	04/18/2023	Carbon Changeout 04/18/2023 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	9	03/22/2023		<2.0	<2.0	<2.0																	
BED1	9	10/13/2022		<2.0	<2.0	<2.0																	
PT	9	07/25/2022		94	10	8.9																	
BED1	9	07/25/2022		<2.0	<2.0	<2.0																	
BED1	9	04/07/2022		<2.0	<2.0	<2.0																	
BED1	9	01/04/2022		<2.0	<2.0	<2.0																	
BED1	9	10/06/2021		<2.0	<2.0	<2.0																	
PT	9	07/07/2021		100	8.4	6.6																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	9	07/07/2021		<2.0	<2.0	<2.0																	
BED1	9	04/07/2021		<2.0	<2.0	<2.0																	
BED1	9	01/20/2021		<2.0	<2.0	<2.0																	
BED1	9	10/06/2020		<2.0	<2.0	<2.0																	
PT	9	07/28/2020		110	9.2	8.6																	
BED1	9	07/28/2020		<2.0	<2.0	<2.0																	
BED1	9	06/08/2020		<2.0	<2.0	<2.0																	
BED1	9	01/29/2020		<2.0	<2.0	<2.0																	
BED1	9	10/16/2019		<2.0	<2.0	<2.0																	
PT	9	07/26/2019		120	10	11																	
BED1	9	07/26/2019		<2.0	<2.0	<2.0																	
BED1	9	04/18/2019		<2.0	<2.0	<2.0																	
BED1	9	02/11/2019		<2.0	<2.0	<2.0																	
BED1	9	11/12/2018		<2.0	<2.0	<2.0																	
PT	9	08/21/2018		100	8.3	7.0																<4.0	
BED1	9	08/21/2018		<2.0	<2.0	<2.0																	
BED1	9	05/31/2018		<2.0	<2.0	<2.0																	
BED1	9	03/14/2018	Carbon Changeout 01/09/2018 - Fe.	<2.0	<2.0	<2.0																	
BED1	9	12/05/2017		<2.0	<2.0	<2.0																	
PT	9	08/18/2017		110	5.7	6.3																	
BED1	9	08/18/2017		<2.0	<2.0	<2.0																	
BED1	9	06/23/2017		<2.0	<2.0	<2.0																	
BED1	9	03/03/2017		<2.0	<2.0	<2.0																	
	9	07/08/2016	GAC installed 10/12/2016.	130 J	7.2	6.4	<20	<20	4.9 J	6.3	65	45	<2.0	<2.0	<2.0	<2.0	<2.0						
	9	03/27/2009		74																			
BED1	10	10/29/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	10	07/10/2024		48	6.1	7.8	<2.0	<2.0	2.6	<2.0	36	22	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	10	07/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	10	04/18/2024		<2.0	<2.0	<2.0																	
BED1	10	01/03/2024		<2.0	<2.0	<2.0																	
BED1	10	10/03/2023		<2.0	<2.0	<2.0																	
PT	10	07/10/2023		45	4.6	5.7																	
BED1	10	07/10/2023		<2.0	<2.0	<2.0																	
BED1	10	04/05/2023		<2.0	<2.0	<2.0																	
BED1	10	01/03/2023		<2.0	<2.0	<2.0																	
BED1	10	10/04/2022		<2.0	<2.0	<2.0																	
PT	10	07/06/2022		30	3.0 J	3.5																	
BED1	10	07/06/2022		<2.0	<2.0	<2.0																	
BED1	10	04/06/2022	Carbon Changeout 02/15/2022 - 5yr.	<2.0	<2.0	<2.0																	
BED1	10	01/04/2022		<2.0	<2.0	<2.0																	
BED1	10	10/05/2021		<2.0	<2.0	<2.0																	
PT	10	07/07/2021		51	5.1	3.9																	
BED1	10	07/07/2021		<2.0	<2.0	<2.0																	
BED1	10	04/09/2021		<2.0	<2.0	<2.0																	
BED1	10	01/22/2021		<2.0	<2.0	<2.0																	
BED1	10	10/15/2020		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	10	08/12/2020		54	4.4	3.6																	
BED1	10	08/12/2020		<2.0	<2.0	<2.0																	
BED1	10	06/10/2020		<2.0	<2.0	<2.0																	
BED1	10	01/31/2020		<2.0	<2.0	<2.0																	
BED1	10	10/18/2019		<2.0	<2.0	<2.0																	
PT	10	07/22/2019		56	4.2	3.8																	
BED1	10	07/22/2019		<2.0	<2.0	<2.0																	
BED1	10	04/16/2019		<2.0	<2.0	<2.0																	
BED1	10	01/31/2019		<2.0	<2.0	<2.0																	
BED1	10	11/08/2018		<2.0	<2.0	<2.0																	
PT	10	08/08/2018		55	3.7	2.9																<4.0	
BED1	10	08/08/2018		<2.0	<2.0	<2.0																	
BED1	10	05/10/2018		<2.0	<2.0	<2.0																	
BED1	10	03/09/2018		3.4	<2.0	<2.0																	
BED2	10	03/09/2018		<2.0	<2.0	<2.0																	
BED1	10	12/12/2017		<2.0	<2.0	<2.0																	
PT	10	09/07/2017		<2.0	<2.0	<2.0																	
BED1	10	09/07/2017		<2.0	<2.0	<2.0																	
BED1	10	06/07/2017		<2.0	<2.0	<2.0 UJ																	
BED1	10	03/02/2017		<2.0	<2.0	<2.0																	
BED1-DUP	10	03/02/2017		<2.0	<2.0	<2.0																	
	10	06/30/2016	GAC installed 10/21/2016.	52	4.6	2.6	<20	<20	<2.0	2.5	43	21	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	10	06/30/2016	GAC installed 10/21/2016.	49	4.5	2.6	<20	<20	<2.0	2.4	42	20	<2.0	<2.0	<2.0	<2.0	<2.0						
	10	03/27/2009		36																			
BED1	11	10/29/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	11	07/30/2024		53	5.6	4.4	<2.0	<2.0	3.4	2.5	41	24	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	11	07/30/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	11	04/17/2024		<2.0	<2.0	<2.0																	
BED1	11	01/31/2024		<2.0	<2.0	<2.0																	
BED1	11	11/06/2023		<2.0	<2.0	<2.0																	
PT	11	08/30/2023	Carbon Changeout 08/30/2023 - 5yr.	41	3.8	2.0																	
BED1	11	08/30/2023	Carbon Changeout 08/30/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	11	05/09/2023		<2.0	<2.0	<2.0																	
BED1	11	03/01/2023		<2.0	<2.0	<2.0																	
BED1	11	10/18/2022		<2.0	<2.0	<2.0																	
PT	11	08/10/2022		50	7.4	5.2																	
BED1	11	08/10/2022		<2.0	<2.0	<2.0																	
BED1	11	05/19/2022		<2.0	<2.0	<2.0																	
BED1	11	02/24/2022		<2.0	<2.0	<2.0																	
BED1	11	11/23/2021		<2.0	<2.0	<2.0																	
PT	11	08/31/2021		49	5.7	4.7																	
BED1	11	08/31/2021		<2.0	<2.0	<2.0																	
PT	11	08/06/2020		41	3.4	2.4																	
PT	11	08/06/2020	Split sampling for method comparison.	43	3.4 J	2.3																	
BED1	11	08/06/2020		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	11	08/06/2020	Split sampling for method comparison.	<2.0	<2.0	<2.0																	
BED1	11	06/03/2020		<2.0	<2.0	<2.0																	
BED1	11	01/22/2020		<2.0	<2.0	<2.0																	
BED1	11	10/08/2019		<2.0	<2.0	<2.0																	
PT	11	07/15/2019		43	2.7	2.1																	
BED1	11	07/15/2019		<2.0	<2.0	<2.0																	
BED1	11	04/10/2019		<2.0	<2.0	<2.0																	
BED1	11	01/22/2019		<2.0	<2.0	<2.0																	
BED1	11	10/31/2018		<2.0	<2.0	<2.0																	
PT	11	07/20/2018		44	2.4	<2.0																<4.0	
BED1	11	07/20/2018		<2.0	<2.0	<2.0																	
BED1	11	04/17/2018		<2.0	<2.0	<2.0																	
	11	07/21/2016	GAC installed 02/13/2018.	34	2.1	<2.0	<20	<20	2.5	<2.0	35	19	<2.0	<2.0	<2.0	<2.0	<2.0						
	11	03/27/2009		14																			
BED1	12	10/29/2020	Replacement well installed (Regulatory Location ID #556). Not qualified so GAC removed 03/19/2021. Well decommissioned according to NJ Data Miner.	<2.0	<2.0	<2.0																	
PT	12	08/26/2020		63	3.2	9.5																	
BED1	12	08/26/2020		<2.0	<2.0	<2.0																	
BED1	12	06/16/2020		<2.0	<2.0	<2.0																	
BED1	12	02/12/2020		<2.0	<2.0	<2.0																	
BED1	12	11/11/2019		<2.0	<2.0	<2.0																	
PT	12	09/04/2019		130	4.1	9.7																	
BED1	12	09/04/2019		<2.0	<2.0	<2.0																	
BED1-DUP	12	09/04/2019		<2.0	<2.0	<2.0																	
BED1	12	05/16/2019		<2.0	<2.0	<2.0																	
BED1	12	03/21/2019		<2.0	<2.0	<2.0																	
BED1-DUP	12	03/21/2019		<2.0	<2.0	<2.0																	
BED1	12	12/04/2018		<2.0	<2.0	<2.0																	
BED1-DUP	12	12/04/2018		<2.0	<2.0	<2.0																	
PT	12	08/14/2018		99	3.3	6.5																<4.0	
BED1	12	08/14/2018		<2.0	<2.0	<2.0																	
BED1-DUP	12	08/14/2018		<2.0	<2.0	<2.0																	
BED1	12	05/11/2018		<2.0	<2.0	<2.0																	
BED1-DUP	12	05/11/2018		<2.0	<2.0	<2.0																	
BED1	12	03/16/2018		<2.0	<2.0	<2.0																	
BED1-DUP	12	03/16/2018		<2.0	<2.0	<2.0																	
BED1	12	12/12/2017		<2.0	<2.0	<2.0																	
PT	12	09/29/2017		92	3.4	6.1 B																	
BED1	12	09/29/2017		<2.0	<2.0	<2.0																	
BED1	12	06/23/2017		<2.0	<2.0	<2.0																	
	12	12/07/2016	GAC installed 01/31/2017.	85	4	5.8	<20	<20	<2.0	2.7	100	54	<2.0	<2.0	<2.0	<2.0	<2.0						
	12	03/27/2009		92																			
BED1	13	10/29/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	13	08/09/2024		24	2.2	11	<2.0	<2.0	<2.0	<2.0	20	12	4.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	13	08/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	13	05/28/2024		<2.0	<2.0	<2.0																	
BED1	13	01/23/2024	Carbon Changeout 01/23/2024 - 5yr.	<2.0	<2.0	<2.0																	
BED1	13	10/05/2023		<2.0	<2.0	<2.0																	
PT	13	07/10/2023		19	<2.0	6.7																	
BED1	13	07/10/2023		<2.0	<2.0	<2.0																	
BED1	13	04/04/2023		<2.0	<2.0	<2.0																	
BED1	13	01/03/2023		<2.0	<2.0	<2.0																	
BED1	13	10/07/2022		<2.0	<2.0	<2.0																	
PT	13	07/19/2022		29	<2.0	12																	
BED1	13	07/19/2022		<2.0	<2.0	<2.0																	
BED1	13	04/14/2022		<2.0	<2.0	<2.0																	
BED1	13	01/25/2022		<2.0	<2.0	<2.0																	
BED1	13	10/26/2021		<2.0	<2.0	<2.0																	
PT	13	08/18/2021		39	3.1	14																	
BED1	13	08/18/2021		<2.0	<2.0	<2.0																	
BED1	13	06/07/2021		<2.0	<2.0	<2.0																	
BED1	13	02/10/2021		<2.0	<2.0	<2.0																	
BED1	13	11/09/2020		<2.0	<2.0	<2.0																	
PT	13	09/08/2020		47	3.0	14																	
BED1	13	09/08/2020		<2.0	<2.0	<2.0																	
BED1-DUP	13	09/08/2020		<2.0	<2.0	<2.0																	
BED1	13	06/22/2020		<2.0	<2.0	<2.0																	
BED1	13	03/19/2020		<2.0	<2.0	<2.0																	
BED1-DUP	13	03/19/2020		<2.0	<2.0	<2.0																	
BED1	13	12/06/2019		<2.0	<2.0	<2.0																	
PT	13	09/10/2019		54	3	17																	
BED1	13	09/10/2019		<2.0	<2.0	<2.0																	
BED1-DUP	13	09/10/2019		<2.0	<2.0	<2.0																	
BED1	13	04/29/2019		<2.0	<2.0	<2.0																	
PT	13	02/26/2019		55	3.2	17																<4.0	
BED1	13	02/26/2019		<2.0	<2.0	<2.0																	
BED1	13	11/05/2018		<2.0	<2.0	<2.0																	
	13	04/30/2018	GAC installed 07/24/2018.	41	2.3	12	<20	<20	<2.0	<2.0	32	19	5.5	<2.0	<2.0	<2.0	<2.0						
	13	03/27/2009		67																			
	14	03/25/2024		<2.0	<2.0	<2.0																	
	14	04/11/2022		<2.0	<2.0 UJ	<2.0																	
DUP	14	04/11/2022		<2.0	<2.0 UJ	<2.0																	
	14	02/23/2021		<2.0	<2.0	<2.0																	
	14	07/11/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	14	03/30/2009		ND																			
	15	03/09/2018		5.6	<2.0	<2.0	<20	<20	<2.0	<2.0	15	6	<2.0	<2.0	<2.0	<2.0	<2.0						
	15	07/08/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	15	03/30/2009		NQ																			
	16	04/22/2024		<2.0	<2.0	<2.0																	
	16	04/25/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
	16	03/25/2021		<2.0	<2.0	<2.0																	
	16	07/13/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	16	03/30/2009		ND																			
POST	17	03/07/2024		<2.0	<2.0	<2.0																	
PRE	17	03/07/2024		<2.0	<2.0	<2.0																	
POST	17	04/04/2022		<2.0	<2.0	<2.0																	
PRE	17	04/04/2022		<2.0	<2.0	<2.0																	
POST	17	03/04/2021		<2.0	<2.0	<2.0																	
PRE	17	03/04/2021		<2.0	<2.0	<2.0																	
	17	07/01/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	17	03/30/2009		ND																			
DUP	17	03/30/2009		ND																			
	18	05/20/2024		<2.0	<2.0	<2.0																	
	18	02/21/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	18	03/30/2009		ND																			
	19	06/24/2024		<2.0	<2.0	<2.0																	
DUP	19	06/24/2024		<2.0	<2.0	<2.0																	
	19	11/01/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	19	11/01/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	19	03/30/2009		ND																			
BED1	20	12/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	20	09/18/2024		140	4.7	5.5	<2.0	<2.0	7.9	2.6	170	110	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			13	<2.0
BED1	20	09/18/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0 UJ	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	20	09/18/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	20	06/20/2024		<2.0	<2.0	<2.0																	
BED1-DUP	20	06/20/2024		<2.0	<2.0	<2.0																	
BED1	20	03/06/2024		<2.0	<2.0	<2.0																	
BED1	20	11/09/2023		<2.0	<2.0	<2.0																	
PT	20	08/28/2023		170	5.4 J	5.7 J																	
BED1	20	08/28/2023		<2.0	<2.0	<2.0																	
BED1	20	06/05/2023		<2.0	<2.0	<2.0																	
BED1	20	02/20/2023		<2.0	<2.0	<2.0																	
BED1	20	11/10/2022		<2.0	<2.0	<2.0																	
PT	20	08/15/2022		150	4.3	4.4																	
BED1	20	08/15/2022		<2.0	<2.0	<2.0																	
BED1	20	05/16/2022		<2.0	<2.0	<2.0																	
BED1	20	02/21/2022		<2.0	<2.0	<2.0																	
BED1	20	11/03/2021		<2.0	<2.0	<2.0																	
PT	20	08/16/2021		140	4.6	5.2																	
BED1	20	08/16/2021		<2.0	<2.0	<2.0																	
BED1	20	04/22/2021		<2.0	<2.0	<2.0																	
BED1	20	02/03/2021		<2.0	<2.0	<2.0																	
BED1	20	10/21/2020		<2.0	<2.0	<2.0																	
PT	20	08/06/2020	Carbon Changeout 08/05/2020 - 5yr.	140	4.2	3.7																	
BED1	20	08/06/2020	Carbon Changeout 08/05/2020 - 5yr.	<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1-DUP	20	08/06/2020	Carbon Changeout 08/05/2020 - 5yr.	<2.0	<2.0	<2.0																	
BED1	20	06/08/2020		<2.0	<2.0	<2.0																	
BED1	20	02/21/2020		<2.0	<2.0	<2.0																	
BED1	20	11/11/2019		<2.0	<2.0	<2.0																	
PT	20	08/26/2019		130	3.2	2.7																	
BED1	20	08/26/2019		<2.0	<2.0	<2.0																	
BED1	20	04/30/2019		<2.0	<2.0	<2.0																	
BED1	20	02/25/2019		<2.0	<2.0	<2.0																	
BED1	20	12/03/2018		<2.0	<2.0	<2.0																	
PT	20	08/30/2018		140	6.7	4.3																21	
BED1	20	08/30/2018		<2.0	<2.0	<2.0																<4.0	
PT	20	05/22/2018																				14	
BED1	20	05/22/2018		<2.0	<2.0	<2.0																	
BED1	20	05/22/2018																				<10	
PT	20	02/26/2018	February-March 2018 branched and linear study sample.				<0.40	<0.40	2.0	4.4	190	120	0.62	<0.40	<0.40	<0.40	<0.40			190	74		
BED1	20	02/26/2018		<2.0	<2.0	<2.0																	
BED1	20	11/16/2017		<2.0	<2.0	<2.0																	
PT	20	08/16/2017		120	6.7	3.4																	
BED1	20	08/16/2017		<2.0	<2.0	<2.0																	
BED1	20	06/08/2017		<2.0 UJ	<2.0	<2.0 UJ																	
BED1	20	03/03/2017		<2.0	<2.0	<2.0																	
BED1-DUP	20	03/03/2017		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
	20	07/21/2016	GAC installed 11/03/2016.	130	11	3.9	<20	<20	2.4	4.7	220	120	<2.0	<2.0	<2.0	<2.0	<2.0						
	20	03/30/2009		68																			
BED1	21	10/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	21	07/09/2024		120	7.9	25	<2.0	<2.0	5.8	<2.0	130	59	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	21	07/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	21	04/04/2024		<2.0	<2.0	<2.0																	
BED1	21	01/04/2024		<2.0	<2.0	<2.0																	
BED1	21	10/02/2023		<2.0	<2.0	<2.0																	
PT	21	07/26/2023		84	5.0	17																	
BED1	21	07/26/2023		<2.0	<2.0	<2.0																	
BED1	21	04/11/2023		<2.0	<2.0	<2.0																	
BED1	21	01/10/2023		<2.0	<2.0	<2.0																	
BED1	21	10/11/2022		<2.0	<2.0	<2.0																	
PT	21	07/14/2022		92	5.5	20																	
BED1	21	07/14/2022		<2.0	<2.0	<2.0																	
BED1	21	04/06/2022		<2.0	<2.0	<2.0																	
BED1	21	01/04/2022	Carbon Changeout 12/30/2021 - 5yr.	<2.0	<2.0	<2.0																	
BED1	21	10/12/2021		2.1	<2.0	<2.0																	
BED2	21	10/12/2021		<2.0	<2.0	<2.0																	
PT	21	07/20/2021		120	6.7	24																	
BED1	21	07/20/2021		2.3	<2.0	<2.0																	
BED2	21	07/20/2021		<2.0	<2.0	<2.0																	
BED1	21	04/20/2021		3.2	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTTeDA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED2	21	04/20/2021		<2.0	<2.0	<2.0																	
BED1	21	01/26/2021		2.7	<2.0	<2.0																	
BED2	21	01/26/2021		<2.0	<2.0	<2.0																	
BED1	21	10/14/2020		2.6	<2.0	<2.0																	
PT	21	08/12/2020		110	4.8	15																	
BED1	21	08/12/2020		2.2	<2.0	<2.0																	
BED1	21	06/10/2020		2.4	<2.0	<2.0																	
BED1	21	02/06/2020		3.7	<2.0	<2.0																	
BED1	21	10/29/2019		4.3	<2.0	<2.0																	
PT	21	08/21/2019		140	6.4	16																	
BED1	21	08/21/2019		3.6	<2.0	<2.0																	
BED1	21	05/09/2019		4.5	<2.0	<2.0																	
BED1	21	03/14/2019		3.5	<2.0	<2.0																	
BED1	21	12/03/2018		3.3	<2.0	<2.0																	
PT	21	08/09/2018		150	6.0	19																<4.0	
BED1	21	08/09/2018		2.6	<2.0	<2.0																	
BED1	21	05/10/2018		2.6	<2.0	<2.0																	
BED1	21	03/12/2018		2.8	<2.0	<2.0																	
BED2	21	03/12/2018		<2.0	<2.0	<2.0																	
BED1	21	12/05/2017		3	<2.0	<2.0																	
BED2	21	12/05/2017		<2.0	<2.0	<2.0																	
PT	21	08/17/2017		140	6.4	15																	
BED1	21	08/17/2017		3.8	<2.0	<2.0																	
BED2	21	08/17/2017		<2.0	<2.0	<2.0																	
BED1	21	06/08/2017		3	<2.0	<2.0																	
BED2	21	06/08/2017		<2.0	<2.0	<2.0																	
BED1	21	03/02/2017		2.8	<2.0	<2.0																	
BED2	21	03/02/2017		<2.0	<2.0	<2.0																	
	21	07/13/2016	GAC installed 10/20/2016.	180 J	8.3	19	<20	<20	7.5	<2.0	110	73	<2.0	<2.0	<2.0	<2.0	<2.0						
	21	03/30/2009		220																			
	22	07/08/2024		9.2	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	28	12	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	22	06/06/2022		11	<2.0	<2.0																	
PRE	22	06/06/2022		12	<2.0	<2.0																	
	22	05/10/2021		6.3	<2.0	<2.0																	
	22	04/23/2018		7.2	<2.0	<2.0	<20	<20	<2.0	<2.0	22	8.4	<2.0	<2.0	<2.0	<2.0	<2.0						
	22	07/12/2016		8.6 J	<2.0	<2.0	<20	<20	<2.0	<2.0	20	7.7	<2.0	<2.0	<2.0	<2.0	<2.0						
	22	03/31/2009		ND																			
	23	03/31/2009	PWS according to homeowner.	130																			
	24	05/20/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	24	03/31/2009		ND																			
BED1	25	10/29/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	25	08/01/2024		70	3.2	16	<2.0	<2.0	2.6	<2.0	78	46	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	25	08/01/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	25	06/04/2024		2.2	<2.0	<2.0																	
BED2	25	06/04/2024		2.1	<2.0	<2.0																	
BED1	25	03/04/2024		<2.0	<2.0	<2.0																	
BED1	25	12/12/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	25	09/12/2023		110	3.5 J	8.2																	
BED1	25	09/12/2023		<2.0	<2.0	<2.0																	
BED1	25	05/08/2023		<2.0	<2.0	<2.0																	
BED1	25	02/08/2023		<2.0	<2.0	<2.0																	
BED1	25	11/03/2022		<2.0	<2.0	<2.0																	
PT	25	08/31/2022		83	3.6	6.9																	
BED1	25	08/31/2022		<2.0	<2.0	<2.0																	
BED1	25	05/09/2022		<2.0	<2.0	<2.0																	
BED1	25	02/03/2022	Carbon Changeout 02/03/2022 - 5yr.	<2.0	<2.0	<2.0																	
BED1	25	11/15/2021		<2.0	<2.0	<2.0																	
PT	25	09/02/2021		120	2.9 J	9.5																	
BED1	25	09/02/2021		<2.0	<2.0	<2.0																	
BED1	25	06/03/2021		<2.0	<2.0	<2.0																	
BED1	25	03/17/2021		<2.0	<2.0	<2.0																	
BED1-DUP	25	03/17/2021		<2.0	<2.0	<2.0																	
BED1	25	11/04/2020		<2.0	<2.0	<2.0																	
BED1-DUP	25	11/04/2020		<2.0	<2.0	<2.0																	
PT	25	09/02/2020		64	2.5	11																	
BED1	25	09/02/2020		<2.0	<2.0	<2.0																	
BED1	25	06/22/2020		<2.0	<2.0	<2.0																	
BED1	25	02/24/2020		<2.0	<2.0	<2.0																	
BED1	25	10/18/2019		<2.0	<2.0	<2.0																	
PT	25	07/29/2019		120	2.9	9.0																	
BED1	25	07/29/2019		<2.0	<2.0	<2.0																	
BED1-DUP	25	07/29/2019		<2.0	<2.0	<2.0																	
BED1	25	04/22/2019		<2.0	<2.0	<2.0																	
BED1-DUP	25	02/13/2019		<2.0	<2.0	<2.0																	
BED1	25	02/13/2019		<2.0	<2.0	<2.0																	
BED1	25	11/14/2018		<2.0	<2.0	<2.0																	
BED1-DUP	25	11/14/2018		<2.0	<2.0	<2.0																	
PT	25	08/23/2018		100	2.5	7.0																<4.0	
BED1	25	08/23/2018		<2.0	<2.0	<2.0																	
BED1-DUP	25	08/23/2018		<2.0	<2.0	<2.0																	
BED1	25	05/31/2018		<2.0	<2.0	<2.0																	
BED1-DUP	25	05/31/2018		<2.0	<2.0	<2.0																	
BED1	25	02/16/2018		<2.0	<2.0	<2.0																	
BED1-DUP	25	02/16/2018		<2.0	<2.0	<2.0																	
BED1	25	11/17/2017		<2.0	21 J	<2.0																	
BED1-DUP	25	11/17/2017		<2.0	<2.0	<2.0																	
BED2	25	11/17/2017		<2.0	<2.0	<2.0																	
PT	25	08/17/2017		100	2.8	4.4																	
BED1	25	08/17/2017		<2.0	<2.0	<2.0																	
BED1-DUP	25	08/17/2017		<2.0	<2.0	<2.0																	
BED1	25	06/21/2017		<2.0	<2.0	<2.0																	
BED1	25	03/27/2017		<2.0	<2.0	<2.0																	
	25	07/21/2016	GAC installed 12/12/2016.	140	2.6	7.1	<20	<20	3.3	2.1	92	47	<2.0	<2.0	<2.0	<2.0	<2.0						

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
DUP	25	07/21/2016	GAC installed 12/12/2016.	140	2.6	7.6	<20	<20	3.3	2.2	89	46	<2.0	<2.0	<2.0	<2.0	<2.0						
	25	03/31/2009		56																			
BED1	26	12/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	26	09/13/2024		15	<2.0	4.6	<2.0	<2.0	<2.0	<2.0	40	13	5.4	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	26	09/13/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	26	06/19/2024		<2.0	<2.0	<2.0																	
BED1	26	03/21/2024		<2.0	<2.0	<2.0																	
PT	26	08/21/2023		25	2.0	7.9																	
BED1	26	08/21/2023		<2.0	<2.0	<2.0																	
BED1	26	05/24/2023		<2.0	<2.0	<2.0																	
BED1	26	03/02/2023		<2.0	<2.0	<2.0																	
BED1	26	12/01/2022	Carbon Changeout 11/30/2022 - 5yr.	<2.0	<2.0	<2.0																	
PT	26	08/16/2022		20	<2.0	5.6																	
BED1	26	08/16/2022		<2.0	<2.0	<2.0																	
BED1	26	05/09/2022		<2.0	<2.0	<2.0																	
BED1	26	02/02/2022		<2.0	<2.0	<2.0																	
PT	26	08/25/2021		26	2.3	7.1																	
BED1	26	08/25/2021		<2.0	<2.0	<2.0																	
BED1	26	06/14/2021		<2.0	<2.0	<2.0																	
BED1	26	03/08/2021		<2.0	<2.0	<2.0																	
BED1	26	11/10/2020		<2.0	<2.0	<2.0																	
PT	26	09/14/2020		26	<2.0	6.8																	
BED1	26	09/14/2020		<2.0	<2.0	<2.0																	
BED1	26	06/30/2020		<2.0	<2.0	<2.0																	
BED1	26	02/14/2020		<2.0	<2.0	<2.0																	
BED1	26	11/08/2019		<2.0	<2.0	<2.0																	
PT	26	09/03/2019		28	<2.0	8.3																	
BED1	26	09/03/2019		<2.0	<2.0	<2.0																	
BED1	26	06/07/2019		<2.0	<2.0	<2.0																	
BED1	26	03/22/2019		<2.0	<2.0	<2.0																	
BED1-DUP	26	03/22/2019		<2.0	<2.0	<2.0																	
BED1	26	12/21/2018		<2.0	<2.0	<2.0																	
BED1-DUP	26	12/21/2018		<2.0	<2.0	<2.0																	
PT	26	09/21/2018		31	2.3	8.9																<4.0	
BED1	26	09/21/2018		<2.0	<2.0	2.9																	
PT	26	05/08/2018																				<10	
BED1	26	05/08/2018		<2.0	<2.0	<2.0																	
BED1-DUP	26	05/08/2018		<2.0	<2.0	<2.0																	
BED1	26	05/08/2018																				<10	
BED1-DUP	26	05/08/2018																				<10	
PT	26	02/28/2018	February-March 2018 branched and linear study sample.				<0.40	<0.40	0.70	0.55	40	25	<0.40	<0.40	<0.40	<0.40	<0.40			32	16		
BED1	26	02/28/2018		<2.0	<2.0	<2.0																	
BED1-DUP	26	02/28/2018		<2.0	<2.0	<2.0																	
BED1	26	12/15/2017	Carbon Changeout 10/17/2017 - Fe.	<2.0	<2.0	<2.0																	
BED1-DUP	26	12/15/2017	Carbon Changeout 10/17/2017 - Fe.	<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	26	09/20/2017		42	2.4	13																	
BED1	26	09/20/2017		<2.0	<2.0	<2.0																	
	26	08/11/2016	GAC installed 12/02/2016.	47	<2.0	13	<20	<20	2.4	<2.0	43	25	<2.0	<2.0	<2.0	<2.0	<6.2						
	26	03/31/2009		55																			
BED1	27	11/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	27	07/11/2024		120	2.7	2.2	<2.0	<2.0	<2.0	<2.0	61	31	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	27	07/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	27	04/16/2024		<2.0	<2.0	<2.0																	
BED1	27	01/17/2024		<2.0	<2.0	<2.0																	
BED1	27	10/17/2023		<2.0	<2.0	<2.0																	
PT	27	07/31/2023		90	<2.0 UJ	3.3 J																	
BED1	27	07/31/2023		<2.0	<2.0	<2.0																	
BED1	27	05/02/2023	Carbon Changeout 02/08/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	27	10/12/2022		<2.0	<2.0	<2.0																	
PT	27	07/27/2022		70	<2.0	2.6																	
BED1	27	07/27/2022		<2.0	<2.0	<2.0																	
BED1	27	04/21/2022		<2.0	<2.0	<2.0																	
BED1	27	01/18/2022		<2.0	<2.0	<2.0																	
BED1	27	10/18/2021		<2.0	<2.0	<2.0																	
PT	27	07/22/2021		110	<2.0	2.7																	
BED1	27	07/22/2021		<2.0	<2.0	<2.0																	
BED1	27	04/28/2021		<2.0	<2.0	<2.0																	
BED1	27	02/04/2021		<2.0	<2.0	<2.0																	
BED1	27	10/27/2020		<2.0	<2.0	<2.0																	
PT	27	08/25/2020		47	<2.0	<2.0																	
BED1	27	08/25/2020		<2.0	<2.0	<2.0																	
BED1	27	06/16/2020		<2.0	<2.0	<2.0																	
BED1	27	01/20/2020		<2.0	<2.0	<2.0																	
BED1	27	10/02/2019		<2.0	<2.0	<2.0																	
PT	27	07/01/2019		77	<2.0	<2.0																	
BED1	27	07/01/2019		<2.0	<2.0	<2.0																	
BED1	27	04/03/2019		<2.0	<2.0	<2.0																	
BED1	27	01/07/2019		<2.0	<2.0	<2.0																	
BED1	27	10/22/2018		<2.0	<2.0	<2.0																	
PT	27	07/09/2018		52	<2.0	2.0																<4.0	
BED1	27	07/09/2018		<2.0	<2.0	<2.0																	
BED1	27	04/13/2018		<2.0	<2.0	<2.0																	
	27	07/06/2016	GAC installed 01/17/2018.	27	2	<2.0	<20	<20	<2.0	<2.0	50	15	<2.0	<2.0	<2.0	<2.0	<2.0						
	27	03/31/2009		NQ																			
BED1	28	11/08/2022	GAC removed 01/05/2023 at owner's request. Home demolished for warehouse development.	<2.0	<2.0	<2.0																	
PT	28	09/06/2022		120	2.6	6.0																	
BED1	28	09/06/2022		<2.0	<2.0	<2.0																	
BED1	28	05/23/2022		<2.0	<2.0	<2.0																	
BED1	28	03/03/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	28	12/06/2021	Carbon Changeout 11/16/2021 - 5yr.	2.9	<2.0	<2.0																	
BED2	28	12/06/2021	Carbon Changeout 11/16/2021 - 5yr.	<2.0	<2.0	<2.0																	
PT	28	09/08/2021		130	<2.0	2.3																	
BED1	28	09/08/2021		<2.0	<2.0	<2.0																	
BED1	28	06/16/2021		<2.0	<2.0	<2.0																	
BED1	28	03/02/2021		<2.0	<2.0	<2.0																	
BED1-DUP	28	03/02/2021		<2.0	<2.0	<2.0																	
BED1	28	12/08/2020		<2.0	<2.0	<2.0																	
PT	28	09/10/2020		94	<2.0	2.9																	
BED1	28	09/10/2020		<2.0	<2.0	<2.0																	
BED1-DUP	28	09/10/2020		<2.0	<2.0	<2.0																	
BED1	28	06/29/2020		<2.0	<2.0	<2.0																	
BED1	28	12/05/2019		<2.0	<2.0	<2.0																	
PT	28	09/05/2019		120	<2.0	<2.0																	
BED1	28	09/05/2019		<2.0	<2.0	<2.0																	
BED1	28	05/20/2019		<2.0	<2.0	<2.0																	
BED1	28	03/19/2019		<2.0	<2.0	<2.0																	
BED1	28	12/06/2018		<2.0	<2.0	<2.0																	
PT	28	09/06/2018		91	2.9	6.3																<4.0	
BED1	28	09/06/2018		<2.0	<2.0	<2.0																	
BED1	28	06/04/2018		<2.0	<2.0	<2.0																	
BED1	28	03/16/2018		<2.0	<2.0	<2.0																	
BED1	28	12/19/2017		<2.0	<2.0	<2.0																	
PT	28	09/07/2017		18	15	9.2																	
BED1	28	09/07/2017		<2.0	<2.0	<2.0																	
BED1	28	06/27/2017		<2.0	<2.0	<2.0																	
	28	12/05/2016	GAC installed 01/24/2017.	85	3.2	2.7	<20	<20	<2.0	<2.0	77	43	<2.0	<2.0	<2.0	<2.0	<2.0						
	28	03/31/2009		42																			
BED1	29	10/18/2022	GAC removed 03/28/2023 at owner's request. Permanent bottled water.	<2.0	<2.0	<2.0																	
PT	29	08/08/2022		21	<2.0	2.1																	
BED1	29	08/08/2022		<2.0	<2.0	<2.0																	
BED1	29	05/19/2022		<2.0	<2.0	<2.0																	
BED1	29	02/16/2022		<2.0	<2.0	<2.0																	
BED1	29	11/18/2021		<2.0	<2.0	<2.0																	
PT	29	08/19/2021		40	<2.0	6.5																	
BED1	29	08/19/2021		<2.0	<2.0	<2.0																	
BED1	29	04/22/2021		<2.0	<2.0	<2.0																	
BED1	29	01/19/2021		<2.0	<2.0	<2.0																	
BED1	29	11/18/2020		<2.0	<2.0	<2.0																	
PT	29	09/16/2020		2.2	<2.0	<2.0																	
BED1	29	09/16/2020		<2.0	<2.0	<2.0																	
BED1	29	06/10/2020		<2.0	<2.0	<2.0																	
BED1	29	01/28/2020		<2.0	<2.0	<2.0																	
BED1	29	10/11/2019		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	29	07/19/2019		51	2.1	9.6																	
BED1	29	07/19/2019		2.3	<2.0	<2.0																	
BED1	29	04/12/2019		<2.0	<2.0	<2.0																	
BED1	29	01/24/2019		<2.0	<2.0	<2.0																	
BED1	29	10/29/2018		<2.0	<2.0	<2.0																	
PT	29	07/16/2018		46	<2.0	7.5																<4.0	
BED1	29	07/16/2018		<2.0	<2.0	<2.0																	
BED1	29	04/12/2018		<2.0	<2.0	<2.0																	
	29	07/07/2016	GAC installed 01/09/2018.	27 J	<2.0 U	4.4 B	<20 U	<20 U	2.8	<2.0 U	73	19	<2.0 U	<2.0 U	<2.0 U	<2.0 U	<2.0 U						
	29	03/31/2009		42																			
	30	12/05/2016	PWS connection 03/09/2017. Well decommissioned 06/06/2023.	73	2.4	5.3	<20	<20	<2.0	3.8	63	42	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	30	12/05/2016	PWS connection 03/09/2017. Well decommissioned 06/06/2023.	75	2.5	5.2	<20	<20	<2.0	3.8	64	40	<2.0	<2.0	<2.0	<2.0	<2.0						
	30	03/31/2009		64																			
BED1	31	12/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	31	09/10/2024		68	20	32	<2.0	<2.0	2.3	<2.0	110	43	8.8	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	31	09/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	31	05/31/2024		<2.0	<2.0	<2.0																	
BED1	31	02/07/2024		<2.0	<2.0	<2.0																	
BED1	31	11/08/2023	Carbon Changeout 11/08/2023 - 5yr.	<2.0	<2.0	<2.0																	
PT	31	08/08/2023		61	8.6	19																	
BED1	31	08/08/2023		<2.0	<2.0	<2.0																	
BED1	31	05/17/2023		<2.0	<2.0	<2.0																	
BED1	31	03/01/2023		<2.0	<2.0	<2.0																	
BED1	31	11/28/2022		<2.0	<2.0	<2.0																	
PT	31	09/28/2022		62	17	28																	
BED1	31	09/28/2022		<2.0	<2.0	<2.0																	
BED1-DUP	31	09/28/2022		<2.0	<2.0	<2.0																	
BED1	31	06/28/2022		<2.0	<2.0	<2.0																	
BED1-DUP	31	06/28/2022		<2.0	<2.0	<2.0																	
BED1	31	02/23/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	31	11/18/2021		<2.0	<2.0	<2.0																	
PT	31	08/23/2021		69	12	29																	
BED1	31	08/23/2021		<2.0	<2.0	<2.0																	
BED1	31	05/05/2021		<2.0	<2.0	<2.0																	
BED1	31	02/10/2021		<2.0	<2.0	<2.0																	
BED1	31	11/04/2020		<2.0	<2.0	<2.0																	
PT	31	09/02/2020		92	10	30																	
BED1	31	09/02/2020		<2.0	<2.0	<2.0																	
BED1	31	06/22/2020		<2.0	<2.0	<2.0																	
BED1	31	03/06/2020		<2.0	<2.0	<2.0																	
BED1	31	10/23/2019		<2.0	<2.0	<2.0																	
PT	31	08/20/2019		96	19	42																	
BED1	31	08/20/2019		<2.0	<2.0	<2.0																	
BED1	31	04/29/2019		<2.0	<2.0	<2.0																	
BED1	31	02/28/2019		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	31	11/29/2018		<2.0	<2.0	<2.0																	
PT	31	09/19/2018		44	15	33																<4.0	
BED1	31	09/19/2018		<2.0	<2.0	<2.0																	
	31	03/19/2018	GAC installed 05/17/2018.	110	4.1	24	<20	<20	<2.0	<2.0	69	46	2.2	<2.0	<2.0	<2.0	<2.0						
	31	03/31/2009		140																			
POST	32	05/23/2022		<2.0	<2.0	<2.0																	
PRE	32	05/23/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
POST	32	04/12/2021		<2.0	<2.0	<2.0																	
PRE	32	04/12/2021		<2.0	<2.0	<2.0																	
	32	08/26/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	32	08/26/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	32	03/31/2009		ND																			
	33	03/20/2024		<2.0	<2.0	<2.0																	
DUP	33	03/20/2024		<2.0	<2.0	<2.0																	
	33	04/04/2022		<2.0	<2.0	<2.0																	
	33	02/23/2021		<2.0	<2.0	<2.0																	
DUP	33	02/23/2021		<2.0	<2.0	<2.0																	
	33	07/01/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	33	04/01/2009		ND																			
	34	04/22/2024		<2.0	<2.0	<2.0																	
	34	04/11/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
	34	03/04/2021		<2.0	<2.0	<2.0																	
	34	08/03/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	34	04/01/2009		ND																			
	35	09/26/2022		<2.0	<2.0	<2.0																	
	35	02/05/2020		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<4.0	<2.0
DUP	35	02/05/2020		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<4.0	<2.0
	35	04/01/2009		ND																			
	36	04/08/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	36	04/01/2009		ND																			
BED1	37	11/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	37	09/05/2024		71	20	16	<2.0	<2.0	3.5	3.0	84	48	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			7.2	<2.0
BED1	37	09/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	37	06/19/2024		<2.0	<2.0	<2.0																	
BED1	37	03/15/2024		<2.0	<2.0	<2.0																	
BED1-DUP	37	03/15/2024		<2.0	<2.0	<2.0																	
BED1	37	11/21/2023		<2.0	<2.0	<2.0																	
PT	37	09/05/2023		98	19	16																	
BED1	37	09/05/2023		<2.0	<2.0	<2.0																	
BED1	37	05/30/2023		<2.0	<2.0	<2.0																	
BED1	37	01/24/2023		<2.0	<2.0	<2.0																	
BED1	37	10/11/2022		<2.0	<2.0	<2.0																	
PT	37	08/02/2022		90	16	12																	
BED1	37	08/02/2022		<2.0	<2.0	<2.0																	
BED1	37	05/19/2022		<2.0	<2.0	<2.0																	
BED1	37	02/28/2022		<2.0	<2.0	<2.0																	
BED1-DUP	37	02/28/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	37	11/10/2021		<2.0	<2.0	<2.0																	
PT	37	08/24/2021		84	19	14																	
BED1	37	08/24/2021		<2.0	<2.0	<2.0																	
BED1-DUP	37	08/24/2021		<2.0	<2.0	<2.0																	
BED1	37	04/15/2021		<2.0	<2.0	<2.0																	
BED1	37	12/01/2020		<2.0	<2.0	<2.0																	
PT	37	09/28/2020	Carbon Changeout 08/04/2020 - Fe/Pressure.	100	16	10																	
BED1	37	09/28/2020	Carbon Changeout 08/04/2020 - Fe/Pressure.	<2.0	<2.0	<2.0																	
BED1	37	06/26/2020		<2.0	<2.0	<2.0																	
BED1	37	03/11/2020		<2.0	<2.0	<2.0																	
BED1	37	10/31/2019		<2.0	<2.0	<2.0																	
PT	37	08/23/2019		74	14	10																	
BED1	37	08/23/2019		<2.0	<2.0	<2.0																	
BED1	37	05/07/2019		<2.0	<2.0	<2.0																	
BED1	37	03/07/2019		<2.0	<2.0	<2.0																	
BED1	37	12/04/2018		<2.0	<2.0	<2.0																	
PT	37	09/05/2018		96	20	14																7.0	
BED1	37	09/05/2018		<2.0	<2.0	<2.0																<4.0	
BED1	37	06/01/2018		<2.0	<2.0	<2.0																	
BED1	37	03/13/2018		<2.0	<2.0	<2.0																	
BED1	37	12/05/2017		<2.0	<2.0	<2.0																	
PT	37	08/18/2017		110	19	11																	
BED1	37	08/18/2017		<2.0	<2.0	<2.0																	
BED1	37	06/28/2017		<2.0	<2.0	<2.0																	
BED1	37	03/02/2017		<2.0	<2.0	<2.0																	
	37	08/03/2016	GAC installed 11/07/2016.	130	17	9.8	<20	<20	4.6	4.3	95	65	<2.0	<2.0	<2.0	<2.0	<2.0						
	37	04/01/2009		150																			
BED1	38	10/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	38	07/02/2024		170	7.2	6.2	<2.0	<2.0	2.2	2.7	160	120	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			14	<2.0
BED1	38	07/02/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	38	04/04/2024		<2.0	<2.0	<2.0																	
BED1	38	01/10/2024		<2.0	<2.0	<2.0																	
BED1	38	10/02/2023		<2.0	<2.0	<2.0																	
PT	38	07/21/2023		160	11	10																	
BED1	38	07/21/2023		<2.0	<2.0	<2.0																	
BED1	38	04/05/2023		<2.0	<2.0	<2.0																	
BED1	38	01/05/2023		<2.0	<2.0	<2.0																	
BED1	38	10/06/2022		<2.0	<2.0	<2.0																	
BED1-DUP	38	10/06/2022		<2.0	<2.0	<2.0																	
PT	38	07/19/2022		180	12	12																	
BED1	38	07/19/2022		<2.0	<2.0	<2.0																	
BED1	38	04/14/2022	Carbon Changeout 02/22/2022 - 5yr.	<2.0	<2.0	<2.0																	
BED1	38	01/24/2022		<2.0	<2.0	<2.0																	
BED1	38	10/20/2021		<2.0	<2.0	<2.0																	
BED1-DUP	38	10/20/2021		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	38	08/02/2021		93	18	10																	
BED1	38	08/02/2021		<2.0	<2.0	<2.0																	
BED1	38	04/29/2021		<2.0	<2.0 UJ	<2.0																	
BED1	38	02/04/2021		<2.0	<2.0	<2.0																	
BED1	38	10/20/2020		<2.0	<2.0	<2.0																	
PT	38	08/17/2020		190	15	11																	
BED1	38	08/17/2020		<2.0	<2.0	<2.0																	
BED1	38	06/11/2020		<2.0	<2.0	<2.0																	
BED1	38	02/04/2020		<2.0	<2.0	<2.0																	
BED1	38	10/24/2019		<2.0	<2.0	<2.0																	
PT	38	08/20/2019		110	16	6.6																	
BED1	38	08/20/2019		<2.0	<2.0	<2.0																	
BED1	38	04/29/2019		<2.0	<2.0	<2.0																	
BED1	38	02/28/2019		<2.0	<2.0	<2.0																	
BED1	38	12/03/2018		<2.0	<2.0	<2.0																	
PT	38	08/13/2018		140	13	6.6																8.8	
BED1	38	08/13/2018		<2.0	<2.0	<2.0																<4.0	
BED1	38	05/10/2018		<2.0	<2.0	<2.0																	
BED1	38	03/13/2018		<2.0	<2.0	<2.0																	
BED1	38	12/05/2017		<2.0	<2.0	<2.0																	
PT	38	09/06/2017		180	11	6.4																	
BED1	38	09/06/2017		<2.0	<2.0	<2.0																	
BED1	38	06/23/2017		<2.0	<2.0	<2.0																	
BED1-DUP	38	06/23/2017		<2.0	<2.0	<2.0																	
BED1	38	03/27/2017		<2.0	<2.0	<2.0																	
BED1-DUP	38	03/27/2017		<2.0	<2.0	<2.0																	
	38	07/12/2016	GAC installed 12/07/2016.	160 J	15	7.2	<20	<20	4.9	3.9	150	98	<2.0	<2.0	<2.0	<2.0	<2.0						
	38	04/01/2009		140																			
	39	07/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	2.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	39	05/02/2022		3.7	<2.0	<2.0																	
	39	03/04/2021		5.4	<2.0	<2.0																	
	39	07/11/2016		4.6	<2.0	<2.0	<20	<20	<2.0	<2.0	5.9	3.2	<2.0	<2.0	<2.0	<2.0	<2.0						
	39	04/02/2009		ND																			
BED1	40	12/31/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	40	09/10/2024		57	4.6	12	<2.0	<2.0	<2.0	<2.0	48	27	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	40	09/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	40	06/25/2024		<2.0	<2.0	<2.0																	
BED1	40	03/12/2024		<2.0	<2.0	<2.0																	
BED1	40	12/14/2023		<2.0	<2.0	<2.0																	
PT	40	09/20/2023		54	2.1	7.6																	
BED1	40	09/20/2023		<2.0	<2.0	<2.0																	
BED1	40	06/15/2023		<2.0	<2.0	<2.0																	
BED1	40	02/21/2023		<2.0	<2.0	<2.0																	
BED1	40	11/29/2022		<2.0	<2.0	<2.0																	
PT	40	09/13/2022		63	2.3	5.1																	
BED1	40	09/13/2022		<2.0	<2.0	<2.0																	
BED1	40	06/06/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	40	03/02/2022		<2.0	<2.0	<2.0																	
BED1	40	11/09/2021		<2.0	<2.0	<2.0																	
BED1-DUP	40	11/09/2021		<2.0	<2.0	<2.0																	
PT	40	08/30/2021	Analyzed for 18 PFAS compounds for completeness. All results are on the Chemours Chambers Works website.	57	2.3	6.2	<2.0	<2.0	<2.0	<2.0	33	24	3.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	40	08/30/2021		<2.0	<2.0	<2.0																	
	40	02/23/2021	GAC installed 05/05/2021.	58	<2.0	8.6																	
	40	04/02/2009		50																			
	41	04/02/2009	Non-response to sampling offer in Ongoing 2016 Program.	230																			
	42	02/07/2022	Permanent bottled water.	71 J	<2.0 UJ	3.3 J	<2.0 UJ	<2.0 UJ	3.3 J	2.2 J	86	47 J	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ			10 J	<2.0 UJ
	42	04/02/2009		190																			
BED1	43	12/18/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	43	08/08/2024		180	10	41	<2.0	<2.0	11	3.6	210	110	3.4	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			18	<2.0
BED1	43	08/08/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	43	05/03/2024		<2.0	<2.0	<2.0																	
BED1	43	02/01/2024		<2.0	<2.0	<2.0																	
BED1	43	10/25/2023		<2.0	<2.0	<2.0																	
PT	43	08/23/2023		300	8.9	31																	
BED1	43	08/23/2023		<2.0	<2.0	<2.0																	
BED1	43	05/18/2023		<2.0	<2.0	<2.0																	
BED1	43	02/16/2023		<2.0	<2.0	<2.0																	
BED1	43	11/14/2022		<2.0	<2.0	<2.0																	
PT	43	09/08/2022		280	9.0	28																	
BED1	43	09/08/2022		<2.0	<2.0	<2.0																	
BED1	43	06/09/2022	Carbon Changeout 03/17/2022 - 5yr.	<2.0	<2.0	<2.0																	
BED1	43	02/17/2022		<2.0	<2.0	<2.0																	
BED1	43	11/11/2021		<2.0	<2.0	<2.0																	
PT	43	08/26/2021		150	11	39																	
BED1	43	08/26/2021		<2.0	<2.0	<2.0																	
BED1	43	05/20/2021		<2.0	<2.0	<2.0																	
BED1	43	02/11/2021		<2.0	<2.0	<2.0																	
BED1	43	11/05/2020		<2.0	<2.0	<2.0																	
PT	43	08/11/2020		190	14	49																	
PT	43	08/11/2020	Split sampling for method comparison.	190	14	41																	
BED1-DUP	43	08/11/2020	Split sampling for method comparison.	<2.0	<2.0	<2.0																	
BED1	43	08/11/2020		<2.0	<2.0	<2.0																	
BED1	43	08/11/2020	Split sampling for method comparison.	<2.0	<2.0	<2.0																	
BED1	43	06/30/2020		<2.0	<2.0	<2.0																	
BED1	43	03/11/2020		<2.0	<2.0	<2.0																	
BED1	43	12/12/2019		<2.0	<2.0	<2.0																	
PT	43	09/26/2019		170	9.4	33																	
BED1	43	09/26/2019		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	43	05/23/2019		<2.0	<2.0	<2.0																	
BED1	43	03/01/2019		<2.0	<2.0	<2.0																	
BED1	43	12/06/2018		<2.0	<2.0	<2.0																	
PT	43	08/28/2018		250	13	35																15	
BED1	43	08/28/2018		<2.0	<2.0	<2.0																<4.0	
PT	43	05/03/2018																				13	
BED1	43	05/03/2018		<2.0	<2.0	<2.0																	
BED1	43	05/03/2018																				<10	
PT	43	03/05/2018	February-March 2018 branched and linear study sample.				<0.40	<0.40	23	8.6	260	160	4.7	<0.40	<0.40	<0.40 UJ	<0.40 UJ			220	94		
BED1	43	03/05/2018		<2.0	<2.0	<2.0																	
BED1	43	12/21/2017		<2.0	<2.0	<2.0																	
PT	43	09/06/2017		330	15	38																	
BED1	43	09/06/2017		<2.0	<2.0	<2.0																	
BED1	43	06/28/2017		<2.0	<2.0	<2.0																	
BED1	43	03/03/2017		<2.0	<2.0	<2.0																	
	43	08/03/2016	GAC installed 11/03/2016.	260 J	9.5 J	24 J	<20 UJ	<20 UJ	5.9 J	5.2 J	190 J	130 J	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ						
DUP	43	08/03/2016	GAC installed 11/03/2016.	280 J	9.2 J	25 J	<20 UJ	<20 UJ	5.3 J	4.9 J	190 J	130 J	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ						
	43	04/02/2009		320																			
BED1	44	10/02/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	44	07/03/2024		32	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	34	21	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	44	07/03/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	44	04/02/2024		<2.0	<2.0	<2.0																	
BED1	44	01/04/2024		<2.0	<2.0	<2.0																	
BED1	44	12/07/2023		<2.0	<2.0	<2.0																	
PT	44	08/16/2023	Carbon Changeout 08/16/2023 - 5yr.	31	<2.0	<2.0																	
BED1	44	08/16/2023	Carbon Changeout 08/16/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	44	05/01/2023		<2.0	<2.0	<2.0																	
BED1	44	02/21/2023		<2.0	<2.0	<2.0																	
BED1	44	11/22/2022		<2.0	<2.0	<2.0																	
PT	44	07/05/2022		29	<2.0	<2.0																	
BED1	44	07/05/2022		<2.0	<2.0	<2.0																	
BED1	44	04/05/2022		<2.0	<2.0	<2.0																	
BED1	44	01/03/2022		<2.0	<2.0	<2.0																	
BED1	44	10/04/2021		<2.0	<2.0	<2.0																	
PT	44	07/06/2021		34	2.7	<2.0																	
BED1	44	07/06/2021		<2.0	<2.0	<2.0																	
BED1-DUP	44	07/06/2021		<2.0	<2.0	<2.0																	
BED1	44	04/06/2021		<2.0	<2.0	<2.0																	
BED1	44	01/25/2021		<2.0	<2.0	<2.0																	
BED1-DUP	44	01/25/2021		<2.0	<2.0	<2.0																	
BED1	44	10/06/2020		<2.0	<2.0	<2.0																	
PT	44	07/28/2020		21	<2.0	<2.0																	
BED1	44	07/28/2020		<2.0	<2.0	<2.0																	
BED1	44	06/18/2020		<2.0	<2.0	<2.0																	
BED1	44	02/26/2020		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED2	44	02/26/2020		<2.0	<2.0	<2.0																	
BED1	44	11/19/2019		<2.0	<2.0	<2.0																	
PT	44	09/16/2019		18	<2.0	<2.0																	
BED1	44	09/16/2019		<2.0	<2.0	<2.0																	
BED1	44	04/05/2019		<2.0	<2.0	<2.0																	
BED1	44	01/11/2019		<2.0	<2.0	<2.0																	
BED1	44	10/25/2018		<2.0	<2.0	<2.0																	
PT	44	07/09/2018		19	<2.0	<2.0																<4.0	
BED1	44	07/09/2018		<2.0	<2.0	<2.0																	
	44	07/07/2016	GAC installed 04/13/2018.	20 J	2.1 J	<2.0 U	<20 U	<20 U	2	<2.0 U	28	13	<2.0 U	<2.0 U	<2.0 U	<2.0 U	<2.0 U						
	44	04/02/2009		NQ																			
	45	03/23/2023		<2.0	<2.0	<2.0																	
	45	02/28/2022		<2.0	<2.0	<2.0																	
	45	07/22/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	45	04/06/2009		ND																			
POST	46	04/15/2024		<2.0	<2.0	<2.0																	
PRE	46	04/15/2024		<2.0	<2.0	<2.0																	
POST	46	04/04/2022		<2.0	<2.0	<2.0																	
PRE	46	04/04/2022		<2.0	<2.0	<2.0																	
	46	03/09/2021		<2.0	<2.0	<2.0																	
	46	07/08/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	46	04/06/2009		ND																			
	47	04/06/2009	Non-response to sampling offer in Ongoing 2016 Program.	ND																			
	48	05/07/2018		2.2	<2.0	<2.0	<20	<20	<2.0	<2.0	2.7	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	48	04/06/2009		ND																			
	49	04/06/2009	Non-response to sampling offer in Ongoing 2016 Program.	80																			
BED1	50	11/01/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	46	3.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			31	<2.0
PT	50	08/09/2024		250	13	20	<2.0	<2.0	8.4	2.9	270	200	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			53	<2.0
BED1	50	08/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	39	2.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			34	<2.0
BED1	50	05/17/2024		<2.0	<2.0	<2.0																	
BED1	50	02/16/2024		<2.0	<2.0	<2.0																	
BED1	50	10/27/2023		<2.0	<2.0	<2.0																	
PT	50	07/17/2023		230	11	16																	
BED1	50	07/17/2023		<2.0	<2.0	<2.0																	
BED1	50	04/13/2023		<2.0	<2.0	<2.0																	
BED1	50	01/12/2023		<2.0	<2.0	<2.0																	
BED1	50	10/10/2022		<2.0	<2.0	<2.0																	
PT	50	08/04/2022		220	13	19																	
BED1	50	08/04/2022		<2.0	<2.0	<2.0																	
BED1	50	04/20/2022		<2.0	<2.0	<2.0																	
BED1	50	01/27/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1-DUP	50	01/27/2022		<2.0	<2.0	<2.0																	
BED1	50	10/29/2021		<2.0	<2.0	<2.0																	
PT	50	08/02/2021		190	14	16																	
BED1	50	08/02/2021		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	50	05/10/2021		<2.0	<2.0	<2.0																	
BED1	50	02/12/2021		<2.0	<2.0	<2.0																	
BED1	50	11/18/2020		<2.0	<2.0	<2.0																	
PT	50	09/23/2020		210	21	22																	
BED1	50	09/23/2020		<2.0	<2.0	<2.0																	
BED1-DUP	50	09/23/2020		<2.0	<2.0	<2.0																	
BED1	50	06/25/2020		<2.0	<2.0	<2.0																	
	50	11/26/2019	GAC installed 02/07/2020.	200	22	16	<20	<20	8.9	2.8	270	140	2.6	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	220	100	33 J	<2.0
	50	04/06/2009		250																			
	51	08/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	51	07/06/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	51	04/07/2009		ND																			
	52	04/07/2009	Non-response to sampling offer in Ongoing 2016 Program.	47																			
	53	04/07/2009	Non-response to sampling offer in Ongoing 2016 Program.	ND																			
BED1	54	12/03/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	54	08/15/2024		65	6.3	22	<2.0	<2.0	<2.0	<2.0	43	31	5.2	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	54	08/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	54	05/28/2024		<2.0	<2.0	<2.0																	
BED1	54	02/29/2024		<2.0	<2.0	<2.0																	
BED1	54	12/12/2023		<2.0	<2.0	<2.0																	
PT	54	09/20/2023		59	2.3	8.8																	
BED1	54	09/20/2023		<2.0	<2.0	<2.0																	
BED1-DUP	54	09/20/2023		<2.0	<2.0	<2.0																	
BED1	54	05/24/2023		<2.0	<2.0	<2.0																	
BED1	54	02/21/2023		<2.0	<2.0	<2.0																	
BED1	54	11/07/2022		<2.0	<2.0	<2.0																	
PT	54	08/31/2022		57	2.2	6.7																	
BED1	54	08/31/2022		<2.0	<2.0	<2.0																	
BED1	54	05/25/2022		<2.0	<2.0	<2.0																	
BED1	54	01/12/2022	Carbon Changeout 01/12/2022 - 5yr.	<2.0	<2.0	<2.0																	
BED1-DUP	54	01/12/2022	Carbon Changeout 01/12/2022 - 5yr.	<2.0	<2.0	<2.0																	
BED1	54	12/08/2021		<2.0	<2.0	<2.0																	
PT	54	09/01/2021		86	2.2 J	7.2																	
BED1	54	09/01/2021		<2.0	<2.0	<2.0																	
BED1	54	04/07/2021		<2.0	<2.0	<2.0																	
BED1	54	01/12/2021		<2.0	<2.0	<2.0																	
BED1	54	10/05/2020		<2.0	<2.0	<2.0																	
PT	54	07/28/2020		57	2.8	12																	
BED1	54	07/28/2020		<2.0	<2.0	<2.0																	
BED1	54	06/04/2020		<2.0	<2.0	<2.0																	
BED1	54	01/27/2020		<2.0	<2.0	<2.0																	
BED1	54	10/11/2019		<2.0	<2.0	<2.0																	
PT	54	07/15/2019		88	4.5	9.4																	
BED1	54	07/15/2019		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	54	04/11/2019		<2.0	<2.0	<2.0																	
BED1	54	01/22/2019		<2.0	<2.0	<2.0																	
BED1	54	10/31/2018		<2.0	<2.0	<2.0																	
PT	54	07/24/2018		66	4.0	12																<4.0	
BED1	54	07/24/2018		<2.0	<2.0	<2.0																	
BED1	54	04/23/2018		<2.0	<2.0	<2.0																	
BED1	54	02/15/2018		<2.0	<2.0	<2.0																	
BED1	54	11/16/2017		<2.0	<2.0	<2.0																	
PT	54	08/16/2017		71	2.2	9.3																	
BED1	54	08/16/2017		<2.0	<2.0	<2.0																	
BED1	54	06/20/2017		<2.0	<2.0	<2.0																	
BED1	54	03/02/2017		<2.0	<2.0	<2.0																	
	54	07/07/2016	GAC installed 10/20/2016.	92 J	2.6 J	5.7 B	<20 U	<20 U	2.5	<2.0 U	75	49	2.5 B	<2.0 U	<2.0 U	<2.0 U	<2.0 U						
DUP	54	07/07/2016	GAC installed 10/20/2016.	81 J	2.6 J	5.3 B	<20 U	<20 U	2.3	<2.0 U	67	45	2.2 B	<2.0 U	<2.0 U	<2.0 U	<2.0 U						
	54	04/07/2009		53																			
	55	09/01/2016	PWS connection 05/01/2017.	80	16	5	<20	<20	6.8	2.9	78	35	<2.0	<2.0	<2.0	<2.0	<2.0						
	55	04/07/2009		48																			
	56	03/23/2021	Declined treatment offer. Permanent bottled water.	65	2.0	8.3																	
DUP	56	03/23/2021	Declined treatment offer. Permanent bottled water.	55	<2.0	7.0																	
	56	07/14/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	56	07/14/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	56	04/09/2009		ND																			
	57	04/09/2009	Non-response to sampling offer in Ongoing 2016 Program.	28																			
BED1	58	12/03/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	58	09/13/2024		45	<2.0	7.2	<2.0	<2.0	2.2	<2.0	58	24	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	58	09/13/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	58	06/11/2024		<2.0	<2.0	<2.0																	
BED1	58	02/28/2024		<2.0	<2.0	<2.0																	
BED1	58	12/04/2023		<2.0	<2.0	<2.0																	
BED1-DUP	58	12/04/2023		<2.0	<2.0	<2.0																	
PT	58	09/19/2023		68	2.9	13																	
BED1	58	09/19/2023		<2.0	<2.0	<2.0																	
BED1	58	06/22/2023		<2.0	<2.0	<2.0																	
BED1	58	03/07/2023		<2.0	<2.0	<2.0																	
BED1	58	11/28/2022		<2.0	<2.0	<2.0																	
PT	58	08/24/2022		61	2.3	7.6																	
BED1	58	08/24/2022		<2.0	<2.0	<2.0																	
BED1	58	05/18/2022		<2.0	<2.0	<2.0																	
BED1	58	01/19/2022	Carbon Changeout 01/19/2022 - 5yr.	<2.0	<2.0	<2.0																	
PT	58	08/27/2021		58	2.3	9.0																	
BED1	58	08/27/2021		<2.0	<2.0	<2.0																	
BED1	58	06/21/2021		<2.0	<2.0	<2.0																	
BED1	58	03/23/2021		<2.0	<2.0	<2.0																	
BED1	58	12/07/2020		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1-DUP	58	12/07/2020		<2.0	<2.0	<2.0																	
PT	58	09/14/2020		60	2.3 J	10																	
BED1	58	09/14/2020		<2.0	<2.0	<2.0																	
BED1	58	06/24/2020		<2.0	<2.0	<2.0																	
BED1	58	02/12/2020		<2.0	<2.0	<2.0																	
BED1	58	10/24/2019		<2.0	<2.0	<2.0																	
PT	58	08/26/2019		75	2.6	8.9																	
BED1	58	08/26/2019		<2.0	<2.0	<2.0																	
BED1	58	05/16/2019		<2.0	<2.0	<2.0																	
BED1-DUP	58	05/16/2019		<2.0	<2.0	<2.0																	
BED1	58	03/20/2019		<2.0	<2.0	<2.0																	
BED1	58	12/03/2018		<2.0	<2.0	<2.0																	
PT	58	09/20/2018		74	2.7	13																<4.0	
BED1	58	09/20/2018		<2.0	<2.0	<2.0																	
BED1	58	06/18/2018		<2.0	<2.0	<2.0																	
BED1	58	02/15/2018	Carbon Changeout 12/18/2017 - Fe.	<2.0	<2.0	<2.0																	
BED1	58	11/16/2017		<2.0	<2.0	<2.0																	
PT	58	08/16/2017		77	3	13																	
BED1	58	08/16/2017		<2.0	<2.0	<2.0																	
BED1	58	06/07/2017		<2.0	<2.0	<2.0																	
BED1-DUP	58	06/07/2017		<2.0	<2.0	<2.0																	
BED1	58	03/02/2017		<2.0	<2.0	<2.0																	
	58	07/13/2016	GAC installed 10/19/2016.	94 J	3.4 J	17 J	<20 UJ	<20 UJ	2.2 J	<2.0 UJ	62 J	33 J	3.6 J	2.3 J	<2.0 UJ	<2.0 UJ	<2.0 UJ						
	58	04/09/2009		71																			
PT	59	07/28/2023		140	5.4	19																	
BED1	59	07/28/2023		<2.0	<2.0	<2.0																	
BED1	59	05/19/2022	Carbon Changeout 05/19/2022 - 5yr.	<2.0	<2.0	<2.0																	
BED1	59	03/15/2022		<2.0	<2.0	<2.0																	
BED1	59	12/13/2021		<2.0	<2.0	<2.0																	
PT	59	09/21/2021		180	5.8	27																	
BED1	59	09/21/2021		<2.0	<2.0	<2.0																	
BED1	59	06/28/2021		<2.0	<2.0	<2.0																	
BED1	59	03/05/2021		<2.0	<2.0	<2.0																	
BED1	59	12/02/2020		<2.0	<2.0	<2.0																	
PT	59	09/02/2020		160	4.3	21																	
BED1	59	09/02/2020		<2.0	<2.0	<2.0																	
BED1	59	06/22/2020		<2.0	<2.0	<2.0																	
BED1	59	02/14/2020		<2.0	<2.0	<2.0																	
BED1	59	11/11/2019		<2.0	<2.0	<2.0																	
PT	59	09/05/2019		190	7.3	26																	
BED1	59	09/05/2019		<2.0	<2.0	<2.0																	
BED1	59	05/23/2019		<2.0	<2.0	<2.0																	
BED1	59	03/04/2019		<2.0	<2.0	<2.0																	
BED1	59	12/05/2018		<2.0	<2.0	<2.0																	
PT	59	08/21/2018		220	6.3	23																7.7	
BED1	59	08/21/2018		<2.0	<2.0	<2.0																<4.0	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	59	06/01/2018		<2.0	<2.0	<2.0																	
BED1	59	03/14/2018		<2.0	<2.0	<2.0																	
BED1	59	12/05/2017		<2.0	<2.0	<2.0																	
PT	59	09/29/2017		220	9.4	28																	
BED1	59	09/29/2017		<2.0	<2.0	<2.0																	
BED1	59	06/23/2017		<2.0	<2.0	<2.0																	
BED1-DUP	59	06/23/2017		<2.0	<2.0	<2.0																	
	59	08/11/2016	GAC installed 02/07/2017.	260	7 J	23	<20	<20	7.4	5.2	190	110	<2.0	<2.0	<2.0	<2.0	<7.5						
DUP	59	08/11/2016	GAC installed 02/07/2017.	260	17 J	21	<20	<20	7.2	5.5	200	110	<2.0	<2.0	<2.0	<2.0	<10						
	59	04/09/2009		270																			
PT	60	08/30/2024		210	8.2	15	<2.0	<2.0	4.4	8.2	200	130	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			20	<2.0
BED1	60	08/30/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	60	06/24/2024		<2.0	<2.0	<2.0																	
BED1	60	03/15/2024		<2.0	<2.0	<2.0																	
BED1	60	12/18/2023		<2.0	<2.0	<2.0																	
PT	60	09/18/2023		240	15	21																	
BED1	60	09/18/2023		<2.0	<2.0	<2.0																	
PT	60	08/20/2021		200	7.4	14																	
BED1	60	08/20/2021		<2.0	<2.0	<2.0																	
BED1	60	05/26/2021		<2.0	<2.0	<2.0																	
BED1	60	03/05/2021		<2.0	<2.0	<2.0																	
BED1	60	11/11/2020		<2.0	<2.0	<2.0																	
PT	60	09/14/2020		190	7.6 J	14																	
BED1	60	09/14/2020		<2.0	<2.0	<2.0																	
BED1	60	06/24/2020		<2.0	<2.0	<2.0																	
BED1	60	02/05/2020		<2.0	<2.0	<2.0																	
BED1	60	10/23/2019	Carbon Changeout 09/19/2019 - Fe.	<2.0	<2.0	<2.0																	
PT	60	08/05/2019		260	8.9	15																	
BED1	60	08/05/2019		<2.0	<2.0	<2.0																	
BED1	60	04/10/2019		<2.0	<2.0	<2.0																	
PT	60	01/16/2019	Carbon Changeout 04/12/2018 - Fe.	270	11 B	17																25	
BED1	60	01/16/2019	Carbon Changeout 04/12/2018 - Fe.	<2.0	<2.0	<2.0																<4.0	
BED1	60	03/29/2018		<2.0	<2.0	<2.0																	
PT	60	09/28/2017		200	7.3	10																	
BED1	60	09/28/2017		<2.0	<2.0	<2.0																	
BED1	60	06/28/2017		<2.0	<2.0	<2.0																	
BED1	60	03/27/2017	Elevated results for this sample suggest that an incorrect port may have been sampled and results should be used with caution.	200 J	6.9 J	11 J																	
BED2	60	03/27/2017	Elevated results for this sample suggest that an incorrect port may have been sampled and results should be used with caution.	<2.0	<2.0	<2.0																	
	60	07/12/2016	GAC installed 12/13/2016.	240 J	7	11	<20	<20	4.5	12	210	140	<2.0	<2.0	<2.0	<2.0	<2.0						
	60	04/09/2009		180																			
PT	61	09/05/2024		48	3.0	11	<2.0	<2.0	<2.0	<2.0	46	25	4.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	61	09/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	61	06/04/2024		<2.0	<2.0	<2.0																	
BED1	61	02/29/2024		<2.0	<2.0	<2.0																	
BED1	61	11/20/2023		<2.0	<2.0	<2.0																	
PT	61	08/29/2023		57	3.1	12																	
BED1	61	08/29/2023		<2.0	<2.0	<2.0																	
BED1	61	06/05/2023		<2.0	<2.0	<2.0																	
BED1	61	03/09/2023		<2.0	<2.0	<2.0																	
BED1	61	11/22/2022		<2.0	<2.0	<2.0																	
PT	61	09/14/2022		55	2.8	11																	
BED1	61	09/14/2022		<2.0	<2.0	<2.0																	
BED1	61	06/13/2022		<2.0	<2.0	<2.0																	
BED1	61	02/28/2022		<2.0	<2.0	<2.0																	
BED1	61	12/01/2021	Carbon Changeout 11/10/2021 - 5yr.	<2.0	<2.0	<2.0																	
PT	61	08/03/2021		56	3.2	12																	
BED1	61	08/03/2021		<2.0	<2.0	<2.0																	
BED1	61	05/04/2021		<2.0	<2.0	<2.0																	
BED1	61	02/09/2021		<2.0	<2.0	<2.0																	
BED1	61	11/10/2020		<2.0	<2.0	<2.0																	
PT	61	09/03/2020		53	2.5	10																	
BED1	61	09/03/2020		<2.0	<2.0	<2.0																	
BED1-DUP	61	09/03/2020		<2.0	<2.0	<2.0																	
BED1	61	06/22/2020		<2.0	<2.0	<2.0																	
BED1	61	03/05/2020		<2.0	<2.0	<2.0																	
BED1	61	10/22/2019		<2.0	<2.0	<2.0																	
PT	61	07/30/2019		58	2.4	9.4																	
BED1	61	07/30/2019		<2.0	<2.0	<2.0																	
BED1	61	04/24/2019		<2.0	<2.0	<2.0																	
BED1	61	02/11/2019		<2.0	<2.0	<2.0																	
BED1	61	11/12/2018		<2.0	<2.0	<2.0																	
PT	61	08/14/2018		63	4.0	16																<4.0	
BED1	61	08/14/2018		<2.0	<2.0	<2.0																	
PT	61	05/14/2018																				<10	
BED1	61	05/14/2018		<2.0	<2.0	<2.0																	
BED1	61	05/14/2018																				<10	
PT	61	02/28/2018	February-March 2018 branched and linear study sample.				<0.40	<0.40	0.99	0.61	48	28	5.4	1.9	<0.40	<0.40	<0.40			37	20		
BED1	61	02/28/2018		<2.0	<2.0	<2.0																	
BED1	61	11/16/2017		<2.0	<2.0	<2.0																	
PT	61	08/17/2017		66	3.3	13																	
BED1	61	08/17/2017		<2.0	<2.0	<2.0																	
BED1	61	06/22/2017		<2.0	<2.0	<2.0																	
BED1	61	03/27/2017		<2.0	<2.0	<2.0																	
	61	08/10/2016	GAC installed 12/01/2016.	65	1300	13	<20	<20	3.1	<2.0	48	24	25	7.7	<2.0	<2.0	<2.0						
	61	04/09/2009		64																			
BED1	62	10/21/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	62	08/14/2024		26	8.8	29	<2.0	<2.0	<2.0	<2.0	35	14	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	62	08/14/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	62	08/14/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	62	05/31/2024		<2.0	<2.0	<2.0																	
BED1	62	01/23/2024		<2.0	<2.0	<2.0																	
BED1	62	10/23/2023		<2.0	<2.0	<2.0																	
PT	62	08/08/2023		34	8.7	27																	
BED1	62	08/08/2023		<2.0	<2.0	<2.0																	
BED1	62	05/15/2023		<2.0	<2.0	<2.0																	
BED1-DUP	62	05/15/2023		<2.0	<2.0	<2.0																	
BED1	62	02/16/2023		<2.0	<2.0	<2.0																	
BED1	62	11/09/2022		<2.0	<2.0	<2.0																	
PT	62	09/01/2022		37	6.1	21																	
BED1	62	09/01/2022		<2.0	<2.0	<2.0																	
BED1	62	05/31/2022		<2.0	<2.0	<2.0																	
BED1	62	02/10/2022	Carbon Changeout 02/10/2022 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	62	11/30/2021		<2.0	<2.0	<2.0																	
PT	62	08/30/2021		57	11 J	29																	
BED1	62	08/30/2021		<2.0	<2.0	<2.0																	
BED1	62	06/10/2021		<2.0	<2.0	<2.0																	
BED1	62	02/16/2021		<2.0	<2.0	<2.0																	
BED1	62	11/30/2020		<2.0	<2.0	<2.0																	
PT	62	08/19/2020		39	8.2	22																	
BED1	62	08/19/2020		<2.0	<2.0	<2.0																	
BED1	62	06/12/2020		<2.0	<2.0	<2.0																	
BED1	62	02/07/2020		<2.0	<2.0	<2.0																	
BED1	62	11/01/2019		<2.0	<2.0	<2.0																	
PT	62	08/30/2019		55	13	28																	
BED1	62	08/30/2019		<2.0	<2.0	<2.0																	
BED1	62	05/21/2019		<2.0	<2.0	<2.0																	
BED1	62	02/08/2019		<2.0	<2.0	<2.0																	
BED1	62	11/12/2018		<2.0	<2.0	<2.0																	
PT	62	08/01/2018		54	9.7 B	19																<4.0	
BED1	62	08/01/2018		<2.0	<2.0	<2.0																	
PT	62	05/08/2018																				<10	
BED1	62	05/08/2018		<2.0	<2.0	<2.0																	
BED1-DUP	62	05/08/2018		<2.0	<2.0	<2.0																	
BED1	62	05/08/2018																				<10	
PT	62	02/23/2018	February-March 2018 branched and linear study sample.				<0.40	<0.40	2.5	0.86	31	18	<0.40	<0.40	<0.40	<0.40	<0.40			22	16		
BED1	62	02/23/2018		<2.0	<2.0	<2.0																	
BED1	62	12/12/2017		<2.0	<2.0	<2.0																	
BED1-DUP	62	12/12/2017		<2.0	<2.0	<2.0																	
PT	62	08/18/2017		53	9.2	16																	
BED1	62	08/18/2017		<2.0	<2.0	<2.0																	
BED1-DUP	62	08/18/2017		<2.0	<2.0	<2.0																	
BED1	62	06/14/2017		<2.0 UJ	<2.0	<2.0 UJ																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	62	03/02/2017		3.5	<2.0	<2.0																	
BED2	62	03/02/2017		<2.0	<2.0	<2.0 UJ																	
	62	06/30/2016	GAC installed 10/06/2016.	63	12	23	<20	<20	2	<2.0	34	18	<2.0	<2.0	<2.0	<2.0	<2.0						
	62	04/09/2009		130																			
	63	04/22/2024		<2.0	<2.0	<2.0																	
	63	05/25/2022		<2.0	<2.0	<2.0																	
	63	03/17/2021		<2.0	<2.0	<2.0																	
	63	07/11/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	63	04/13/2009		ND																			
	64	04/12/2021		<2.0	<2.0	<2.0																	
	64	07/22/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	64	04/13/2009		ND																			
	65	09/30/2024	GAC installed 11/13/2024	51	<2.0	6.3	<2.0	<2.0	<2.0	<2.0	45 J	34	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			14	<2.0
DUP	65	09/30/2024		53	<2.0	5.5	<2.0	<2.0	<2.0	<2.0	45	32	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			15	<2.0
	65	04/13/2009	Non-response to sampling offer in Ongoing 2016 Program.	45																			
BED1	66	12/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	66	09/05/2024		110	2.5	4.6	<2.0	<2.0	<2.0	<2.0	66	35	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	66	09/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	66	06/11/2024		<2.0	<2.0	<2.0																	
BED1	66	02/05/2024		<2.0	<2.0	<2.0																	
BED1	66	10/24/2023		<2.0	<2.0	<2.0																	
PT	66	08/07/2023		110	2.1	2.7																	
BED1	66	08/07/2023		<2.0	<2.0	<2.0																	
BED1	66	05/04/2023		<2.0	<2.0	<2.0																	
BED1	66	02/02/2023		<2.0	<2.0	<2.0																	
BED1	66	10/20/2022		<2.0	<2.0	<2.0																	
PT	66	08/10/2022		130	<2.0	<2.0																	
BED1	66	08/10/2022		<2.0	<2.0	<2.0																	
BED1	66	05/03/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	66	01/31/2022	Carbon Changeout 11/22/2021 - 5yr.	<2.0	<2.0	<2.0																	
BED1	66	11/02/2021		<2.0	<2.0	<2.0																	
PT	66	08/23/2021		81	2.4	2.6																	
BED1	66	08/23/2021		<2.0	<2.0	<2.0																	
BED1	66	06/01/2021		<2.0	<2.0	<2.0																	
BED1	66	02/24/2021		<2.0	<2.0	<2.0																	
BED1	66	11/24/2020		2.1	<2.0	<2.0																	
BED1-DUP	66	11/24/2020		<2.0	<2.0	<2.0																	
PT	66	09/10/2020		96	<2.0	2.0																	
BED1	66	09/10/2020		<2.0	<2.0	<2.0																	
BED1	66	06/26/2020		<2.0	<2.0	<2.0																	
BED1	66	02/24/2020		<2.0	<2.0	<2.0																	
BED1	66	11/18/2019		<2.0	<2.0	<2.0																	
PT	66	09/13/2019		110	<2.0	<2.0																	
BED1	66	09/13/2019		<2.0	<2.0	<2.0																	
BED1	66	04/30/2019		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	66	02/01/2019		<2.0	<2.0	<2.0																	
BED1	66	11/06/2018		<2.0	<2.0	<2.0																	
PT	66	08/01/2018		88	<2.0	<2.0																<4.0	
BED1	66	08/01/2018		<2.0	<2.0	<2.0																	
BED1	66	04/26/2018		<2.0	<2.0	<2.0																	
BED1	66	02/20/2018		<2.0	<2.0	<2.0																	
BED1	66	12/14/2017		<2.0	<2.0	<2.0																	
PT	66	08/25/2017		100	<2.0	5.6																	
BED1	66	08/25/2017		<2.0	<2.0	<2.0																	
BED1	66	06/23/2017		<2.0	<2.0	<2.0																	
BED1	66	03/08/2017		2.7	<2.0	<2.0																	
BED1-DUP	66	03/08/2017		<2.0	<2.0	<2.0																	
BED2	66	03/08/2017		2.4	<2.0	<2.0 UJ																	
	66	07/06/2016	GAC installed 10/11/2016.	100	2.1	<2.0	<20	<20	<2.0	<2.0	81	39	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	66	07/06/2016	GAC installed 10/11/2016.	100	2.1	<2.0	<20	<20	<2.0	<2.0	80	39	<2.0	<2.0	<2.0	<2.0	<2.0						
	66	04/13/2009		25																			
	67	07/21/2016	PWS connection 01/11/2017. Well decommissioned 05/23/2023.	62	2.7	14	<20	<20	3	<2.0	54	29	<2.0	<2.0	<2.0	<2.0	<2.0						
	67	04/13/2009		73																			
BED1	68	11/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	68	08/15/2024		60	6.8	9.2	<2.0	<2.0	2.0	<2.0	38	27	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	68	08/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	68	05/28/2024		<2.0	<2.0	<2.0																	
BED1	68	02/20/2024		<2.0	<2.0	<2.0																	
BED1	68	11/01/2023		<2.0	<2.0	<2.0																	
PT	68	08/14/2023		67 J	5.6 J	8.7 J																	
BED1	68	08/14/2023		<2.0	<2.0	<2.0																	
BED1	68	05/16/2023		<2.0	<2.0	<2.0																	
BED1	68	02/07/2023		<2.0	<2.0	<2.0																	
BED1	68	11/01/2022		<2.0	<2.0	<2.0																	
PT	68	08/11/2022		56	2.7	5.7																	
BED1	68	08/11/2022		<2.0	<2.0	<2.0																	
BED1	68	05/03/2022	Carbon Changeout 03/01/2022 - 5yr.	<2.0	<2.0	<2.0																	
BED1	68	01/18/2022		<2.0	<2.0	<2.0																	
BED1	68	10/19/2021		<2.0	<2.0	<2.0																	
PT	68	07/22/2021		73	5.0	8.2																	
BED1	68	07/22/2021		<2.0	<2.0	<2.0																	
BED1	68	04/20/2021		<2.0	<2.0	<2.0																	
BED1-DUP	68	04/20/2021		<2.0	<2.0	<2.0																	
BED1	68	01/22/2021		<2.0	<2.0	<2.0																	
BED1-DUP	68	01/22/2021		5.9 J	5.0 J	<2.0																	
BED2	68	01/22/2021		<2.0	<2.0	<2.0																	
BED1	68	10/14/2020		<2.0	<2.0	<2.0																	
PT	68	08/06/2020		100	10	11																	
PT	68	08/06/2020	Split sampling for method comparison.	90	9.8	10																	
BED1	68	08/06/2020		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	68	08/06/2020	Split sampling for method comparison.	<2.0	<2.0	<2.0																	
BED1	68	06/09/2020		<2.0	<2.0	<2.0																	
BED1	68	01/28/2020		<2.0	<2.0	<2.0																	
BED1	68	10/15/2019		<2.0	<2.0	<2.0																	
PT	68	07/23/2019		88	6.9	11																	
BED1	68	07/23/2019		<2.0	<2.0	<2.0																	
BED1	68	04/17/2019		<2.0	<2.0	<2.0																	
BED1	68	02/05/2019		<2.0	<2.0	<2.0																	
BED1	68	11/08/2018		<2.0	<2.0	<2.0																	
PT	68	07/25/2018		72	5.2	13																<4.0	
BED1	68	07/25/2018		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	68	04/25/2018		<2.0	<2.0	<2.0																	
BED1	68	02/16/2018		<2.0	<2.0	<2.0																	
BED1	68	11/17/2017		<2.0	<2.0	<2.0																	
PT	68	08/16/2017		83	4.8	15																	
BED1	68	08/16/2017		<2.0	<2.0	<2.0																	
BED1	68	06/20/2017		<2.0	<2.0	<2.0																	
BED1	68	03/24/2017		<2.0	<2.0	<2.0																	
	68	07/07/2016	GAC installed 10/24/2016.	93 J	3.6 J	3.1 B	<20 U	<20 U	3.4	2.5	68	49	<2.0 U	<2.0 U	<2.0 U	<2.0 U	<2.0 U						
	68	04/13/2009		61																			
	69	08/10/2016	Declined treatment offer.	250	51 J	28	<20	<20	14	6.3	340	170	3.3	<2.0	<2.0	<2.0	<2.0						
DUP	69	08/10/2016	Declined treatment offer.	260	22 J	29	<20 UJ	<20 UJ	14	6.3	350	170	3.3 J	<2.0 UJ	<2.0 UJ	<2.0	<2.0						
	69	04/13/2009		170																			
BED1	70	10/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	70	07/02/2024		380	7.9	33	<2.0	<2.0	2.7	<2.0	310	180	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			29	<2.0
BED1	70	07/02/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	70	04/12/2024		<2.0	<2.0	<2.0																	
BED1	70	01/05/2024		<2.0	<2.0	<2.0																	
BED1	70	10/05/2023		<2.0	<2.0	<2.0																	
PT	70	07/07/2023		410	15	29																	
BED1	70	07/07/2023		<2.0	<2.0	<2.0																	
BED1	70	04/06/2023		<2.0	<2.0	<2.0																	
BED1	70	01/19/2023		<2.0	<2.0	<2.0																	
BED1	70	10/17/2022		<2.0	<2.0	<2.0																	
PT	70	08/08/2022		380	11 J	29																	
BED1	70	08/08/2022		<2.0	<2.0	<2.0																	
BED1	70	05/04/2022		<2.0	<2.0	<2.0																	
BED1	70	02/03/2022		<2.0	<2.0	<2.0																	
BED1	70	11/09/2021		<2.0	<2.0	<2.0																	
PT	70	08/25/2021		400	12	33																	
BED1	70	08/25/2021		<2.0	<2.0	<2.0																	
BED1	70	04/20/2021		<2.0	<2.0	<2.0																	
BED1	70	02/01/2021		<2.0	<2.0	<2.0																	
BED1	70	10/06/2020		<2.0	<2.0	<2.0																	
PT	70	08/03/2020	Carbon Changeout 07/27/2020 - 5yr.	450	11	27																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	70	08/03/2020	Split sampling for method comparison. Carbon Changeout 07/27/2020 - 5yr.	480	12 J	28																	
BED1-DUP	70	08/03/2020	Split sampling for method comparison. Carbon Changeout 07/27/2020 - 5yr.	<2.0	<2.0	<2.0																	
BED1	70	08/03/2020	Carbon Changeout 07/27/2020 - 5yr.	<2	<2	<2																	
BED1	70	08/03/2020	Split sampling for method comparison. Carbon Changeout 07/27/2020 - 5yr.	<2.0	3.9	<2.0																	
BED1	70	06/09/2020		210	<2.0	4.4																	
BED2	70	06/09/2020		<2.0	<2.0	<2.0																	
BED1	70	01/28/2020		19	<2.0	<2.0																	
BED2	70	01/28/2020		<2.0	<2.0	<2.0																	
BED1	70	10/15/2019		15	<2.0	<2.0																	
BED2	70	10/15/2019		<2.0	<2.0	<2.0																	
PT	70	07/24/2019		470	9.7	22																	
BED1	70	07/24/2019		51	<2.0	<2.0																	
BED2	70	07/24/2019		<2.0	<2.0	<2.0																	
BED1	70	04/16/2019		13	<2.0	<2.0																	
BED1	70	01/29/2019		4.9	4.2	<2.0																	
BED1	70	11/06/2018		3.4	<2.0	<2.0																	
PT	70	07/26/2018		540	8.9	21																46	
BED1	70	07/26/2018		3.2	<2.0	<2.0																5.6	
BED2	70	07/26/2018		<2.0 UJ	<2.0 UJ	<2.0 UJ																<4.0 UJ	
BED1	70	04/26/2018		3.7	<2.0	<2.0																	
BED1	70	02/20/2018		<2.0	<2.0	<2.0																	
BED1	70	12/05/2017		<2.0	<2.0	<2.0																	
PT	70	08/18/2017		520	9.1	19																	
BED1	70	08/18/2017		<2.0	<2.0	<2.0																	
BED1	70	06/14/2017		2 J	<2.0	<2.0 UJ																	
BED2	70	06/14/2017		<2.0	<2.0	<2.0																	
BED1	70	03/27/2017		2.5	<2.0	<2.0																	
BED2	70	03/27/2017		<2.0	<2.0	<2.0 UJ																	
BED1	70	11/29/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	2.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1-DUP	70	11/29/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	70	08/09/2016	Split sampling for method comparison.	480																			
	70	08/09/2016		500	8.8	18	<20	<20	4.3	3.5	410	220	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	70	08/09/2016	Split sampling for method comparison.	<5.0																			
BED1	70	08/09/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1-DUP	70	08/09/2016	Split sampling for method comparison.	<5.0																			
BED2	70	08/09/2016		<2.0 UJ	<2.0 UJ	<2.0 UJ	<20 UJ	<20 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	2.0 J						
BED1	70	05/18/2016		<5.0																			
BED1-DUP	70	05/18/2016		<5.0																			
BED1	70	02/26/2016		<5.0																			
BED1-DUP	70	02/26/2016		<5.0																			

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED2	70	02/26/2016		<5.0																			
	70	11/06/2015		490																			
BED1	70	11/06/2015		<5.0																			
BED1-DUP	70	11/06/2015		<5.0																			
BED1	70	08/18/2015	Carbon Changeout 07/22/2015 - 5yr.	<5.0																			
BED1-DUP	70	08/18/2015	Carbon Changeout 07/22/2015 - 5yr.	<5.0																			
BED1	70	05/18/2015		<5.0																			
BED1-DUP	70	05/18/2015		<5.0																			
BED1	70	02/20/2015		<5.0																			
BED1-DUP	70	02/20/2015		<5.0																			
BED2	70	02/20/2015		<5.0																			
	70	11/26/2014		430																			
BED1	70	11/26/2014		<5.0																			
BED1-DUP	70	11/26/2014		<5.0																			
BED2	70	11/26/2014		<5.0																			
BED2	70	08/29/2014		<5.0																			
BED2-DUP	70	08/29/2014		<5.0																			
BED2	70	05/19/2014		<5.0																			
BED2-DUP	70	05/19/2014		<5.0																			
BED2	70	02/21/2014		<5.0																			
BED2-DUP	70	02/21/2014		<5.0																			
	70	10/25/2013		430																			
BED2	70	10/25/2013		<0.0050																			
BED1	70	08/28/2013		NQ																			
BED1-DUP	70	08/28/2013		ND																			
BED2	70	08/28/2013		ND																			
BED1	70	05/21/2013		ND																			
BED1-DUP	70	05/21/2013		ND																			
BED1	70	03/06/2013		ND																			
BED1-DUP	70	03/06/2013		ND																			
BED2	70	03/06/2013		ND																			
	70	11/16/2012		610																			
BED1	70	11/16/2012		ND																			
BED1-DUP	70	11/16/2012		ND																			
BED1	70	08/29/2012		ND																			
BED1-DUP	70	08/29/2012		ND																			
BED1	70	05/16/2012		ND																			
BED1-DUP	70	05/16/2012		ND																			
BED2	70	05/16/2012		ND																			
BED1	70	03/01/2012		ND																			
BED1-DUP	70	03/01/2012		ND																			
	70	11/21/2011		430																			
BED1	70	11/21/2011		ND																			
BED1-DUP	70	11/21/2011		ND																			
BED2	70	11/21/2011		ND																			

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	70	08/23/2011		ND																			
BED1-DUP	70	08/23/2011		ND																			
	70	05/18/2011		440																			
BED1	70	05/18/2011		ND																			
BED1-DUP	70	05/18/2011		ND																			
BED1	70	03/10/2011		ND																			
BED1-DUP	70	03/10/2011		ND																			
BED1	70	11/11/2010		ND																			
BED1-DUP	70	11/11/2010		ND																			
	70	09/08/2010		530																			
BED1	70	09/08/2010		ND																			
BED1-DUP	70	09/08/2010		ND																			
BED1	70	06/11/2010		ND																			
BED1-DUP	70	06/11/2010		ND																			
BED1	70	03/04/2010		ND																			
BED1-DUP	70	03/04/2010		ND																			
BED1	70	11/12/2009		ND																			
BED1-DUP	70	11/12/2009		ND																			
BED1	70	09/02/2009		ND																			
BED1-DUP	70	09/02/2009		ND																			
BED1	70	06/17/2009		ND																			
BED2	70	06/17/2009		ND																			
	70	06/05/2009	GAC installed 06/15/2009.	420																			
	70	04/13/2009		450																			
	71	04/30/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	71	04/14/2009		ND																			
	72	03/25/2024		<2.0	<2.0	<2.0																	
	72	04/11/2022		<2.0	<2.0 UJ	<2.0																	
	72	02/25/2021		<2.0	<2.0	<2.0																	
	72	07/12/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	72	04/15/2009		ND																			
	73	09/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	73	09/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	73	05/09/2022		<2.0	<2.0	<2.0																	
	73	03/15/2021		<2.0	<2.0	<2.0																	
DUP	73	03/15/2021		<2.0	<2.0	<2.0																	
	73	07/12/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	73	04/15/2009		ND																			
BED1	74	12/02/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	74	12/02/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	74	09/09/2024		170	2.8	2.7	<2.0	<2.0	<2.0	<2.0	130	54	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	74	09/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	74	05/20/2024		<2.0	<2.0	<2.0																	
BED1	74	02/12/2024		<2.0	<2.0	<2.0																	
BED1	74	11/13/2023		<2.0	<2.0	<2.0																	
PT	74	09/11/2023	Carbon Changeout 09/11/2023 - 5yr.	110	5.4	2.5																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	74	09/11/2023	Carbon Changeout 09/11/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	74	05/08/2023		<2.0	<2.0	<2.0																	
BED1	74	01/23/2023		<2.0	<2.0	<2.0																	
BED1	74	10/31/2022		<2.0	<2.0	<2.0																	
PT	74	08/15/2022		110	8.0	3.4																	
BED1	74	08/15/2022		<2.0	<2.0	<2.0																	
BED1	74	05/16/2022		<2.0	<2.0	<2.0																	
BED1	74	02/21/2022		<2.0	<2.0	<2.0																	
BED1	74	11/29/2021		<2.0	<2.0	<2.0																	
PT	74	09/13/2021		82	6.6	2.4																	
BED1	74	09/13/2021		<2.0	<2.0	<2.0																	
BED1	74	06/07/2021		<2.0	<2.0	<2.0																	
BED1	74	03/08/2021		<2.0	<2.0	<2.0																	
BED1-DUP	74	03/08/2021		<2.0	<2.0	<2.0																	
BED1	74	11/16/2020		<2.0	<2.0	<2.0																	
PT	74	09/03/2020		91	7.0	3.2																	
BED1	74	09/03/2020		<2.0	<2.0	<2.0																	
BED1	74	06/23/2020		<2.0	<2.0	<2.0																	
BED1	74	03/03/2020		<2.0	<2.0	<2.0																	
BED1	74	11/26/2019		<2.0	<2.0	<2.0																	
BED1-DUP	74	11/26/2019		<2.0	<2.0	<2.0																	
PT	74	09/04/2019		95	7.3	5.9																	
BED1	74	09/04/2019		<2.0	<2.0	<2.0																	
BED1	74	05/29/2019		<2.0	<2.0	<2.0																	
BED1	74	01/30/2019		<2.0	<2.0	<2.0																	
BED1	74	11/07/2018		<2.0	<2.0	<2.0																	
PT	74	08/06/2018		97	6.3	4.5																<4.0	
BED1	74	08/06/2018		<2.0	<2.0	<2.0																	
	74	03/09/2018	GAC installed 05/02/2018.	92	5.9	4.3	<20	<20	<2.0	2.5	100	62	2.9	<2.0	<2.0	<2.0	<2.0						
	74	04/15/2009		54																			
	75	08/11/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<8.5						
	75	04/17/2009		150																			
POST	76	09/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	76	09/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	76	06/27/2022		<2.0	<2.0	<2.0																	
PRE	76	06/27/2022		2.4	<2.0	<2.0																	
POST	76	06/02/2021		<2.0	<2.0	<2.0																	
PRE	76	06/02/2021		<2.0	<2.0	<2.0																	
	76	07/07/2016		<2.0 U	<2.0 U	<2.0 U	<20 U	<20 U	<2.0 U	<2.0 U	<2.0 U	<2.0 U	<2.0 U	<2.0 U	<2.0 U	<2.0 U	<2.0 U						
	76	04/17/2009		ND																			
BED1	77	11/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	77	08/08/2024		110	23	57	<2.0	<2.0	29	<2.0	210	68	31	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			7.7	<2.0
BED1	77	08/08/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	77	04/18/2024		<2.0	<2.0	<2.0																	
BED1	77	01/25/2024		<2.0	<2.0	<2.0																	
PT	77	08/31/2023		150	60	95																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	77	08/31/2023		<2.0	<2.0	<2.0																	
BED1	77	05/25/2023		<2.0	<2.0	<2.0																	
BED1	77	02/16/2023		<2.0	<2.0	<2.0																	
PT	77	11/10/2022		140	12	29																	
BED1	77	11/09/2022		<2.0	<2.0	<2.0																	
BED1	77	02/21/2022		<2.0	<2.0	<2.0																	
BED1	77	06/29/2020		<2.0	<2.0	<2.0																	
	77	12/20/2019	GAC installed 03/04/2020.	160	9.7	33	<20	<20	17	3.2	180	91	5.8	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	150	71	10	<2.0
	77	04/17/2009		240																			
	78	06/17/2024		4.9	<2.0	<2.0																	
	78	04/11/2022		4.6	<2.0 UJ	<2.0																	
	78	03/04/2021		5.5	<2.0	<2.0																	
	78	07/12/2016		2.2 J	<2.0	<2.0	<20	<20	<2.0	<2.0	13	4.5	<2.0	<2.0	<2.0	<2.0	<2.0						
	78	04/20/2009		ND																			
	79	09/19/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	79	04/20/2009		ND																			
BED1	80	10/23/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	80	07/31/2024		150	20	23	<2.0	<2.0	7.1	2.2	150	67	2.1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			7.7	<2.0
BED1	80	07/31/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	80	05/29/2024		<2.0	<2.0	<2.0																	
BED1	80	02/21/2024		<2.0	<2.0	<2.0																	
BED1	80	10/16/2023		<2.0	<2.0	<2.0																	
PT	80	08/21/2023		260	21	30																	
BED1	80	08/21/2023		<2.0	<2.0	<2.0																	
BED1	80	04/24/2023		<2.0	<2.0	<2.0																	
BED1	80	01/30/2023		<2.0	<2.0	<2.0																	
BED1	80	10/24/2022		<2.0	<2.0	<2.0																	
PT	80	08/15/2022		180	18	23																	
BED1	80	08/15/2022		<2.0	<2.0	<2.0																	
BED1	80	05/11/2022		<2.0	<2.0	<2.0																	
BED1	80	02/08/2022	Carbon Changeout 02/08/2022 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	80	10/19/2021		<2.0	<2.0	<2.0																	
PT	80	07/21/2021		240	17	24																	
BED1	80	07/21/2021		<2.0	<2.0	<2.0																	
BED1	80	04/13/2021		<2.0	<2.0	<2.0																	
BED1	80	11/11/2020		<2.0	<2.0	<2.0																	
BED1	80	06/22/2020		<2.0	<2.0	<2.0																	
BED1	80	03/17/2020		<2.0	<2.0	<2.0																	
BED1	80	12/04/2019		<2.0	<2.0	<2.0																	
PT	80	09/18/2019		190	21	28																	
BED1	80	09/18/2019		<2.0	<2.0	<2.0																	
BED1-DUP	80	09/18/2019		<2.0	<2.0	<2.0																	
	80	06/03/2019		<2.0	<2.0	<2.0																	
BED1	80	03/19/2019		<2.0	<2.0	<2.0																	
BED1	80	12/12/2018		<2.0	<2.0	<2.0																	
PT	80	08/28/2018		230	12	26																5.8	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	80	08/28/2018		<2.0	<2.0	<2.0																<4.0	
BED1	80	05/10/2018		<2.0	<2.0	<2.0																	
BED1	80	03/13/2018		<2.0	<2.0	<2.0																	
BED1	80	12/05/2017		<2.0	<2.0	<2.0																	
PT	80	09/20/2017		210	23	31																	
BED1	80	09/20/2017		<2.0	<2.0	<2.0																	
BED1	80	06/20/2017		<2.0	<2.0	<2.0																	
BED1	80	03/03/2017		<2.0	<2.0	<2.0																	
	80	08/31/2016	GAC installed 10/21/2016.	250	19	25	<20	<20	8.9	4.9	160	98	<2.0	<2.0	<2.0	<2.0	<2.0						
	80	04/20/2009		240																			
BED1	81	11/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	81	08/27/2024		53	3.1	10	<2.0	<2.0	<2.0	<2.0	51	28	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	81	08/27/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	81	06/13/2024	Carbon Changeout 06/13/2024 - 5yr.	<2.0	<2.0	<2.0																	
BED1	81	01/05/2024		<2.0	<2.0	<2.0																	
BED1	81	10/03/2023		<2.0	<2.0	<2.0																	
PT	81	07/07/2023		32	2.2	6.9																	
BED1	81	07/07/2023		<2.0	<2.0	<2.0																	
BED1	81	04/10/2023		<2.0	<2.0	<2.0																	
BED1	81	01/17/2023		<2.0	<2.0	<2.0																	
BED1	81	10/12/2022		<2.0	<2.0	<2.0																	
PT	81	07/20/2022		46	2.3	11 J																	
BED1	81	07/20/2022		<2.0	<2.0	<2.0																	
BED1	81	04/14/2022		<2.0	<2.0	<2.0																	
BED1	81	01/18/2022		<2.0	<2.0	<2.0																	
BED1	81	10/01/2021		<2.0	<2.0	<2.0																	
PT	81	07/08/2021		50	3.0	9.8																	
BED1	81	07/08/2021		<2.0	<2.0	<2.0																	
BED1	81	04/07/2021		<2.0	<2.0	<2.0																	
BED1	81	01/20/2021		<2.0	<2.0	<2.0																	
BED1	81	10/13/2020		<2.0	<2.0	<2.0																	
BED1-DUP	81	10/13/2020		<2.0	<2.0	<2.0																	
PT	81	08/10/2020		63	3.7	11																	
PT	81	08/10/2020	Split sampling for method comparison.	54	3.1	12																	
BED1	81	08/10/2020		<2.0	<2.0	<2.0																	
BED1	81	08/10/2020	Split sampling for method comparison.	<2.0	<2.0	<2.0																	
BED1	81	06/23/2020		<2.0	<2.0	<2.0																	
BED1	81	02/05/2020		<2.0	<2.0	<2.0																	
BED1	81	10/24/2019		<2.0	<2.0	<2.0																	
PT	81	07/31/2019	Carbon Changeout 05/22/2019 - Fe.	83	3.2	11																	
BED1	81	07/31/2019	Carbon Changeout 05/22/2019 - Fe.	<2.0	<2.0	<2.0																	
BED1	81	04/24/2019		41	<2.0	6.4																	
BED2	81	04/24/2019		<2.0	<2.0	<2.0																	
BED1	81	02/14/2019		33	2.2	6.4																	
BED2	81	02/14/2019		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	81	11/14/2018		50	2.2	8.1																	
BED2	81	11/14/2018		<2.0	<2.0	<2.0																	
PT	81	08/21/2018		48	2.7	8.6																<4.0	
BED1	81	08/21/2018		26	<2.0	4.7																	
BED2	81	08/21/2018		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	81	05/17/2018		24	<2.0	5.1																	
BED2	81	05/17/2018		<2.0	<2.0	<2.0																	
BED1	81	03/19/2018		44	2.5	9.4																	
BED2	81	03/19/2018		<2.0	<2.0	<2.0																	
BED1	81	12/14/2017		44	<2.0	9.7																	
BED2	81	12/14/2017		<2.0	<2.0	<2.0																	
PT	81	08/14/2017		40	2.3	9.4																	
BED1	81	08/14/2017		34	<2.0	9.6																	
BED2	81	08/14/2017		<2.0	<2.0	<2.0																	
	81	01/11/2017	GAC installed 04/10/2017.	57 J	3.1 B	13 J	<20 UJ	<20 UJ	<2.0 UJ	<2.0 UJ	49 J	24 J	3.7 J	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ						
DUP	81	01/11/2017	GAC installed 04/10/2017.	55	2.4 B	13	<20	<20	<2.0	<2.0	48	23	3.3	<2.0	<2.0	<2.0	2.1						
	81	04/20/2009		74																			
	82	05/21/2009	Non-response to sampling offer in Ongoing 2016 Program.	140																			
	82	04/29/2009		140 B																			
	83	05/15/2023		<2.0	<2.0	<2.0																	
	83	04/21/2021		<2.0	<2.0	<2.0																	
	83	08/03/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	83	05/05/2009		ND																			
	84	03/28/2022		<2.0	<2.0	<2.0																	
	84	09/20/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0					<4.0	
	84	05/05/2009		85																			
	85	08/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	85	07/05/2022		<2.0	<2.0	<2.0																	
PRE	85	05/07/2021		<2.0	<2.0	<2.0																	
PRE-DUP	85	05/07/2021		<2.0	<2.0	<2.0																	
	85	06/30/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	85	05/07/2009		ND																			
	86	05/07/2009	Non-response to sampling offer in Ongoing 2016 Program.	ND																			
	87	03/02/2020	Treatment incomplete/in progress - bottled water.	130	15	4.5	<20	<20	3.5	3.6	180	88	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	170	74	19	<2.0
	87	05/07/2009		120																			
	88	05/07/2009	Non-response to sampling offer in Ongoing 2016 Program.	100																			
	89	08/06/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0					<4.0	
	89	05/07/2009		ND																			
	90	05/08/2009	PWS according to homeowner.	85																			
BED1	91	10/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	91	07/24/2024		68	3.0	5.8	<2.0	<2.0	5.1	<2.0	64	37	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	91	07/24/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	91	04/16/2024		<2.0	<2.0	<2.0																	
BED1	91	01/17/2024		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	91	10/17/2023		<2.0	<2.0	<2.0																	
PT	91	07/27/2023		83	5.9	6.6																	
BED1	91	07/27/2023		<2.0	<2.0	<2.0																	
BED1	91	05/02/2023		<2.0	<2.0	<2.0																	
BED1	91	01/17/2023		<2.0	<2.0	<2.0																	
BED1	91	10/17/2022		<2.0	<2.0	<2.0																	
PT	91	08/08/2022		90	4.8 J	8.9																	
BED1	91	08/08/2022		<2.0	<2.0	<2.0																	
BED1	91	04/28/2022		<2.0	<2.0	<2.0																	
BED1	91	02/01/2022	Carbon Changeout 02/01/2022 - 5yr.	<2.0	<2.0	<2.0																	
BED1	91	11/08/2021		<2.0	<2.0	<2.0																	
PT	91	08/23/2021		80	3.3	6.5																	
BED1	91	08/23/2021		<2.0	<2.0	<2.0																	
BED1	91	06/03/2021		<2.0	<2.0	<2.0																	
BED1	91	03/11/2021		<2.0	<2.0	<2.0																	
BED1	91	11/17/2020		<2.0	<2.0	<2.0																	
PT	91	09/22/2020		58	2.1	3.9																	
BED1	91	09/22/2020		<2.0	<2.0	<2.0																	
BED1	91	06/23/2020		<2.0	<2.0	<2.0																	
BED1	91	03/09/2020		<2.0	<2.0	<2.0																	
BED1	91	11/25/2019		<2.0	<2.0	<2.0																	
PT	91	08/23/2019		71	2.1	5.3																	
BED1	91	08/23/2019		<2.0	<2.0	<2.0																	
BED1	91	05/02/2019		<2.0	<2.0	<2.0																	
BED1	91	03/01/2019		<2.0	<2.0	<2.0																	
BED1	91	12/04/2018		<2.0	<2.0	<2.0																	
PT	91	07/31/2018		80	<2.0	4.4																<4.0	
BED1	91	07/31/2018		<2.0	<2.0	<2.0																	
BED1	91	04/25/2018		<2.0	<2.0	<2.0																	
BED1	91	02/15/2018		<2.0	<2.0	<2.0																	
BED1	91	11/17/2017		<2.0	<2.0	<2.0																	
PT	91	08/17/2017		89	3.1	4.3																	
BED1	91	08/17/2017		<2.0	<2.0	<2.0																	
BED1	91	06/07/2017		<2.0	<2.0	<2.0																	
BED1	91	03/24/2017		<2.0	<2.0	<2.0																	
	91	07/06/2016	GAC installed 10/12/2016.	110	3.8	5.9	<20	<20	9.7 J	<2.0	94	46	<2.0	<2.0	<2.0	<2.0	<2.0						
	91	05/08/2009		63																			
BED1	92	11/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	92	08/20/2024		55	<2.0	7.2	<2.0	<2.0	<2.0	<2.0	55	34	2.4	2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	92	08/20/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	92	05/30/2024		<2.0	<2.0	<2.0																	
BED1	92	03/14/2024		<2.0	<2.0	<2.0																	
BED1	92	12/05/2023		<2.0	<2.0	<2.0																	
PT	92	09/20/2023		54	2.5	9.2																	
BED1	92	09/20/2023		<2.0	<2.0	<2.0																	
BED1	92	06/15/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	92	03/23/2023		<2.0	<2.0	<2.0																	
BED1	92	12/06/2022		<2.0	<2.0	<2.0																	
PT	92	09/26/2022		59	2.0	7.9																	
BED1	92	09/26/2022		<2.0	<2.0	<2.0																	
BED1	92	06/28/2022		<2.0	<2.0	<2.0																	
BED1	92	02/03/2022		<2.0	<2.0	<2.0																	
PT	92	08/03/2021	Analyzed for 18 PFAS compounds for completeness. All results are on the Chemours Chambers Works website.	75	2.2	9.0	<2.0	<2.0	<2.0	<2.0	59	44	2.4	2.3	<2.0	<2.0	<2.0	<2.0	<2.0			2.0	<2.0
	92	03/09/2021	GAC installed 07/12/2021.	63	2.0	7.4																	
	92	05/13/2009		66																			
	93	05/13/2009	Non-response to sampling offer in Ongoing 2016 Program.	ND																			
BED1	94	11/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	94	08/20/2024		130	<2.0	6.2	<2.0	<2.0	<2.0	<2.0	81	43	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	94	08/20/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	94	05/28/2024		<2.0	<2.0	<2.0																	
BED1	94	02/20/2024		<2.0	<2.0	<2.0																	
BED1	94	11/14/2023		<2.0	<2.0	<2.0																	
PT	94	08/17/2023		180	6.8	6.1																	
BED1	94	08/17/2023		<2.0	<2.0	<2.0																	
BED1	94	06/01/2023		<2.0	<2.0	<2.0																	
BED1	94	03/14/2023		<2.0	<2.0	<2.0																	
BED1	94	12/07/2022		<2.0	<2.0	<2.0																	
PT	94	09/01/2022		130	6.8	7.7																	
BED1	94	09/01/2022		<2.0	<2.0	<2.0																	
BED1	94	05/17/2022		<2.0	<2.0	<2.0																	
BED1	94	02/22/2022	Carbon Changeout 12/15/2021 - 5yr.	<2.0	<2.0	<2.0																	
BED1	94	11/29/2021		<2.0	<2.0	<2.0																	
PT	94	09/02/2021		100	6.0 J	14																	
BED1	94	09/02/2021		<2.0	<2.0	<2.0																	
BED1	94	05/18/2021		<2.0	<2.0 UJ	<2.0																	
BED1	94	02/25/2021		<2.0	<2.0	<2.0																	
BED1	94	10/20/2020		<2.0	<2.0	<2.0																	
PT	94	08/19/2020		96	5.2	9.6																	
BED1	94	08/19/2020		<2.0	<2.0	<2.0																	
BED1	94	06/11/2020		<2.0	<2.0	<2.0																	
BED1	94	02/11/2020		<2.0	<2.0	<2.0																	
BED1	94	11/01/2019		<2.0	<2.0	<2.0																	
PT	94	08/30/2019		94	3.5	5																	
BED1	94	08/30/2019		<2.0	<2.0	<2.0																	
BED1	94	05/30/2019		<2.0	6.6	<2.0																	
BED1	94	03/01/2019	Carbon Changeout 01/08/2019 - Fe.	<2.0	<2.0	<2.0																	
BED1	94	11/29/2018		<2.0	<2.0	<2.0																	
PT	94	09/19/2018		88	3.7	3.4																<4.0	
BED1	94	09/19/2018		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	94	04/26/2018	Carbon Changeout 02/16/2018 - Fe.	<2.0	<2.0	<2.0																	
BED1	94	02/16/2018		<2.0	<2.0	<2.0																	
BED1	94	11/27/2017		<2.0	9.8	<2.0																	
BED2	94	11/27/2017		<2.0	<2.0	<2.0																	
PT	94	08/25/2017		110	2.5 B	<2.0																	
BED1	94	08/25/2017		<2.0	<2.0	<2.0																	
BED1	94	05/22/2017		<2.0	<2.0	<2.0																	
BED1	94	01/30/2017		<2.0	<2.0	<2.0																	
BED1-DUP	94	01/30/2017		<2.0	<2.0	<2.0																	
	94	07/06/2016	GAC installed 10/19/2016.	63	3.4	2.5	<20	<20	<2.0	2.1	120	48	2.1	<2.0	<2.0	<2.0	<2.0						
	94	05/20/2009		59																			
BED1	95	12/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	95	09/25/2024		39	3.8	14	<2.0	<2.0	<2.0	<2.0	49	15	2.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	95	09/25/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	95	06/13/2024		<2.0	<2.0	<2.0																	
BED1	95	01/25/2024		2.8	<2.0	<2.0																	
BED2	95	01/25/2024		<2.0	<2.0	<2.0																	
BED1	95	12/07/2023		<2.0	<2.0	<2.0																	
PT	95	08/31/2023		120	6.6	16																	
BED1	95	08/31/2023		<2.0	<2.0	<2.0																	
BED1	95	06/19/2023		2.0	<2.0	<2.0																	
BED2	95	06/19/2023		<2.0	<2.0	<2.0																	
BED1	95	03/15/2023		<2.0	<2.0	<2.0																	
BED1	95	11/21/2022		<2.0	<2.0	<2.0																	
PT	95	07/21/2022		100	2.5	13																	
BED1	95	07/21/2022		<2.0	<2.0	<2.0																	
BED1	95	05/10/2022		<2.0	<2.0	<2.0																	
BED1	95	02/10/2022		<2.0	<2.0	<2.0																	
BED1	95	11/22/2021		<2.0	<2.0	<2.0																	
PT	95	09/13/2021		50	4.1	13																	
BED1	95	09/13/2021		<2.0	<2.0	<2.0																	
BED1-DUP	95	09/13/2021		<2.0	<2.0	<2.0																	
BED1	95	04/16/2021		<2.0	<2.0	<2.0																	
BED1	95	01/11/2021		<2.0	<2.0	<2.0																	
BED1	95	11/05/2020		<2.0	<2.0	<2.0																	
PT	95	08/31/2020		78	5.4	28																	
BED1	95	08/31/2020		<2.0	<2.0	<2.0																	
BED1	95	06/19/2020		<2.0	<2.0	<2.0																	
BED1	95	02/13/2020	Carbon Changeout 02/13/2020 - Fe.	<2.0	<2.0	<2.0																	
BED1	95	10/29/2019		<2.0	<2.0	<2.0																	
PT	95	08/22/2019		82	2.5	9.9																	
BED1	95	08/22/2019		<2.0	<2.0	<2.0																	
BED1	95	05/03/2019		<2.0	<2.0	<2.0																	
BED1	95	03/04/2019		<2.0	<2.0	<2.0																	
BED1	95	11/29/2018		<2.0	<2.0	<2.0																	
PT	95	09/19/2018		110	3.6	22																<4.0	
BED1	95	09/19/2018		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	95	04/30/2018		<2.0	<2.0	<2.0																	
BED1	95	02/26/2018		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	95	11/16/2017		<2.0	<2.0	<2.0																	
PT	95	08/17/2017		100	3.3	13																	
BED1	95	08/17/2017		<2.0	<2.0	<2.0																	
BED1-DUP	95	08/17/2017		<2.0	<2.0	<2.0																	
	95	08/08/2017		110	3.3	11 J	<20	<20 UJ	<2.0	<2.0	73	37	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0	<2.0						
	95	06/08/2017	Results for this sample may be results for a different location due to mislabeling.	<2.0	<2.0	<2.0	<20 UJ	<20 UJ	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	95	05/03/2017		<2.0 UJ	<2.0	<2.0 UJ																	
BED2	95	05/03/2017		<2.0	2.6	<2.0 UJ																	
BED2-DUP	95	05/03/2017		<2.0	<2.0	<2.0 UJ																	
BED1	95	03/02/2017	Results do not meet operational trend of BED1>BED2.	2.7	<2.0	<2.0																	
BED2	95	03/02/2017	Results do not meet operational trend of BED1>BED2.	100	2.3	11																	
	95	06/30/2016	Sample from this well location may be mislabeled. GAC installed 10/05/2016.	38	2.1	6.3	<20	<20	<2.0	<2.0	32	14	<2.0	<2.0	<2.0	<2.0	<2.0						
	95	05/21/2009		83																			
BED1	96	12/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	96	09/25/2024		56	4.4	25	<2.0	<2.0	<2.0	<2.0	57	21	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	96	09/25/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	96	06/13/2024		<2.0	<2.0	<2.0																	
BED1-DUP	96	03/11/2024		<2.0	<2.0	<2.0																	
BED1	96	03/11/2024		<2.0	<2.0	<2.0																	
BED1	96	12/07/2023		<2.0	<2.0	<2.0																	
PT	96	08/31/2023		84	6.1	34																	
BED1	96	08/31/2023		<2.0	<2.0	<2.0																	
BED1	96	06/19/2023		<2.0	<2.0	<2.0																	
BED1	96	03/15/2023		<2.0	<2.0	<2.0																	
BED1	96	11/21/2022		<2.0	<2.0	<2.0																	
PT	96	07/21/2022		150	3.7	29																	
BED1	96	07/21/2022		<2.0	<2.0	<2.0																	
BED1	96	05/10/2022		<2.0	<2.0	<2.0																	
BED1	96	02/10/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	96	11/22/2021		<2.0	<2.0	<2.0																	
PT	96	09/13/2021		77	5.1	30																	
BED1	96	09/13/2021		<2.0	<2.0	<2.0																	
BED1	96	04/16/2021		<2.0	<2.0	<2.0																	
BED1	96	01/11/2021		<2.0	<2.0	<2.0																	
BED1	96	11/05/2020		<2.0	<2.0	<2.0																	
PT	96	08/31/2020		100	3.7	22																	
BED1	96	08/31/2020		<2.0	<2.0	<2.0																	
BED1	96	06/19/2020		<2.0	<2.0	<2.0																	
BED1	96	02/13/2020	Carbon Changeout 02/13/2020 - Fe.	<2.0	<2.0	<2.0																	
BED1	96	10/29/2019		2.9	<2.0	<2.0																	
PT	96	08/22/2019		83	3.0	14																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	96	08/22/2019		2.4	<2.0	<2.0																	
BED1	96	05/03/2019		3.1	<2.0	<2.0																	
BED1	96	03/04/2019		2.3	<2.0	<2.0																	
BED1	96	11/29/2018		4.6	<2.0	<2.0																	
PT	96	09/19/2018		140	4.2	23																<4.0	
BED1	96	09/19/2018		13	<2.0	<2.0																	
PT	96	05/08/2018																				<10	
BED1	96	05/08/2018																				<10	
BED1	96	04/16/2018		3.6	<2.0	<2.0																	
PT	96	02/26/2018	February-March 2018 branched and linear study sample.				<0.39	<0.39	2.2	0.93	96	55	<0.39	<0.39	<0.39	<0.39	<0.39			55	37		
PT	96	02/26/2018	February-March 2018 branched and linear study sample.				<0.40	<0.40	2.5	0.91	100	56	0.53	<0.40	<0.40	<0.40	<0.40			60	39		
PT-DUP	96	02/26/2018	February-March 2018 branched and linear study sample.				<0.39	<0.39	2.2	0.89	94	54	0.45	<0.39	<0.39	<0.39	<0.39			56	36		
PT-DUP	96	02/26/2018	February-March 2018 branched and linear study sample.				<0.40	<0.40	2.2	0.86	100	54	0.55	<0.40	<0.40	<0.40	<0.40			58	38		
BED1	96	02/26/2018	Results do not meet operational trend of BED1>BED2.	10	<2.0	<2.0																	
BED2	96	02/26/2018	Results do not meet operational trend of BED1>BED2.	120	4.9	17																	
BED1	96	11/16/2017	Results do not meet operational trend of BED1>BED2.	5	<2.0	<2.0																	
BED2	96	11/16/2017	Results do not meet operational trend of BED1>BED2.	160	5.9	20																	
PT	96	08/17/2017		170	5.8	31																	
BED1	96	08/17/2017		<2.0	<2.0	<2.0																	
BED1	96	06/08/2017		<2.0	<2.0	<2.0																	
BED1	96	03/02/2017		<2.0	<2.0	<2.0																	
	96	10/03/2016	GAC installed 11/08/2016.	160	4.2	31	<20	<20	<2.0	<2.0	86 J	43	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	96	10/03/2016	GAC installed 11/08/2016.	160	3.9	26	<20	<20	<2.0	<2.0	84	42	<2.0	<2.0	<2.0	<2.0	<2.0						
	96	05/21/2009		150																			
BED1	97	12/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	97	09/25/2024		63	2.6	9.9	<2.0	<2.0	<2.0	<2.0	53	28	2.2	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	97	09/25/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	97	06/13/2024		<2.0	<2.0	<2.0																	
BED1	97	03/11/2024		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	97	10/31/2023	Carbon Changeout 10/31/2023 - 5yr.	<2.0	<2.0	<2.0																	
PT	97	08/31/2023		64	2.4	9.4																	
BED1	97	08/31/2023		<2.0	<2.0	<2.0																	
BED1	97	06/19/2023		<2.0	<2.0	<2.0																	
BED1	97	03/15/2023		<2.0	<2.0	<2.0																	
BED1	97	11/21/2022		<2.0	<2.0	<2.0																	
PT	97	07/21/2022		61	<2.0	7.9																	
BED1	97	07/21/2022		<2.0	<2.0	<2.0																	
BED1	97	05/10/2022		<2.0	<2.0	<2.0																	
BED1	97	02/10/2022		<2.0	<2.0	<2.0																	
BED1	97	11/22/2021		<2.0	<2.0	<2.0																	
PT	97	09/13/2021		62	2.2	9.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	97	09/13/2021		<2.0	<2.0	<2.0																	
BED1	97	04/16/2021		<2.0	<2.0	<2.0																	
BED1	97	01/11/2021		<2.0	<2.0	<2.0																	
BED1	97	11/05/2020		<2.0	<2.0	<2.0																	
PT	97	08/31/2020		64	2.0	8.1																	
BED1	97	08/31/2020		<2.0	<2.0	<2.0																	
BED1	97	06/19/2020		<2.0	<2.0	<2.0																	
BED1	97	02/13/2020		<2.0	<2.0	<2.0																	
BED1	97	10/29/2019		<2.0	<2.0	<2.0																	
PT	97	08/22/2019		76	2.3	11																	
BED1	97	08/22/2019		<2.0	<2.0	<2.0																	
BED1	97	05/03/2019		<2.0	<2.0	<2.0																	
BED1	97	03/04/2019		<2.0	<2.0	<2.0																	
BED1	97	11/29/2018		<2.0	<2.0	<2.0																	
PT	97	09/19/2018		73	2.3	12																<4.0	
BED1	97	09/19/2018		<2.0	<2.0	<2.0																	
	97	06/08/2017	GAC installed 04/18/2018.	110 J	2.7	15 J	<20 UJ	<20 UJ	<2.0	<2.0	73	35	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0	<2.0						
	97	06/30/2016	Sample from this well location may be mislabeled.	83	3.2	12	<20	<20	18	<2.0	72	33	<2.0	<2.0	<2.0	<2.0	<2.0						
	97	05/21/2009		57																			
	98	08/10/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	98	05/21/2009		ND																			
BED1	99	01/25/2023	Replacement well installed (Regulatory Location ID #699). Not qualified so GAC removed 05/18/2023. Well decommissioned according to NJ Data Miner.	<2.0	<2.0	<2.0																	
BED1	99	10/20/2022		<2.0	<2.0	<2.0																	
PT	99	07/18/2022		46	20	32																	
BED1	99	07/18/2022		<2.0	<2.0	<2.0																	
BED1	99	04/14/2022	Carbon Changeout 02/24/2022 - 5yr.	<2.0	<2.0	<2.0																	
BED1	99	01/20/2022		<2.0	<2.0	<2.0																	
BED1	99	10/18/2021		<2.0	<2.0	<2.0																	
PT	99	07/22/2021		43	19	28																	
BED1	99	07/22/2021		<2.0	<2.0	<2.0																	
BED1	99	04/29/2021		<2.0	<2.0	<2.0																	
BED1	99	02/04/2021		<2.0	<2.0	<2.0																	
BED1	99	10/29/2020		<2.0	<2.0	<2.0																	
PT	99	08/31/2020		33	8.1	21																	
BED1	99	08/31/2020		<2.0	<2.0	<2.0																	
BED1	99	06/16/2020		<2.0	<2.0	<2.0																	
BED1	99	02/10/2020		<2.0	<2.0	<2.0																	
BED1	99	10/30/2019		<2.0	<2.0	<2.0																	
PT	99	08/27/2019		65	21	33																	
BED1	99	08/27/2019		<2.0	<2.0	<2.0																	
BED1	99	05/15/2019		<2.0	<2.0	<2.0																	
BED1	99	03/15/2019		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	99	12/10/2018		<2.0	<2.0	<2.0																	
PT	99	09/05/2018		59	11	30																<4.0	
BED1	99	09/05/2018		<2.0	<2.0	<2.0																	
BED1	99	06/05/2018		<2.0	<2.0	<2.0																	
BED1	99	03/06/2018		<2.0	<2.0	<2.0																	
BED1-DUP	99	03/06/2018		<2.0	<2.0	<2.0																	
BED1	99	10/31/2017		<2.0	<2.0	<2.0																	
PT	99	09/07/2017	Results do not meet operational trend of PT>BED1>BED2.	94	3	4.9																	
BED1	99	09/07/2017	Results do not meet operational trend of PT>BED1>BED2.	<2.0	<2.0	3.4																	
BED2	99	09/07/2017	Results do not meet operational trend of PT>BED1>BED2.	73	22	35																	
BED1	99	06/14/2017		<2.0	<2.0	<2.0																	
BED1	99	03/17/2017		<2.0	<2.0	<2.0																	
	99	07/14/2016	GAC installed 11/07/2016.	97	21	36	<20	<20	3.8	<2.0	64	37	12	<2.0	<2.0	<2.0	<2.0						
	99	05/21/2009		180																			
BED1	100	12/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	100	09/25/2024		61	3.0	11	<2.0	<2.0	2.7	<2.0	52	24	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	100	09/25/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	100	06/13/2024		<2.0	<2.0	<2.0																	
BED1	100	03/11/2024		<2.0	<2.0	<2.0																	
BED1	100	12/07/2023		<2.0	<2.0	<2.0																	
PT	100	08/31/2023		57	2.7	12																	
BED1	100	08/31/2023		<2.0	<2.0	<2.0																	
BED1	100	06/19/2023		<2.0	<2.0	<2.0																	
BED1-DUP	100	06/19/2023		<2.0	<2.0	<2.0																	
BED1	100	03/15/2023		<2.0	<2.0	<2.0																	
BED1	100	11/21/2022		<2.0	<2.0	<2.0																	
PT	100	07/21/2022		63	2.1	13																	
BED1	100	07/21/2022		<2.0	<2.0	<2.0																	
BED1	100	05/10/2022	Carbon Changeout 03/03/2022 - 5yr.	<2.0	<2.0	<2.0																	
BED1	100	02/10/2022		<2.0	<2.0	<2.0																	
BED1	100	11/22/2021		<2.0	<2.0	<2.0																	
PT	100	09/13/2021		97	2.8	11																	
BED1	100	09/13/2021		<2.0	<2.0	<2.0																	
BED1	100	04/16/2021		<2.0	<2.0	<2.0																	
BED1	100	01/11/2021		<2.0	<2.0	<2.0																	
BED1	100	11/05/2020		<2.0	<2.0	<2.0																	
PT	100	08/31/2020		73	2.7	8.9																	
BED1	100	08/31/2020		<2.0	<2.0	<2.0																	
BED1	100	06/19/2020		<2.0	<2.0	<2.0																	
BED1	100	02/13/2020		<2.0	<2.0	<2.0																	
BED1	100	10/29/2019		<2.0	<2.0	<2.0																	
PT	100	08/22/2019		79	2.7	8.3																	
BED1	100	08/22/2019		<2.0	<2.0	<2.0																	
BED1	100	05/03/2019		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	100	03/04/2019		<2.0	<2.0	<2.0																	
BED1	100	11/29/2018		<2.0	<2.0	<2.0																	
PT	100	09/19/2018		100	2.9	11																<4.0	
BED1	100	09/19/2018		<2.0	<2.0	<2.0																	
BED1	100	04/30/2018		<2.0	<2.0	<2.0																	
BED1	100	02/26/2018		<2.0	<2.0	<2.0																	
BED1	100	11/16/2017		<2.0	<2.0	<2.0																	
PT	100	08/17/2017		98	3.5	11																	
BED1	100	08/17/2017		<2.0	<2.0	<2.0																	
BED1	100	06/20/2017		<2.0	<2.0	<2.0																	
BED1	100	03/02/2017		<2.0	<2.0	<2.0																	
	100	11/15/2016	GAC installed 12/09/2016.	140 J	3.7 J	8.5 J	<20 UJ	<20 UJ	2.2 J	<2.0 UJ	110 J	47 J	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	2.2 J						
	100	05/21/2009		65																			
	101	05/27/2009	Non-response to sampling offer in Ongoing 2016 Program.	150																			
BED1	102	10/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	2.0	<2.0	56	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	102	07/11/2024		39	2.2	6.0	<2.0	<2.0	<2.0	<2.0	42	22	2.1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	102	07/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	2.0	<2.0	37	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			2.0	<2.0
BED1	102	04/09/2024		<2.0	<2.0	<2.0																	
BED1	102	01/05/2024		<2.0	<2.0	<2.0																	
BED1	102	10/02/2023		<2.0	<2.0	<2.0																	
PT	102	07/05/2023		41	<2.0	6.3																	
BED1	102	07/05/2023		<2.0	<2.0	<2.0																	
BED1	102	04/10/2023		<2.0	<2.0	<2.0																	
BED1	102	01/16/2023		<2.0	<2.0	<2.0																	
BED1	102	10/12/2022		<2.0	<2.0	<2.0																	
PT	102	08/03/2022		35	5.7	11																	
BED1	102	08/03/2022		52	<2.0	8.6																	
BED2	102	08/03/2022		<2.0	<2.0	<2.0																	
BED1	102	04/25/2022		<2.0	<2.0	<2.0																	
BED1	102	02/01/2022	Carbon Changeout 12/21/2021 - 5yr.	<2.0	<2.0	<2.0																	
BED1	102	11/02/2021		<2.0	<2.0	<2.0																	
PT	102	08/23/2021		62	2.6	9.9																	
BED1	102	08/23/2021		<2.0	<2.0	<2.0																	
BED1-DUP	102	08/23/2021		<2.0	<2.0	<2.0																	
BED1	102	06/04/2021		<2.0	<2.0	<2.0																	
BED1	102	02/09/2021		<2.0	<2.0	<2.0																	
BED1	102	11/10/2020		<2.0	<2.0	<2.0																	
PT	102	09/10/2020		50	2.0	8.9																	
BED1	102	09/10/2020		<2.0	<2.0	<2.0																	
BED1	102	06/18/2020		<2.0	<2.0	<2.0																	
BED1	102	03/05/2020		<2.0	<2.0	<2.0																	
BED1	102	11/21/2019		<2.0	<2.0	<2.0																	
PT	102	09/23/2019		71	5.9	18																	
BED1	102	09/23/2019		<2.0	<2.0	<2.0																	
BED1	102	04/25/2019		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	102	02/19/2019		<2.0	<2.0	<2.0																	
BED1-DUP	102	02/19/2019		<2.0	<2.0	<2.0																	
BED1	102	11/27/2018	Carbon Changeout 10/24/2018 - Fe.	<2.0	<2.0	<2.0																	
BED1-DUP	102	11/27/2018	Carbon Changeout 10/24/2018 - Fe.	<2.0	<2.0	<2.0																	
PT	102	08/21/2018		63	2.4	9.1																<4.0	
BED1	102	08/21/2018		<2.0	<2.0	<2.0																	
BED1-DUP	102	08/21/2018		<2.0	<2.0	<2.0																	
BED1	102	06/04/2018		<2.0	<2.0	<2.0																	
BED1	102	02/15/2018		<2.0	<2.0	<2.0																	
BED1	102	11/16/2017	Carbon Changeout 08/30/2017 - Fe.	<2.0	<2.0	<2.0																	
PT	102	08/17/2017		62	3	12																	
BED1	102	08/17/2017		<2.0	<2.0	<2.0																	
BED1	102	06/08/2017		3.4	<2.0	<2.0																	
BED2	102	06/08/2017		<2.0	<2.0	<2.0																	
BED1	102	03/03/2017		<2.0	<2.0	<2.0																	
	102	07/13/2016	GAC installed 11/02/2016.	64 J	2.5	10	<20	<20	2	<2.0	50	26	4.5	2.9	<2.0	<2.0	<2.0						
DUP	102	07/13/2016	GAC installed 11/02/2016.	61 J	2.7	10	<20	<20	2	<2.0	49	26	4.1	3	<2.0	<2.0	<2.0						
	102	05/27/2009		66																			
	103	03/25/2024		<2.0	<2.0	<2.0																	
	103	04/04/2022		<2.0	<2.0	<2.0																	
DUP	103	04/04/2022		<2.0	<2.0	<2.0																	
	103	02/17/2021		<2.0 UJ	<2.0	<2.0 UJ																	
	103	07/14/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	103	06/17/2009		ND																			
BED1	104	12/20/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	104	08/20/2024		36	8.0	43	<2.0	<2.0	2.7	2.3	66	22	17	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			3.8	<2.0
BED1	104	08/20/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	104	04/25/2024	Carbon Changeout 04/25/2024 - 5yr.	<2.0	<2.0	<2.0																	
BED1-DUP	104	04/25/2024	Carbon Changeout 04/25/2024 - 5yr.	<2.0	<2.0	<2.0																	
BED1	104	03/18/2024		<2.0	<2.0	<2.0																	
BED1	104	12/04/2023		<2.0	<2.0	<2.0																	
PT	104	08/30/2023		8.5 J	<2.0 UJ	4.3 J																	
BED1	104	08/30/2023		<2.0	<2.0	<2.0																	
BED1	104	05/15/2023		<2.0	<2.0	<2.0																	
BED1	104	12/01/2022		<2.0	<2.0	<2.0																	
PT	104	08/31/2022		49	9.5	65																	
BED1	104	08/31/2022		<2.0	<2.0	<2.0																	
BED1	104	05/31/2022		2.1	<2.0	<2.0																	
BED2	104	05/31/2022		<2.0	<2.0	<2.0																	
BED1	104	03/08/2022		<2.0	<2.0	<2.0																	
BED1	104	11/11/2021		<2.0	<2.0	<2.0																	
PT	104	08/25/2021		55	12	74																	
BED1	104	08/25/2021		<2.0	<2.0	<2.0																	
BED1	104	06/03/2021		<2.0	<2.0	<2.0																	
BED1	104	03/08/2021		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	104	12/03/2020		<2.0	<2.0	<2.0																	
PT	104	09/02/2020		48	9.2	60																	
BED1	104	09/02/2020		<2.0	<2.0	<2.0																	
BED1	104	06/18/2020		<2.0	<2.0	<2.0																	
BED1	104	12/16/2019		<2.0	<2.0	<2.0																	
PT	104	09/13/2019		64	10	95																	
BED1	104	09/13/2019		<2.0	<2.0	<2.0																	
BED1	104	05/16/2019		<2.0	<2.0	<2.0																	
BED1	104	03/28/2019	Carbon Changeout 03/14/2019 - Fe.	<2.0	<2.0	<2.0																	
BED1	104	12/10/2018		<2.0	<2.0	<2.0																	
PT	104	08/15/2018		62	11	92																16	
BED1	104	08/15/2018		<2.0	<2.0	<2.0																<4.0	
PT	104	05/14/2018																				11	
BED1	104	05/14/2018		<2.0	<2.0	<2.0																	
BED1	104	05/14/2018																				<10	
PT	104	03/09/2018	February-March 2018 branched and linear study sample.				<0.40	<0.40	3.3	3.0	64	28	17	0.46	<0.40	<0.40	<0.40			51	31		
BED1	104	03/09/2018		<2.0	<2.0	<2.0																	
BED1	104	12/19/2017		<2.0	<2.0	<2.0																	
PT	104	09/08/2017		79	11	110																	
BED1	104	09/08/2017		<2.0	<2.0	<2.0																	
BED1	104	06/21/2017		<2.0	<2.0	<2.0																	
BED1	104	03/28/2017		3	<2.0	<2.0																	
BED2	104	03/28/2017		<2.0	<2.0	<2.0																	
	104	07/14/2016	GAC installed 11/15/2016.	110	10	140	<20	<20	4.7	3.7	67	33	19	<2.0	<2.0	<2.0	<2.0						
	104	06/24/2009		380																			
	105	06/29/2009	Non-response to sampling offer in Ongoing 2016 Program.	ND																			
	106	07/08/2009	Non-response to sampling offer in Ongoing 2016 Program.	130																			
	107	07/30/2009	Non-response to sampling offer in Ongoing 2016 Program.	290																			
DUP	107	07/30/2009	Non-response to sampling offer in Ongoing 2016 Program.	280																			
BED1	108	11/01/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	108	08/06/2024		41	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	130	60	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			43	<2.0
BED1	108	08/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	108	04/17/2024		<2.0	<2.0	<2.0																	
BED1	108	01/25/2024		<2.0	<2.0	<2.0																	
BED1	108	10/25/2023		<2.0	<2.0	<2.0																	
PT	108	09/05/2023		45	<2.0	<2.0																	
BED1	108	09/05/2023		<2.0	<2.0	<2.0																	
BED1-DUP	108	09/05/2023		<2.0	<2.0	<2.0																	
BED1	108	05/23/2023		<2.0	<2.0	<2.0																	
BED1	108	02/20/2023		<2.0	<2.0	<2.0																	
BED1-DUP	108	02/20/2023		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	108	11/10/2022		<2.0	<2.0	<2.0																	
PT	108	09/06/2022		39	<2.0	<2.0																	
BED1	108	09/06/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	108	05/31/2022		<2.0	<2.0	<2.0																	
BED1	108	03/07/2022		<2.0	<2.0	<2.0																	
BED1	108	11/16/2021		<2.0	<2.0	<2.0																	
BED1-DUP	108	11/16/2021		<2.0	<2.0	<2.0																	
PT	108	09/08/2021		43	<2.0	<2.0																	
BED1	108	09/08/2021		<2.0	<2.0	<2.0																	
BED1	108	05/17/2021		<2.0	<2.0	<2.0																	
BED1	108	02/24/2021		<2.0	<2.0	<2.0																	
BED1	108	11/11/2020		<2.0	<2.0	<2.0																	
PT	108	09/15/2020		42	<2.0	<2.0																	
BED1	108	09/15/2020		<2.0	<2.0	<2.0																	
BED1	108	06/26/2020		<2.0	<2.0	<2.0																	
POST	108	10/31/2019	GAC installed 01/06/2020.	40	<2.0	<2.0	<20	<20	<2.0	<2.0	160	68	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	150	71	57 J	<2.0
PRE	108	10/31/2019	GAC installed 01/06/2020.	41	<2.0	<2.0	<20	<20	<2.0	<2.0	150	66	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	130	66	50 J	<2.0
PRE-DUP	108	10/31/2019	GAC installed 01/06/2020.	41	<2.0	<2.0	<20	<20	<2.0	<2.0	160	67	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	140	67	46 J	<2.0
	108	08/31/2016		29	<2.0	<2.0	<20 UJ	<20 UJ	2.5	<2.0	140	48	<2.0	<2.0	<2.0	<2.0	<2.0						
	108	09/23/2009		NQ																			
	109	05/03/2021		<2.0	<2.0	<2.0																	
	109	08/26/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	2.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0					<4.0	
	109	09/25/2009		ND																			
	110	04/22/2024		<2.0	<2.0	<2.0																	
	110	05/02/2022		<2.0	<2.0	<2.0																	
	110	03/09/2021		<2.0	<2.0	<2.0																	
	110	07/22/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	110	07/22/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	110	10/05/2009		ND																			
	111	10/24/2023		<2.0	<2.0	<2.0																	
DUP	111	10/24/2023		<2.0	<2.0	<2.0																	
	111	06/20/2022		<2.0	<2.0	<2.0																	
	111	07/08/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	111	11/04/2009		ND																			
	112	02/27/2023		<2.0	<2.0	<2.0																	
	112	01/31/2022		<2.0	<2.0	<2.0																	
	112	07/01/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	113	10/28/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	113	07/26/2024		150	<2.0	4.0	<2.0	<2.0	<2.0	<2.0	110	62	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			2.3	<2.0
BED1	113	07/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	113	04/23/2024		<2.0	<2.0	<2.0																	
BED1	113	02/05/2024		<2.0	<2.0	<2.0																	
BED1	113	10/26/2023		<2.0	<2.0	<2.0																	
PT	113	08/29/2023		180	<2.0	2.1																	
BED1	113	08/29/2023		<2.0	<2.0	<2.0																	
BED1	113	05/24/2023		<2.0	<2.0	<2.0																	
BED1	113	03/08/2023		<2.0	<2.0	<2.0																	
BED1	113	11/29/2022		<2.0	<2.0	<2.0																	
PT	113	09/20/2022		150	<2.0	<2.0																	
BED1	113	09/20/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	113	06/08/2022		<2.0	<2.0	<2.0																	
BED1	113	03/02/2022	Carbon Changeout 12/07/2021 - 5yr.	<2.0	<2.0	<2.0																	
BED1	113	11/11/2021		<2.0	<2.0	<2.0																	
PT	113	08/26/2021		170	<2.0	<2.0																	
BED1	113	08/26/2021		<2.0	<2.0	<2.0																	
BED1	113	04/29/2021		<2.0	<2.0	<2.0																	
BED1	113	02/05/2021		<2.0	<2.0	<2.0																	
BED1	113	11/02/2020		<2.0	<2.0	<2.0																	
BED1-DUP	113	11/02/2020		<2.0	<2.0	<2.0																	
PT	113	09/02/2020		120	<2.0	<2.0																	
BED1	113	09/02/2020		<2.0	<2.0	<2.0																	
BED1	113	06/19/2020		<2.0	<2.0	<2.0																	
BED1	113	03/05/2020		<2.0	<2.0	<2.0																	
BED1	113	11/19/2019		<2.0	<2.0	<2.0																	
PT	113	09/16/2019		120	<2.0	<2.0																	
BED1	113	09/16/2019		<2.0	<2.0	<2.0																	
BED1	113	04/12/2019		<2.0	<2.0	<2.0																	
BED1	113	01/29/2019		<2.0	<2.0	<2.0																	
BED1	113	11/05/2018		<2.0	<2.0	<2.0																	
PT	113	07/30/2018		160	<2.0	<2.0																<4.0	
BED1	113	07/30/2018		<2.0	<2.0	<2.0																	
BED1	113	05/02/2018		<2.0	<2.0	<2.0																	
BED1	113	02/21/2018		<2.0	<2.0	<2.0																	
BED1	113	11/16/2017		<2.0	<2.0	<2.0																	
PT	113	09/07/2017		160	<2.0	<2.0																	
BED1	113	09/07/2017		<2.0	<2.0	<2.0																	
BED1	113	06/27/2017		<2.0	<2.0	<2.0																	
BED1	113	03/27/2017		<2.0	<2.0	<2.0																	
BED1	113	12/29/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1-DUP	113	12/29/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED2	113	12/29/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	113	07/06/2016	GAC installed 09/30/2016.	130	<2.0	<2.0	<20	<20	2.1 J	<2.0	130	78	<2.0	<2.0	<2.0	<2.0	<2.0						
	114	03/07/2024		<2.0	<2.0	<2.0																	
	114	03/13/2023		<2.0	<2.0	<2.0																	
	114	07/11/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	115	11/12/2024	Carbon Changeout 11/1/2024 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ			<2.0 UJ	<2.0 UJ
PT	115	09/18/2024		41	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	51	29	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			8.1	<2.0
BED1	115	09/18/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	60	7.2	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			8.7	<2.0
BED1	115	06/19/2024		<2.0	<2.0	<2.0																	
BED1	115	03/20/2024		<2.0	<2.0	<2.0																	
PT	115	09/11/2023		45	<2.0	<2.0																	
BED1	115	09/11/2023		<2.0	<2.0	<2.0																	
BED1	115	06/21/2023		<2.0	<2.0	<2.0																	
BED1	115	12/19/2022		<2.0	<2.0	<2.0																	
PT	115	09/12/2022		46	<2.0	<2.0																	
BED1	115	09/12/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	115	06/01/2022		<2.0	<2.0	<2.0																	
BED1	115	03/14/2022		<2.0	<2.0	<2.0																	
BED1	115	12/06/2021		<2.0	<2.0	<2.0																	
PT	115	09/20/2021		33	<2.0	<2.0																	
BED1	115	09/20/2021		<2.0	<2.0	<2.0																	
BED1	115	06/21/2021		<2.0	<2.0	<2.0																	
BED1	115	11/30/2020		<2.0	<2.0	<2.0																	
BED1	115	06/23/2020		<2.0	<2.0	<2.0																	
BED1	115	03/11/2020		<2.0	<2.0	<2.0																	
BED1	115	11/20/2019		<2.0	<2.0	<2.0																	
PT	115	07/02/2019		13	<2.0	<2.0																	
BED1	115	07/02/2019		<2.0	<2.0	<2.0																	
	115	04/10/2019	GAC installed 06/21/2019.	26	<2.0	<2.0	<20	<20	<2.0	<2.0	40	19	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	115	04/10/2019	GAC installed 06/21/2019.	26	<2.0	<2.0	<20	<20	<2.0	<2.0	38	20	<2.0	<2.0	<2.0	<2.0	<2.0						
	115	07/11/2016		36	<2.0	<2.0	<20	<20	<2.0	<2.0	52	25	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	115	07/11/2016		37	<2.0	<2.0	<20	<20	2.6 J	<2.0	50	25	<2.0	<2.0	<2.0	<2.0	<2.0						
	116	07/12/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	117	07/12/2016	PWS according to homeowner.	9.7 J	<2.0	<2.0	<20	<20	2	<2.0	32	8.3	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	117	07/12/2016	PWS according to homeowner.	11 J	<2.0	<2.0	<20	<20	2	<2.0	32	8.6	<2.0	<2.0	<2.0	<2.0	<2.0						
	118	07/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	118	11/30/2022		<2.0	<2.0	<2.0																	
DUP	118	11/30/2022		<2.0	<2.0	<2.0																	
	118	07/14/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	119	07/01/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	119	07/01/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	119	05/16/2022		<2.0	<2.0	<2.0																	
PRE	119	05/16/2022		<2.0	<2.0	<2.0																	
	119	02/25/2021		<2.0	<2.0	<2.0																	
DUP	119	02/25/2021		<2.0	<2.0	<2.0																	
	119	07/14/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	8.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	120	03/09/2021		<2.0	<2.0	<2.0																	
	120	07/14/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	121	11/05/2021	Replacement well installed (Regulatory Location ID #647). Not qualified so GAC removed 03/29/2022. Well decommissioned according to NJ Data Miner.	<2.0	<2.0	<2.0																	
PT	121	08/24/2021		71	3.4	9.1																	
BED1	121	08/24/2021		<2.0	<2.0	<2.0																	
BED1	121	06/21/2021		<2.0	<2.0	<2.0																	
BED1	121	03/22/2021		<2.0	<2.0	<2.0																	
BED1-DUP	121	03/22/2021		<2.0	<2.0	<2.0																	
BED1	121	11/11/2020		<2.0	<2.0	<2.0																	
PT	121	09/03/2020		69	3.3	9.3																	
BED1	121	09/03/2020		<2.0	<2.0	<2.0																	
BED1	121	06/22/2020		<2.0	<2.0	<2.0																	
BED1	121	02/17/2020		<2.0	<2.0	<2.0																	
BED1	121	11/08/2019		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	121	08/30/2019		80	3.2	7																	
BED1	121	08/30/2019		<2.0	<2.0	<2.0																	
BED1	121	05/24/2019		<2.0	<2.0	<2.0																	
BED1	121	03/15/2019		<2.0	<2.0	<2.0																	
BED1	121	12/06/2018		<2.0	<2.0	<2.0																	
PT	121	09/10/2018		80	2.4	6.3																<4.0	
BED1	121	09/10/2018		<2.0	<2.0	<2.0																	
BED1	121	06/21/2018		<2.0	<2.0	<2.0																	
BED1	121	03/22/2018		<2.0	<2.0	<2.0																	
BED1	121	12/21/2017		<2.0	<2.0	<2.0																	
PT	121	08/25/2017		88	2.7 B	5.9																	
BED1	121	08/25/2017		<2.0	<2.0	<2.0																	
BED1	121	06/21/2017		<2.0	<2.0	<2.0																	
BED1	121	03/27/2017		<2.0	<2.0	<2.0																	
	121	07/14/2016	GAC installed 12/27/2016.	80	2.5	4.2	<20	<20	<2.0	<2.0	45	27	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	122	05/01/2023		<2.0	<2.0	<2.0																	
BED1	122	03/15/2023		<2.0	<2.0	<2.0																	
BED1	122	12/22/2022		<2.0	<2.0	<2.0																	
PT	122	07/21/2022		130	<2.0	6.9																	
BED1	122	07/21/2022		<2.0	<2.0	<2.0																	
BED1	122	05/11/2022	Carbon Changeout 05/10/2022 - 5yr.	<2.0	<2.0	<2.0																	
BED1	122	02/10/2022		2.3	<2.0	<2.0																	
BED2	122	02/10/2022		<2.0	<2.0	<2.0																	
BED1	122	11/12/2021		<2.0	<2.0	<2.0																	
PT	122	07/13/2021		210	<2.0	4.1																	
BED1	122	07/13/2021		<2.0	<2.0	<2.0																	
BED1-DUP	122	07/13/2021		<2.0	<2.0	<2.0																	
BED1	122	04/05/2021		<2.0	<2.0	<2.0																	
BED1	122	01/19/2021		<2.0	<2.0	<2.0																	
BED1	122	11/04/2020		<2.0	<2.0	<2.0																	
PT	122	08/17/2020		190	<2.0	5.3																	
BED1	122	08/17/2020		<2.0	<2.0	<2.0																	
BED1	122	06/18/2020		<2.0	<2.0	<2.0																	
BED1	122	02/19/2020		<2.0	<2.0	<2.0																	
BED1	122	11/15/2019		<2.0	<2.0	<2.0																	
PT	122	09/12/2019		83	2.0	6.6																	
BED1	122	09/12/2019		<2.0	<2.0	<2.0																	
BED1	122	05/08/2019		<2.0	<2.0	<2.0																	
BED1	122	03/14/2019		<2.0	<2.0	<2.0																	
BED1	122	12/05/2018		<2.0	<2.0	<2.0																	
PT	122	08/27/2018		140	<2.0	4.9																<4.0	
BED1	122	08/27/2018		<2.0	<2.0	<2.0																	
BED1	122	05/01/2018		<2.0	<2.0	<2.0																	
BED1	122	02/21/2018		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	122	12/12/2017		<2.0	<2.0	<2.0																	
PT	122	09/20/2017		130	<2.0	4.6																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	122	09/20/2017		<2.0	<2.0	<2.0																	
	122	07/21/2016	GAC installed 05/16/2017.	140	<2.0	3	<20	<20	4.8	<2.0	130	87	<2.0	<2.0	<2.0	<2.0	<2.0						
	123	03/12/2021		<2.0	<2.0	<2.0																	
DUP	123	03/12/2021		<2.0	<2.0	<2.0																	
	123	07/22/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	124	08/03/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	125	03/23/2023		<2.0	<2.0	<2.0																	
	125	04/04/2022		<2.0	<2.0	<2.0																	
	125	08/10/2016		<2.0	2.8	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	126	05/15/2023		<2.0	<2.0	<2.0																	
	126	03/12/2021		<2.0	<2.0	<2.0																	
	126	08/10/2016		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	127	05/19/2022	Carbon Changeout 03/09/2022 - 5yr. Home is going to be demolished. GAC removed 10/26/2022 at owner's request.	<2.0	<2.0	<2.0																	
BED1	127	02/22/2022		<2.0	<2.0	<2.0																	
BED1	127	11/22/2021		<2.0	<2.0	<2.0																	
PT	127	09/02/2021		53	2.1 J	16																	
BED1	127	09/02/2021		<2.0	<2.0	<2.0																	
BED1	127	04/30/2021		<2.0	<2.0	<2.0																	
BED1	127	02/10/2021		<2.0	<2.0	<2.0																	
BED1	127	11/02/2020		<2.0	<2.0	<2.0																	
PT	127	08/31/2020		54	2.0	14																	
BED1	127	08/31/2020		<2.0	<2.0	<2.0																	
BED1	127	06/17/2020		<2.0	<2.0	<2.0																	
BED1	127	02/05/2020		<2.0	<2.0	<2.0																	
BED1	127	10/24/2019		<2.0	<2.0	<2.0																	
PT	127	08/02/2019		69	2.1	14																	
BED1	127	08/02/2019		<2.0	<2.0	<2.0																	
BED1	127	04/18/2019		<2.0	<2.0	<2.0																	
BED1	127	02/08/2019		<2.0	<2.0	<2.0																	
BED1	127	11/09/2018		<2.0	<2.0	<2.0																	
PT	127	08/07/2018		74	2.0	13																<4.0	
BED1	127	08/07/2018		<2.0	<2.0	<2.0																	
PT	127	05/08/2018																				<10	
BED1	127	05/08/2018		<2.0	<2.0	<2.0																	
BED1	127	05/08/2018																				<10	
BED1	127	03/16/2018		<2.0	<2.0	<2.0																	
BED1	127	12/12/2017		<2.0	<2.0	<2.0																	
PT	127	09/11/2017		73	2.6	11																	
BED1	127	09/11/2017		<2.0	<2.0	<2.0																	
BED1	127	06/20/2017		<2.0	<2.0	<2.0																	
BED1	127	03/27/2017		<2.0	<2.0	<2.0																	
	127	09/26/2016	GAC installed 12/14/2016.	84	2.1 J	8.5	<20	<20	<2.0	<2.0	74	34	2.7	<2.0	<2.0	<2.0	<2.0						
DUP	127	09/26/2016	GAC installed 12/14/2016.	83	5.3 J	8.8	<20	<20	<2.0	<2.0	72	34	2.8	<2.0	<2.0	<2.0	<2.0						
	128	11/15/2016	PWS connection 04/18/2017.	54	16	4.5	<20	<20	6.5	<2.0	57	25	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	129	12/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	129	08/06/2024		53	2.7	8.0	<2.0	<2.0	<2.0	<2.0	36	20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	129	08/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	129	05/03/2024		<2.0	<2.0	<2.0																	
BED1	129	01/31/2024		<2.0	<2.0	<2.0																	
BED1	129	10/26/2023		<2.0	<2.0	<2.0																	
PT	129	08/07/2023		63	3.2	12																	
BED1	129	08/07/2023		<2.0	<2.0	<2.0																	
BED1	129	05/04/2023		<2.0	<2.0	<2.0																	
BED1	129	02/08/2023		<2.0	<2.0	<2.0																	
BED1	129	11/10/2022		<2.0	<2.0	<2.0																	
PT	129	08/31/2022		57	3.7	11																	
BED1	129	08/31/2022		<2.0	<2.0	<2.0																	
BED1	129	05/26/2022	Carbon Changeout 03/23/2022 - 5yr.	<2.0	<2.0	<2.0																	
BED1	129	02/28/2022		<2.0	<2.0	<2.0																	
BED1	129	11/29/2021		<2.0	<2.0	<2.0																	
PT	129	08/23/2021		57	4.5	15																	
BED1	129	08/23/2021		<2.0	<2.0	<2.0																	
BED1	129	06/04/2021		<2.0	<2.0	<2.0																	
BED1	129	03/10/2021		<2.0	<2.0	<2.0																	
BED1	129	11/11/2020		<2.0	<2.0	<2.0																	
PT	129	09/16/2020		57	3.8	9.4																	
BED1	129	09/16/2020		<2.0	<2.0	<2.0																	
BED1-DUP	129	09/16/2020		<2.0	<2.0	<2.0																	
BED1	129	06/26/2020		<2.0	<2.0	<2.0																	
BED1	129	03/16/2020		<2.0	<2.0	<2.0																	
BED1	129	11/25/2019		<2.0	<2.0	<2.0																	
PT	129	08/28/2019		66	3.5	11																	
BED1	129	08/28/2019		<2.0	<2.0	<2.0																	
BED1	129	05/16/2019		<2.0	<2.0	<2.0																	
BED1	129	03/14/2019		<2.0	<2.0	<2.0																	
BED1	129	12/06/2018		<2.0	<2.0	<2.0																	
PT	129	08/24/2018		73	3.0	11																<4.0	
BED1	129	08/24/2018		<2.0	<2.0	<2.0																	
BED1	129	05/17/2018		<2.0	<2.0	<2.0																	
BED1	129	03/22/2018		<2.0	<2.0	<2.0																	
BED1	129	12/21/2017		<2.0	<2.0	<2.0																	
PT	129	09/21/2017		73	4	11																	
BED1	129	09/21/2017		<2.0	<2.0	<2.0																	
BED1-DUP	129	09/21/2017		<2.0	<2.0	<2.0																	
BED1	129	06/28/2017		<2.0	<2.0	<2.0																	
	129	12/14/2016	GAC installed 02/17/2017.	68 J	4.6 J	7.9 J	<20 UJ	<20 UJ	<2.0 UJ	<2.0 UJ	53 J	26 J	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ						
DUP	129	12/14/2016	GAC installed 02/17/2017.	67	4.5	7.7	<20	<20	<2.0	<2.0	51	25	<2.0	<2.0	<2.0	<2.0	<2.0						
	130	02/21/2022		<2.0	<2.0	<2.0																	
	130	01/23/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	130	01/23/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	131	11/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	131	09/19/2024		21	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	32	10	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	131	09/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	131	03/07/2024	GAC installed 05/01/2024.	21	<2.0	<2.0																	
	131	03/21/2022		11	<2.0	<2.0																	
	131	12/07/2020		9.9	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	24	6.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	131	12/07/2020		10	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	24	6.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	131	02/03/2017		2.1 J	<2.0 U	<2.0 U	<20 U	<20 UJ	<2.0 U	<2.0 U	7.4	<2.0 U	<2.0 UJ	<2.0 UJ	<2.0 U	<2.0 U	<2.0 U						
	132	07/01/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	132	05/16/2022		<2.0	<2.0	<2.0																	
	132	03/17/2021		<2.0	<2.0	<2.0																	
	132	02/03/2017		<2.0	<2.0	<2.0 U	<20 UJ	<20 UJ	<2.0 U	<2.0 U	<2.0 U	<2.0 U	<2.0 UJ	<2.0 UJ	<2.0 U	<2.0 U	3.8						
BED1	133	12/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	133	12/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	133	08/23/2024		20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	21	10	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	133	08/23/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	133	06/05/2024		<2.0	<2.0	<2.0																	
BED1-DUP	133	06/05/2024		<2.0	<2.0	<2.0																	
BED1	133	03/05/2024		<2.0	<2.0	<2.0																	
BED1	133	10/26/2023		<2.0	<2.0	<2.0																	
PT	133	08/03/2023		16	<2.0	<2.0																	
BED1	133	08/03/2023		<2.0	<2.0	<2.0																	
BED1	133	04/20/2023		<2.0	<2.0	<2.0																	
BED1	133	01/25/2023		<2.0	<2.0	<2.0																	
BED1	133	10/20/2022		<2.0	<2.0	<2.0																	
PT	133	08/10/2022		14	<2.0	<2.0																	
BED1	133	08/10/2022		<2.0	<2.0	<2.0																	
BED1	133	04/27/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	133	01/18/2022		<2.0	<2.0	<2.0																	
BED1-DUP	133	01/18/2022		<2.0	<2.0	<2.0																	
BED1	133	10/13/2021		<2.0	<2.0	<2.0																	
PT	133	07/16/2021		13	<2.0	<2.0																	
BED1	133	07/16/2021		<2.0	<2.0	<2.0																	
BED1-DUP	133	07/16/2021		<2.0	<2.0	<2.0																	
	133	03/17/2021	GAC installed 06/23/2021.	39	5.1 J	2.3																	
	133	02/03/2017		4.5 J	<2.0 U	<2.0	<20 U	<20 U	<2.0 U	<2.0 U	15	3.1	<2.0 U	<2.0 U	<2.0 U	<2.0 U	<2.0 U						
DUP	133	02/03/2017		4.3 J	<2.0 U	<2.0 U	<20 U	<20 U	<2.0 U	<2.0 U	15	3.1	<2.0 U	<2.0 U	<2.0 U	<2.0 U	<2.0 U						
	134	07/01/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	134	05/16/2022		<2.0	<2.0	<2.0																	
	134	03/16/2021		<2.0	<2.0	<2.0																	
	134	02/03/2017		<2.0 U	<2.0 U	<2.0 U	<20 U	<20 U	<2.0 U	<2.0 U	<2.0 U	<2.0 U	<2.0 U	<2.0 U	<2.0 U	<2.0 U	<2.0 U						
BED1	135	10/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	135	07/16/2024		59	<2.0	3.1	<2.0	<2.0	<2.0	<2.0	43	17	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	135	07/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	135	05/07/2024		<2.0	<2.0	<2.0																	
BED1	135	03/06/2024		<2.0	<2.0	<2.0																	
BED1	135	11/21/2023		<2.0	<2.0	<2.0																	
PT	135	09/05/2023		86	<2.0	4.7																	
BED1	135	09/05/2023		<2.0	<2.0	<2.0																	
BED1	135	06/12/2023		<2.0	<2.0	<2.0																	
BED1	135	03/13/2023		<2.0	<2.0	<2.0																	
BED1	135	12/08/2022		<2.0	<2.0	<2.0																	
PT	135	09/26/2022		74	<2.0	4.3																	
BED1	135	09/26/2022		<2.0	<2.0	<2.0																	
BED1-DUP	135	09/26/2022		<2.0	<2.0	<2.0																	
BED1	135	04/25/2022	Carbon Changeout 03/15/2022 - 5yr.	<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	135	01/31/2022		<2.0	<2.0	<2.0																	
BED1	135	10/12/2021		<2.0	<2.0	<2.0																	
PT	135	07/20/2021		66	<2.0	2.9																	
BED1	135	07/20/2021		<2.0	<2.0	<2.0																	
BED1	135	04/22/2021		<2.0	<2.0	<2.0																	
BED1	135	01/19/2021		<2.0	<2.0	<2.0																	
BED1-DUP	135	01/19/2021		<2.0	<2.0	<2.0																	
BED1	135	11/04/2020		<2.0	<2.0	<2.0																	
PT	135	08/17/2020		73	<2.0	3.8																	
BED1	135	08/17/2020		<2.0	<2.0	<2.0																	
BED1	135	06/25/2020		<2.0	<2.0	<2.0																	
BED1	135	02/12/2020		<2.0	<2.0	<2.0																	
BED1	135	11/11/2019		<2.0	<2.0	<2.0																	
PT	135	09/06/2019		91	<2.0	3.4																	
BED1	135	09/06/2019		<2.0	<2.0	<2.0																	
BED1-DUP	135	09/06/2019		<2.0	<2.0	<2.0																	
BED1	135	06/27/2019		<2.0	<2.0	<2.0																	
BED1	135	03/25/2019		<2.0	<2.0	<2.0																	
BED1	135	11/12/2018		<2.0	<2.0	<2.0																	
PT	135	08/20/2018		100	2.1	3.4																<4.0	
BED1	135	08/20/2018		<2.0	<2.0	<2.0																	
BED1	135	05/22/2018		<2.0	<2.0	<2.0																	
BED1	135	03/20/2018		<2.0	<2.0	<2.0																	
BED1	135	12/12/2017		120	2.5	3.9																	
BED2	135	12/12/2017		<2.0	<2.0	<2.0																	
PT	135	09/20/2017		120	2.6	3.2																	
BED1	135	09/20/2017		<2.0	<2.0	<2.0																	
BED1	135	06/27/2017		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
	135	02/03/2017	GAC installed 03/29/2017.	130 J	3.2 J	3.1	<20 U	<20 U	2.9	<2.0 U	73	34	<2.0 U	<2.0 U	<2.0 U	<2.0 U	<2.0 U						
BED1	136	12/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	136	08/02/2024		57	<2.0	3.4	<2.0	<2.0	<2.0	<2.0	45	24	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	136	08/02/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	136	05/17/2024		<2.0	<2.0	<2.0																	
BED1	136	02/08/2024		<2.0	<2.0	<2.0																	
BED1	136	11/09/2023		<2.0	<2.0	<2.0																	
PT	136	08/14/2023		64	<2.0	4.1																	
BED1	136	08/14/2023		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	136	05/16/2023		<2.0	<2.0	<2.0																	
BED1	136	02/28/2023		<2.0	<2.0	<2.0																	
BED1	136	12/01/2022		<2.0	<2.0	<2.0																	
PT	136	09/27/2022	Carbon Changeout 08/18/2022 - 5yr.	45	<2.0	2.8																	
BED1	136	09/27/2022	Carbon Changeout 08/18/2022 - 5yr.	<2.0	<2.0	<2.0																	
BED1	136	04/27/2022		<2.0	<2.0	<2.0																	
BED1	136	02/01/2022		<2.0	<2.0	<2.0																	
BED1	136	11/03/2021		<2.0	<2.0	<2.0																	
PT	136	08/17/2021		55	<2.0	2.6																	
BED1	136	08/17/2021		<2.0	<2.0	<2.0																	
BED1	136	05/10/2021		<2.0	<2.0	<2.0																	
BED1	136	02/12/2021		<2.0	<2.0	<2.0																	
BED1	136	11/30/2020		<2.0	<2.0	<2.0																	
PT	136	08/03/2020		52	<2	3.5																	
BED1	136	08/03/2020		<2	<2	<2																	
BED1	136	06/04/2020		<2.0	<2.0	<2.0																	
BED1	136	01/29/2020		<2.0	<2.0	<2.0																	
BED1	136	10/16/2019		<2.0	<2.0	<2.0																	
PT	136	07/30/2019		46	<2.0	2.6																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	136	07/30/2019		<2.0	<2.0	<2.0																	
BED1	136	04/22/2019		<2.0	<2.0	<2.0																	
BED1	136	02/11/2019		<2.0	<2.0	<2.0																	
BED1	136	11/13/2018		<2.0	<2.0	<2.0																	
PT	136	08/28/2018		52	<2.0	<2.0																<4.0	
BED1	136	08/28/2018		<2.0	<2.0	<2.0																	
BED1	136	05/21/2018		<2.0	<2.0	<2.0																	
BED1	136	03/14/2018		<2.0	<2.0	<2.0																	
BED1	136	12/12/2017		<2.0	<2.0	<2.0																	
PT	136	09/29/2017	Carbon Changeout 08/23/2017 - Fe.	55	<2.0	<2.0																	
BED1	136	09/29/2017	Carbon Changeout 08/23/2017 - Fe.	<2.0	<2.0	<2.0																	
BED1	136	06/23/2017		<2.0	<2.0	<2.0																	
	136	02/03/2017	GAC installed 03/07/2017.	45 J	<2.0 U	<2.0 U	<20 U	<20 U	<2.0 U	<2.0 U	44	18	<2.0 U	<2.0 U	<2.0 U	<2.0 U	<2.0 U						
	137	07/01/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	137	04/18/2022		<2.0	<2.0	<2.0																	
DUP	137	04/18/2022		<2.0	<2.0	<2.0																	
	137	02/14/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	138	03/25/2024		<2.0	<2.0	<2.0																	
DUP	138	03/25/2024		<2.0	<2.0	<2.0																	
	138	04/04/2022		<2.0	<2.0	<2.0																	
	138	03/12/2021		<2.0	<2.0	<2.0																	
	138	02/14/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
POST	139	06/01/2022	Permanent bottled water.	17	<2.0	<2.0																	
PRE	139	06/01/2022	Permanent bottled water.	20	<2.0	<2.0																	
POST	139	03/17/2021		6.5	7.0 J	<2.0																	
PRE	139	03/17/2021		11	<2.0	<2.0																	
	139	02/14/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	140	11/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	140	08/06/2024		50	11	15	<2.0	<2.0	4.9	<2.0	26	21	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	140	08/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	140	04/24/2024		<2.0	<2.0	<2.0																	
BED1	140	01/22/2024		<2.0	<2.0	<2.0																	
BED1	140	10/18/2023		<2.0	<2.0	<2.0																	
PT	140	08/01/2023		40	7.9	13																	
BED1	140	08/01/2023		<2.0	<2.0	<2.0																	
BED1	140	05/04/2023		<2.0	<2.0	<2.0																	
BED1	140	02/01/2023		<2.0	<2.0	<2.0																	
BED1	140	11/01/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	140	08/22/2022		49	11	16																	
BED1	140	08/22/2022		<2.0	<2.0	<2.0																	
BED1	140	04/27/2022	Carbon Changeout 04/27/2022 - 5yr.	<2.0	<2.0	<2.0																	
BED1	140	03/02/2022		2.1	<2.0	<2.0																	
BED2	140	03/02/2022		<2.0	<2.0	<2.0																	
BED1	140	11/08/2021		5.3	<2.0	<2.0																	
BED1-DUP	140	11/08/2021		4.2	<2.0	<2.0																	
BED2	140	11/08/2021		<2.0	<2.0	<2.0																	
PT	140	07/23/2021		49	11	17																	
BED1	140	07/23/2021		5.6	<2.0	<2.0																	
BED2	140	07/23/2021		<2.0	<2.0	<2.0																	
BED1	140	05/05/2021		4.5	<2.0	<2.0																	
BED2	140	05/05/2021		<2.0	<2.0	<2.0																	
BED1	140	02/10/2021		6.5	<2.0	<2.0																	
BED2	140	02/10/2021		<2.0	<2.0	<2.0																	
BED1	140	11/09/2020		2.1	<2.0	<2.0																	
PT	140	09/09/2020		63	11	19																	
BED1	140	09/09/2020		<2.0	<2.0	<2.0																	
BED1	140	06/26/2020		<2.0	<2.0	<2.0																	
BED1	140	03/11/2020		<2.0	<2.0	<2.0																	
BED1	140	12/04/2019		<2.0	<2.0	<2.0																	
PT	140	09/13/2019		78	12	20																	
BED1	140	09/13/2019		<2.0	<2.0	<2.0																	
BED1-DUP	140	09/13/2019		<2.0	<2.0	<2.0																	
BED1	140	04/26/2019		<2.0	<2.0	<2.0																	
BED1	140	02/15/2019		<2.0	<2.0	<2.0																	
BED1	140	11/13/2018		<2.0	<2.0	<2.0																	
PT	140	09/17/2018		60	11	15																<4.0	
BED1	140	09/17/2018		<2.0	<2.0	<2.0																	
BED1	140	06/15/2018		<2.0	<2.0	<2.0																	
BED1	140	03/06/2018		<2.0	<2.0	<2.0																	
BED1	140	12/15/2017		<2.0	<2.0	<2.0																	
PT	140	09/29/2017		77	9	12																	
BED1	140	09/29/2017		<2.0	<2.0	<2.0																	
	140	02/14/2017	GAC installed 04/19/2017.	88	10	14	<20	<20	10	2.5	110	50	<2.0	<2.0	<2.0	<2.0	<2.0						
	141	02/14/2017	Permanent bottled water.	110	7.8	14	<20	<20	2.2	<2.0	68	34	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	141	02/14/2017	Permanent bottled water.	110	7.5	13	<20	<20	2.2	<2.0	65	33	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	142	12/03/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	142	09/03/2024		59	<2.0	7.1	<2.0	<2.0	<2.0	<2.0	41	19	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	142	09/03/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	142	06/05/2024		<2.0	<2.0	<2.0																	
BED1	142	01/31/2024		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1-DUP	142	01/31/2024		<2.0	<2.0	<2.0																	
BED1	142	10/30/2023		<2.0	<2.0	<2.0																	
PT	142	07/11/2023		55	<2.0	4.3																	
BED1	142	07/11/2023		<2.0	<2.0	<2.0																	
BED1	142	04/10/2023		<2.0	<2.0	<2.0																	
BED1-DUP	142	04/10/2023		<2.0	<2.0	<2.0																	
BED1	142	01/16/2023		<2.0	<2.0	<2.0																	
BED1	142	10/05/2022		<2.0	<2.0	<2.0																	
PT	142	07/19/2022		54	<2.0	3.9																	
BED1	142	07/19/2022		<2.0	<2.0	<2.0																	
BED1	142	04/13/2022	Carbon Changeout 03/10/2022 - 5yr.	<2.0	<2.0	<2.0																	
BED1	142	01/19/2022		<2.0	<2.0	<2.0																	
BED1	142	10/19/2021		<2.0	<2.0	<2.0																	
PT	142	08/02/2021		5.6	<2.0	<2.0																	
BED1	142	08/02/2021		<2.0	<2.0	<2.0																	
BED1	142	05/04/2021		<2.0	<2.0	<2.0																	
BED1	142	02/04/2021		<2.0	<2.0	<2.0																	
BED1	142	10/27/2020		<2.0	<2.0	<2.0																	
PT	142	08/26/2020		53	<2.0	4.2																	
BED1	142	08/26/2020		<2.0	<2.0	<2.0																	
BED1	142	06/17/2020		<2.0	<2.0	<2.0																	
BED1	142	02/05/2020		<2.0	<2.0	<2.0																	
BED1	142	10/24/2019		<2.0	<2.0	<2.0																	
PT	142	08/20/2019		68	<2.0	3.7																	
BED1	142	08/20/2019		<2.0	<2.0	<2.0																	
BED1	142	04/26/2019		<2.0	<2.0	<2.0																	
BED1	142	02/25/2019		<2.0	<2.0	<2.0																	
BED1	142	11/27/2018		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	142	08/02/2018		71	<2.0	4.8																<4.0	
BED1	142	08/02/2018		<2.0	<2.0	<2.0																	
PT	142	05/08/2018																				<10	
BED1	142	05/08/2018		<2.0	<2.0	<2.0																	
BED1	142	05/08/2018																				<10	
BED1	142	02/22/2018		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	142	12/12/2017		<2.0	<2.0	<2.0																	
PT	142	09/07/2017		130	6	31																	
BED1	142	09/07/2017		<2.0	<2.0	<2.0																	
BED1	142	06/27/2017		<2.0	<2.0	<2.0																	
	142	02/14/2017	GAC installed 03/22/2017.	82	<2.0	2.3	<20	<20	<2.0	<2.0	59	26	<2.0	<2.0	<2.0	<2.0	<2.0						
	143	07/08/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	143	05/09/2022		<2.0	<2.0	<2.0																	
DUP	143	05/09/2022		<2.0	<2.0	<2.0																	
	143	03/16/2021		<2.0	<2.0	<2.0																	
DUP	143	03/16/2021		<2.0	<2.0	<2.0																	
	143	02/20/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	144	11/01/2022		<2.0	<2.0	<2.0																	
DUP	144	11/01/2022		<2.0	<2.0	<2.0																	
	144	02/20/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	145	05/08/2023		<2.0	<2.0	<2.0																	
	145	02/20/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	146	05/15/2023		<2.0	<2.0	<2.0																	
	146	03/09/2021		<2.0	<2.0	<2.0																	
	146	02/20/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	2.2 B	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	147	04/22/2024		<2.0	<2.0	<2.0																	
DUP	147	04/22/2024		<2.0	<2.0	<2.0																	
	147	05/02/2022		<2.0	<2.0	<2.0																	
	147	03/16/2021		<2.0	<2.0	<2.0																	
	147	02/20/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	148	02/20/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	149	12/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	149	12/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	149	09/16/2024		51	2.2	2.8	<2.0	<2.0	<2.0 UJ	<2.0	30	23	<2.0	<2.0 UJ	<2.0	<2.0	<2.0	<2.0	<2.0 UJ			<2.0	<2.0
BED1	149	09/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0 UJ	<2.0	<2.0	<2.0	<2.0	<2.0 UJ	<2.0	<2.0	<2.0	<2.0	<2.0 UJ			<2.0	<2.0
BED1-DUP	149	09/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0 UJ	<2.0	<2.0	<2.0	<2.0	<2.0 UJ	<2.0	<2.0	<2.0	<2.0	<2.0 UJ			<2.0	<2.0
BED1	149	05/30/2024		<2.0	<2.0	<2.0																	
BED1	149	03/14/2024		<2.0	<2.0	<2.0																	
BED1-DUP	149	03/14/2024		<2.0	<2.0	<2.0																	
BED1	149	12/15/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1-DUP	149	12/15/2023		<2.0	<2.0	<2.0																	
PT	149	09/06/2023		59	4.4	3.3																	
BED1	149	09/06/2023		<2.0	<2.0	<2.0																	
BED1	149	06/08/2023		<2.0	<2.0	<2.0																	
BED1	149	02/16/2023		<2.0	<2.0	<2.0																	
BED1-DUP	149	02/16/2023		<2.0	<2.0	<2.0																	
BED1	149	11/02/2022		<2.0	<2.0	<2.0																	
BED1-DUP	149	11/02/2022		<2.0	<2.0	<2.0																	
PT	149	08/29/2022		59	2.9	2.7																	
BED1	149	08/29/2022		<2.0	<2.0	<2.0																	
BED1-DUP	149	08/29/2022		<2.0	<2.0	<2.0																	
BED1	149	05/12/2022	Carbon Changeout 05/12/2022 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	149	02/16/2022		<2.0	<2.0	<2.0																	
BED1-DUP	149	02/16/2022		<2.0	<2.0	<2.0																	
BED1	149	11/17/2021		<2.0	<2.0	<2.0																	
BED1-DUP	149	11/17/2021		<2.0	<2.0	<2.0																	
PT	149	08/23/2021		65	6.0	4.1																	
BED1	149	08/23/2021		<2.0	<2.0	<2.0																	
BED1	149	05/24/2021		<2.0	<2.0	<2.0																	
BED1	149	03/10/2021		<2.0	<2.0	<2.0																	
BED1	149	10/21/2020		<2.0	<2.0	<2.0																	
PT	149	08/11/2020		64	4.1	2.9																	
BED1	149	08/11/2020		<2.0	<2.0	<2.0																	
BED1	149	06/05/2020		<2.0	<2.0	<2.0																	
BED1	149	02/05/2020		<2.0	<2.0	<2.0																	
BED1	149	10/25/2019		<2.0	<2.0	<2.0																	
PT	149	08/01/2019		72	4.9	3.7																	
BED1	149	08/01/2019		<2.0	<2.0	<2.0																	
BED1	149	04/23/2019		<2.0	<2.0	<2.0																	
BED1	149	02/15/2019		<2.0	<2.0	<2.0																	
BED1-DUP	149	02/15/2019		<2.0	<2.0	<2.0																	
BED1	149	11/14/2018		<2.0	<2.0	<2.0																	
BED1-DUP	149	11/14/2018		<2.0	<2.0	<2.0																	
PT	149	09/17/2018		65	9.2	4.8																<4.0	
BED1	149	09/17/2018		<2.0	<2.0	<2.0																	
BED1-DUP	149	09/17/2018		<2.0	<2.0	<2.0																	
BED1	149	06/25/2018		<2.0	<2.0	<2.0																	
BED1-DUP	149	06/25/2018		<2.0	<2.0	<2.0																	
BED1	149	03/23/2018		<2.0	<2.0	<2.0																	
BED1-DUP	149	03/23/2018		<2.0	<2.0	<2.0																	
BED1	149	12/15/2017		<2.0	<2.0	<2.0																	
BED1-DUP	149	12/15/2017		<2.0	<2.0	<2.0																	
PT	149	09/20/2017		72	9.1	6.4																	
BED1	149	09/20/2017		<2.0	<2.0	<2.0																	
	149	02/20/2017	GAC installed 04/21/2017.	61	8.3	3.8	<20	<20	<2.1	<2.0	57	31	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	149	02/20/2017	GAC installed 04/21/2017.	60	8.5	3.6	<20	<20	2	<2.0	56	32	<2.0	<2.0	<2.0	<2.0	<2.0						

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NeFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
	150	02/20/2017	No well decommissioning report, but the well is no longer usable according to homeowner. Replacement well installed (Regulatory Location ID #385). Not qualified so bottled water stopped.	38 B	7.7	7.6	<20	<20	4.1	<2.0	34 B	18 B	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	151	06/06/2019	PWS connection 06/13/2019. GAC removed 06/21/2019.	<2.0	<2.0	<2.0																	
BED1-DUP	151	06/06/2019	PWS connection 06/13/2019. GAC removed 06/21/2019.	<2.0	<2.0	<2.0																	
BED1	151	02/01/2019		<2.0	<2.0	<2.0																	
BED1	151	10/30/2018		<2.0	<2.0	<2.0																	
PT	151	07/13/2018		20	<2.0	<2.0																<4.0	
BED1	151	07/13/2018		<2.0	<2.0	<2.0																	
BED1	151	04/30/2018		<2.0	<2.0	<2.0																	
	151	02/20/2017	GAC installed 11/21/2017.	20 B	<2.0	<2.0	<20	<20	<2.0	<2.0	8.2 B	5 B	<2.0	<2.0	<2.0	<2.0	<2.0						
	152	02/27/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	153	02/27/2017	PWS connection 04/06/2017.	78	7.4	18	<20	<20	14	<2.0	62	29	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	153	02/27/2017	PWS connection 04/06/2017.	77	7.6	18	<20	<20	13	<2.0	62	28	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	154	12/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	154	08/22/2024		47	2.9	9.1	<2.0	<2.0	6.1	<2.0	44	23	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	154	08/22/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	154	08/22/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	154	05/22/2024		<2.0	<2.0	<2.0																	
BED1-DUP	154	05/22/2024		<2.0	<2.0	<2.0																	
BED1	154	02/02/2024		<2.0	<2.0	<2.0																	
BED1	154	10/23/2023		<2.0	<2.0	<2.0																	
BED1-DUP	154	10/23/2023		<2.0	<2.0	<2.0																	
PT	154	07/19/2023		40	2.7	7.2																	
BED1	154	07/19/2023		<2.0	<2.0	<2.0																	
BED1	154	04/17/2023		<2.0	<2.0	<2.0																	
BED1-DUP	154	04/17/2023		<2.0	<2.0	<2.0																	
BED1	154	01/31/2023		<2.0	<2.0	<2.0																	
PT	154	10/19/2022		78	3.9	12																	
BED1	154	10/19/2022		<2.0	<2.0	<2.0																	
BED1	154	08/11/2022	Carbon Changeout 08/09/2022 - 5yr.	<2.0	<2.0	<2.0																	
BED1	154	06/29/2022		<2.0	<2.0	<2.0																	
BED1	154	03/22/2022		<2.0	<2.0	<2.0																	
BED1-DUP	154	03/22/2022		<2.0	<2.0	<2.0																	
BED1	154	12/09/2021		<2.0	<2.0	<2.0																	
PT	154	09/15/2021		55	2.0	8.4																	
BED1	154	09/15/2021		<2.0	<2.0	<2.0																	
BED1-DUP	154	09/15/2021		<2.0	<2.0	<2.0																	
BED1	154	06/14/2021		<2.0	<2.0	<2.0																	
BED1-DUP	154	06/14/2021		<2.0	<2.0	<2.0																	
BED1	154	03/12/2021		<2.0	<2.0	<2.0																	
BED1	154	11/19/2020		<2.0	<2.0	<2.0																	
PT	154	08/17/2020		55	2.1	7.3																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	154	08/17/2020		<2.0	<2.0	<2.0																	
BED1	154	06/04/2020		<2.0	<2.0	<2.0																	
BED1	154	01/22/2020		<2.0	<2.0	<2.0																	
PT	154	09/19/2019		60	2.2	6.9																	
BED1	154	09/19/2019		<2.0	<2.0	<2.0																	
BED1	154	06/07/2019		<2.0	<2.0	<2.0																	
BED1-DUP	154	06/07/2019		<2.0	<2.0	<2.0																	
BED1	154	03/12/2019		<2.0	<2.0	<2.0																	
BED1	154	11/28/2018		<2.0	<2.0	<2.0																	
PT	154	09/13/2018		63	2.4	6.1																<4.0	
BED1	154	09/13/2018		<2.0	<2.0	<2.0																	
BED1	154	06/05/2018		<2.0	<2.0	<2.0																	
BED1	154	03/23/2018		<2.0	<2.0	<2.0																	
BED1	154	12/14/2017		<2.0	<2.0	<2.0																	
PT	154	09/06/2017		62	2.7	5.9																	
BED1	154	09/06/2017		<2.0	<2.0	<2.0																	
	154	02/27/2017	GAC installed 04/03/2017.	59	2.7	5.3	<20	<20	<2.0	<2.0	51	25	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	155	10/31/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	155	08/14/2024		40	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	40	17	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	155	08/14/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	155	05/30/2024		<2.0	<2.0	<2.0																	
BED1	155	01/18/2024		<2.0	<2.0	<2.0																	
BED1	155	10/18/2023		<2.0	<2.0	<2.0																	
BED1-DUP	155	10/18/2023		<2.0	<2.0	<2.0																	
PT	155	08/01/2023		43	<2.0	<2.0																	
BED1	155	08/01/2023		<2.0	<2.0	<2.0																	
BED1	155	04/26/2023	Carbon Changeout 04/26/2023 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	155	02/15/2023		<2.0	<2.0	<2.0																	
BED1	155	11/28/2022		<2.0	<2.0	<2.0																	
PT	155	09/15/2022		30	<2.0	<2.0																	
BED1	155	09/15/2022		<2.0	<2.0	<2.0																	
BED1	155	06/01/2022		<2.0	<2.0	<2.0																	
BED1	155	03/08/2022		<2.0	<2.0	<2.0																	
BED1	155	11/22/2021		<2.0	<2.0	<2.0																	
PT	155	09/08/2021		22	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	155	09/08/2021		<2.0	<2.0	<2.0																	
BED1	155	06/24/2021		<2.0	<2.0	<2.0																	
BED1	155	01/28/2021		<2.0	<2.0	<2.0																	
BED1-DUP	155	01/28/2021		<2.0	<2.0	<2.0																	
BED1	155	10/13/2020		<2.0	<2.0	<2.0																	
PT	155	08/11/2020		18	<2.0	<2.0																	
PT	155	08/11/2020	Split sampling for method comparison.	18	<2.0	<2.0																	
BED1	155	08/11/2020		<2.0	<2.0	<2.0																	
BED1	155	08/11/2020	Split sampling for method comparison.	<2.0	<2.0	<2.0																	
BED1	155	06/16/2020		<2.0	<2.0	<2.0																	
BED1	155	02/28/2020		<2.0	<2.0	<2.0																	
BED1	155	11/19/2019		<2.0	<2.0	<2.0																	
PT	155	09/13/2019		9.4	<2.0	<2.0																	
BED1	155	09/13/2019		<2.0	<2.0	<2.0																	
BED1	155	05/21/2019		<2.0	<2.0	<2.0																	
BED1	155	02/25/2019		<2.0	<2.0	<2.0																	
BED1-DUP	155	02/25/2019		<2.0	<2.0	<2.0																	
BED1	155	12/03/2018		<2.0	<2.0	<2.0																	
BED1-DUP	155	12/03/2018		<2.0	<2.0	<2.0																	
PT	155	07/16/2018		5.4	<2.0	<2.0																<4.0	
BED1	155	07/16/2018		<2.0	<2.0	<2.0																	
BED1	155	04/18/2018		<2.0	<2.0	<2.0																	
BED1-DUP	155	04/18/2018		<2.0	<2.0	<2.0																	
	155	02/27/2017	GAC installed 02/07/2018.	15	<2.0	<2.0	<20	<20	<2.0	<2.0	34	8.4	<2.0	<2.0	<2.0	<2.0	<2.0						
	156	04/08/2024		<2.0	<2.0	<2.0																	
	156	06/01/2022		<2.0	<2.0	<2.0																	
	156	03/04/2021		<2.0	<2.0	<2.0																	
	156	02/27/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	157	05/13/2021		<2.0	<2.0	<2.0																	
DUP	157	05/13/2021		<2.0	<2.0	<2.0																	
	157	03/03/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
DUP	157	03/03/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	158	09/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	158	03/19/2021		<2.0	<2.0	<2.0																	
	158	03/03/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	159	04/04/2022		7.7	<2.0	<2.0																	
	159	03/17/2017		10 J	<2.0 UJ	<2.0 UJ	<20 UJ	<20 UJ	<2.0 UJ	<2.0 UJ	11 J	5.2 J	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ						
DUP	159	03/17/2017		10	<2.0	<2.0	<20	<20	<2.0	<2.0	11	5.3	<2.0	<2.0	<2.0	<2.0	<2.0						
	160	06/05/2023		<2.0	<2.0	<2.0																	
	160	04/21/2021		<2.0	<2.0	<2.0																	
DUP	160	04/21/2021		<2.0	<2.0	<2.0																	
	160	03/23/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	161	12/13/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	161	09/10/2024		140	38	27	3.3	<2.0	22	2.7	120	48	3.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	161	09/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	161	09/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	161	04/24/2024		<2.0	<2.0	<2.0																	
BED1	161	03/04/2024		<2.0	<2.0	<2.0																	
BED1-DUP	161	03/04/2024		<2.0	<2.0	<2.0																	
BED1	161	10/27/2023		<2.0	<2.0	<2.0																	
PT	161	08/02/2023		81	20	12																	
BED1	161	08/02/2023		<2.0	<2.0	<2.0																	
BED1	161	04/20/2023	Carbon Changeout 04/20/2023 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	161	02/28/2022		<2.0	<2.0	<2.0																	
BED1	161	12/02/2021		<2.0	<2.0	<2.0																	
BED1-DUP	161	12/02/2021		<2.0	<2.0	<2.0																	
PT	161	08/30/2021		85	38 J	25																	
BED1	161	08/30/2021		<2.0	<2.0	<2.0																	
BED1	161	06/29/2021		<2.0	<2.0	<2.0																	
BED1	161	01/20/2021		<2.0	<2.0	<2.0																	
BED1	161	10/08/2020		<2.0	<2.0	<2.0																	
BED1	161	06/09/2020		<2.0	<2.0	<2.0																	
BED1	161	02/19/2020		<2.0	<2.0	<2.0																	
BED1	161	10/23/2019		<2.0	<2.0	<2.0																	
PT	161	08/21/2019		100	32	25																	
BED1	161	08/21/2019		<2.0	<2.0	<2.0																	
BED1	161	05/09/2019		<2.0	<2.0	<2.0																	
BED1	161	01/29/2019		<2.0	<2.0	<2.0																	
BED1	161	11/05/2018		<2.0	<2.0	<2.0																	
PT	161	07/30/2018		77	22	15																<4.0	
BED1	161	07/30/2018		<2.0	<2.0	<2.0																	
PT	161	05/08/2018																				<10	
BED1	161	05/08/2018		<2.0	<2.0	<2.0																	
BED1	161	05/08/2018																				<10	
PT	161	02/28/2018	February-March 2018 branched and linear study sample.				2.1 J	0.64	11	1.8	43	26	1.1	<0.40	<0.40	<0.40	<0.40			34	21		

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	161	02/28/2018		<2.0	<2.0	<2.0																	
BED1	161	12/12/2017		<2.0	<2.0	<2.0																	
PT	161	09/20/2017		85	26	19																	
BED1	161	09/20/2017		<2.0	<2.0	<2.0																	
BED1-DUP	161	09/20/2017		<2.0	<2.0	<2.0																	
	161	03/23/2017	GAC installed 05/10/2017.	79	22	22	<20	<20	19	3.1	56	34	2.2	<2.0	<2.0	<2.0	<2.0						
DUP	161	03/23/2017	GAC installed 05/10/2017.	79	22	22	<20	<20	18	3.2	56	35	2.5	<2.0	<2.0	<2.0	<2.0						
BED1	162	12/31/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	162	08/30/2024		62	4.2	7.7	<2.0	<2.0	<2.0	<2.0	44	20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	162	08/30/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	162	05/28/2024		<2.0	<2.0	<2.0																	
BED1-DUP	162	05/28/2024		<2.0	<2.0	<2.0																	
BED1	162	02/28/2024		<2.0	<2.0	<2.0																	
BED1	162	11/09/2023		<2.0	<2.0	<2.0																	
PT	162	08/22/2023		<2.0	<2.0	<2.0																	
BED1	162	08/22/2023		<2.0	<2.0	<2.0																	
BED1	162	05/31/2023		<2.0	<2.0	<2.0																	
BED1	162	03/16/2023		<2.0	<2.0	<2.0																	
BED1-DUP	162	03/16/2023		<2.0	<2.0	<2.0																	
BED1	162	12/14/2022		<2.0	<2.0	<2.0																	
PT	162	09/01/2022		86	4.4	13																	
BED1	162	09/01/2022		<2.0	<2.0	<2.0																	
BED1	162	05/12/2022		<2.0	<2.0	<2.0																	
BED1-DUP	162	05/12/2022		<2.0	<2.0	<2.0																	
BED1	162	02/09/2022		<2.0	<2.0	<2.0																	
BED1-DUP	162	02/09/2022		<2.0	<2.0	<2.0																	
BED1	162	11/11/2021	Carbon Changeout 10/21/2021 - 5yr.	<2.0	<2.0	<2.0																	
PT	162	08/16/2021		62	4.8 J	11																	
BED1	162	08/16/2021		<2.0	<2.0	<2.0																	
BED1	162	05/04/2021		<2.0	<2.0	<2.0																	
BED1	162	02/09/2021		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	162	11/03/2020		<2.0	<2.0	<2.0																	
PT	162	09/02/2020		59 J	6.5 J	8.2 J																	
BED1	162	09/02/2020		<2.0	<2.0	<2.0																	
BED1-DUP	162	09/02/2020		<2.0	<2.0	<2.0																	
BED1	162	06/12/2020		<2.0	<2.0	<2.0																	
BED1	162	02/20/2020		<2.0	<2.0	<2.0																	
BED1	162	11/13/2019		<2.0	<2.0	<2.0																	
PT	162	09/11/2019		51	5.3	4.3																	
BED1	162	09/11/2019		<2.0	<2.0	<2.0																	
BED1-DUP	162	09/11/2019		<2.0	<2.0	<2.0																	
BED1	162	05/15/2019		<2.0	<2.0	<2.0																	
BED1	162	03/26/2019		<2.0	<2.0	<2.0																	
BED1	162	11/27/2018		<2.0	<2.0	<2.0																	
PT	162	08/02/2018		47	3.6	2.8																<4.0	
BED1	162	08/02/2018		<2.0	<2.0	<2.0																	
BED1	162	04/25/2018		<2.0	<2.0	<2.0																	
BED1	162	02/21/2018		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	162	12/11/2017		2.2	<2.0	<2.0																	
BED2	162	12/11/2017		<2.0	<2.0	<2.0																	
PT	162	09/27/2017		75	3.3	4.5 B																	
BED1	162	09/27/2017		<2.0	<2.0	<2.0																	
	162	03/28/2017	GAC installed 05/11/2017.	65	4.4	3.5	<20	<20	<2.0	<2.0	51	20	<2.0	<2.0	<2.0	<2.0	<2.0						
	163	04/11/2017	PWS connection 11/28/2017.	66	6.4	7.8	<20 UJ	<20 UJ	5.9	<2	61	38	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0	<2.0						
DUP	163	04/11/2017	PWS connection 11/28/2017.	60	5.8	7.6	<20	<20 UJ	5.9	2	57	34	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	164	10/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	164	10/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	164	07/23/2024		75	2.0	10	<2.0	<2.0	<2.0	<2.0	52	25	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	164	07/23/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	164	04/24/2024		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	164	01/30/2024		<2.0	<2.0	<2.0																	
BED1	164	10/27/2023		<2.0	<2.0	<2.0																	
PT	164	08/16/2023		84	<2.0	7.2																	
BED1	164	08/16/2023		<2.0	<2.0	<2.0																	
BED1	164	05/23/2023		<2.0	<2.0	<2.0																	
BED1	164	03/01/2023		<2.0	<2.0	<2.0																	
BED1	164	12/13/2022	Carbon Changeout 12/13/2022 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
PT	164	09/13/2022		78	<2.0	5.5																	
BED1	164	09/13/2022		<2.0	<2.0	<2.0																	
BED1	164	06/08/2022		2.8	<2.0	<2.0																	
BED2	164	06/08/2022		<2.0	<2.0	<2.0																	
BED1	164	03/01/2022		<2.0	<2.0	<2.0																	
BED1	164	11/23/2021		2.6	<2.0	<2.0																	
BED2	164	11/23/2021		<2.0	<2.0	<2.0																	
PT	164	09/17/2021		67	<2.0	4.3																	
BED1	164	09/17/2021		<2.0	<2.0	<2.0																	
BED1	164	06/22/2021		<2.0	<2.0	<2.0																	
BED1	164	03/23/2021		<2.0	<2.0	<2.0																	
BED1	164	10/21/2020		<2.0	<2.0	<2.0																	
BED1-DUP	164	10/21/2020		<2.0	<2.0	<2.0																	
PT	164	08/19/2020		<2.0	<2.0	<2.0																	
BED1	164	08/19/2020		<2.0	<2.0	<2.0																	
BED1	164	06/11/2020		<2.0	<2.0	<2.0																	
BED1	164	02/17/2020		<2.0	<2.0	<2.0																	
BED1	164	11/11/2019		<2.0	<2.0	<2.0																	
PT	164	09/06/2019		79	<2.0	2.7																	
BED1	164	09/06/2019		<2.0	<2.0	<2.0																	
BED1	164	05/30/2019		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	164	03/27/2019		<2.0	<2.0	<2.0																	
BED1-DUP	164	03/27/2019		<2.0	<2.0	<2.0																	
BED1	164	11/12/2018		<2.0	<2.0	<2.0																	
BED1-DUP	164	11/12/2018		<2.0	<2.0	<2.0																	
PT	164	08/16/2018		73	<2.0	2.2																<4.0	
BED1	164	08/16/2018		<2.0	<2.0	<2.0																	
BED1-DUP	164	08/16/2018		<2.0	<2.0	<2.0																	
BED1	164	05/16/2018		<2.0	<2.0	<2.0																	
BED1-DUP	164	05/16/2018		<2.0	<2.0	<2.0																	
BED1	164	03/22/2018		<2.0	<2.0	<2.0																	
BED1-DUP	164	03/22/2018		<2.0	<2.0	<2.0																	
BED1	164	12/22/2017	Carbon Changeout 11/02/2017 - Fe.	<2.0	<2.0	<2.0																	
BED1-DUP	164	12/22/2017	Carbon Changeout 11/02/2017 - Fe.	<2.0	<2.0	<2.0																	
	164	04/11/2017	GAC installed 08/03/2017.	68	<2.0	<2.0	<20	<20	<2.0	<2.0	54	24	<2.0	<2.0	<2.0	<2.0	<2.0						
	165	04/21/2017	PWS connection 11/28/2017.	75	7.5	7.2	<20	<20	2.4	<2.0	74	43	3.6	2.9	<2.0	<2.0	<2.0						
DUP	165	04/21/2017	PWS connection 11/28/2017.	73	7.5	7.7	<20	<20	2.1	2	74	44	3.7	3	<2.0	<2.0	<2.0						
	166	07/08/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	166	05/17/2017		<2.0 UJ	2 J	<2.0 UJ	<20 UJ	<20 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ						
POST	167	04/29/2024		<2.0	<2.0	<2.0																	
PRE	167	04/29/2024		<2.0	<2.0	<2.0																	
DUP	167	04/29/2024		<2.0	<2.0	<2.0																	
	167	04/25/2022		<2.0	<2.0	<2.0																	
	167	03/15/2021		<2.0	<2.0	<2.0																	
	167	05/17/2017		3.7 J	<2.0 UJ	<2.0 UJ	<20 UJ	<20 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ						
DUP	167	05/17/2017		<2.0 UJ	2.3 J	<2.0 UJ	<20 UJ	<20 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ						
BED1	168	06/06/2024		<2.0	<2.0	<2.0																	
BED1	168	01/31/2024		<2.0	<2.0	<2.0																	
BED1	168	10/30/2023		<2.0	<2.0	<2.0																	
BED1-DUP	168	10/30/2023		<2.0	<2.0	<2.0																	
PT	168	08/22/2023		78	5.9	15																	
BED1	168	08/22/2023		<2.0	<2.0	<2.0																	
BED1	168	06/21/2023		<2.0	<2.0	<2.0																	
BED1	168	02/01/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	168	11/01/2022		<2.0	<2.0	<2.0																	
PT	168	07/27/2022		63	4.3	9.5																	
BED1	168	07/27/2022		<2.0	<2.0	<2.0																	
	168	02/28/2022	GAC installed 04/20/2022.	64	4.4	11																	
	168	05/17/2017	Declined treatment offer.	100 J	7.1 J	5.3 J	<20 UJ	<20 UJ	2.2 J	2.5 J	55 J	34 J	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ						
BED1	169	12/02/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	169	09/13/2024		120	63	18	<2.0	<2.0	5.6	6.2	53	48	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	169	09/13/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	169	06/04/2024		<2.0	<2.0	<2.0																	
BED1	169	03/05/2024		<2.0	<2.0	<2.0																	
BED1	169	11/14/2023		<2.0	<2.0	<2.0																	
BED1	169	06/13/2023		<2.0	<2.0	<2.0																	
BED1	169	03/14/2023		<2.0	<2.0	<2.0																	
BED1	169	11/29/2022		<2.0	<2.0	<2.0																	
PT	169	09/01/2022	Carbon Changeout 08/31/2022 - 5yr.	110	58	15																	
BED1	169	09/01/2022	Carbon Changeout 08/31/2022 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	169	05/16/2022		<2.0	<2.0	<2.0																	
BED1	169	02/17/2022		<2.0	<2.0	<2.0																	
BED1	169	11/08/2021		<2.0	<2.0	<2.0																	
PT	169	08/23/2021		100	110	19																	
BED1	169	08/23/2021		<2.0	<2.0	<2.0																	
BED1	169	06/15/2021		<2.0	<2.0	<2.0																	
BED1	169	03/15/2021		<2.0	<2.0	<2.0																	
BED1-DUP	169	03/15/2021		<2.0	<2.0	<2.0																	
BED1	169	10/29/2020		<2.0	<2.0	<2.0																	
PT	169	08/31/2020		140	44	16																	
BED1	169	08/31/2020		<2.0	<2.0	<2.0																	
BED1	169	06/18/2020		<2.0	<2.0	<2.0																	
BED1	169	02/26/2020		<2.0	<2.0	<2.0																	
BED1	169	11/25/2019		<2.0	<2.0	<2.0																	
PT	169	08/29/2019		120	59	14																	
BED1	169	08/29/2019		<2.0	<2.0	<2.0																	
BED1	169	05/29/2019		<2.0	<2.0	<2.0																	
BED1-DUP	169	05/29/2019		<2.0	<2.0	<2.0																	
BED1	169	03/13/2019		<2.0	<2.0	<2.0																	
BED1	169	11/12/2018		<2.0	<2.0	<2.0																	
PT	169	08/15/2018		79	92	16																<4.0	
BED1	169	08/15/2018		<2.0	<2.0	<2.0																	
PT	169	05/09/2018																				<10	
BED1	169	05/09/2018		<2.0	<2.0	<2.0																	
BED1	169	05/09/2018																				<10	
PT	169	02/28/2018	February-March 2018 branched and linear study sample.				<0.40	<0.40	5.2	6.3	46	37	0.75	<0.40	<0.40	<0.40	<0.40			45	31		

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	169	02/28/2018		<2.0	<2.0	<2.0																	
BED1	169	12/12/2017	Carbon Changeout 08/23/2017 - Fe.	<2.0	<2.0	<2.0																	
	169	05/17/2017	GAC installed 07/06/2017.	85 J	55 J	11 J	<20 UJ	<20 UJ	3.7 J	15 J	69 J	36 J	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ						
BED1	170	11/22/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	170	08/20/2024		46	4.8	11	<2.0	<2.0	2.2	<2.0	34	24	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	170	08/20/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	170	06/04/2024		<2.0	<2.0	<2.0																	
BED1	170	01/23/2024		47	4.8	12																	
BED2	170	01/23/2024		<2.0	<2.0	<2.0																	
BED1	170	10/24/2023		<2.0	<2.0	<2.0																	
PT	170	08/15/2023		56	5.7	14																	
BED1	170	08/15/2023		<2.0	<2.0	<2.0																	
BED1	170	05/04/2023		<2.0	<2.0	<2.0																	
BED1	170	02/07/2023		<2.0	<2.0	<2.0																	
BED1	170	11/07/2022		<2.0	<2.0	<2.0																	
PT	170	08/30/2022	Carbon Changeout 08/30/2022 - 5yr.	36	2.9	6.7																	
BED1	170	08/30/2022	Carbon Changeout 08/30/2022 - 5yr.	<2.0	<2.0	<2.0																	
BED1	170	05/12/2022		<2.0	<2.0	<2.0																	
BED1	170	02/10/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	170	10/27/2021		<2.0	<2.0	<2.0																	
BED1-DUP	170	10/27/2021		<2.0	<2.0	<2.0																	
PT	170	08/17/2021		70	6.1	12																	
BED1	170	08/17/2021		<2.0	<2.0	<2.0																	
BED1	170	05/21/2021		<2.0	<2.0	<2.0																	
BED1	170	02/24/2021		<2.0	<2.0	<2.0																	
BED1	170	10/28/2020		<2.0	<2.0	<2.0																	
BED1-DUP	170	10/28/2020		<2.0	<2.0	<2.0																	
PT	170	08/25/2020		43	2.3	3.8																	
BED1	170	08/25/2020		<2.0	<2.0	<2.0																	
BED1	170	06/18/2020		<2.0	<2.0	<2.0																	
BED1	170	02/27/2020		<2.0	<2.0	<2.0																	
BED1	170	11/22/2019		<2.0	<2.0	<2.0																	
PT	170	08/21/2019		64	4.9	6.7																	
BED1	170	08/21/2019		<2.0	<2.0	<2.0																	
BED1	170	05/08/2019		<2.0	<2.0	<2.0																	
BED1-DUP	170	05/08/2019		<2.0	<2.0	<2.0																	
BED1	170	03/11/2019		<2.0	<2.0	<2.0																	
BED1	170	11/27/2018		<2.0	<2.0	<2.0																	
PT	170	08/21/2018		66	4.6	6.9																<4.0	
BED1	170	08/21/2018		<2.0	<2.0	<2.0																	
BED1	170	05/31/2018		<2.0	<2.0	<2.0																	
BED1	170	03/16/2018		<2.0	<2.0	<2.0																	
BED1	170	12/14/2017		<2.0	<2.0	<2.0																	
	170	05/17/2017	GAC installed 07/05/2017.	63 J	4.7 J	4.8 J	<20 UJ	<20 UJ	<2.0 UJ	<2.0 UJ	39 J	24 J	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ						
BED1	171	12/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	171	09/18/2024		120	2.6	3.2	<2.0	<2.0	4.3	2.4	130	89	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			2.9	<2.0
BED1	171	09/18/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	171	06/04/2024		<2.0	<2.0	<2.0																	
BED1	171	03/18/2024		<2.0	<2.0	<2.0																	
BED1	171	12/13/2023		<2.0	<2.0	<2.0																	
BED1-DUP	171	12/13/2023		<2.0	<2.0	<2.0																	
PT	171	08/29/2023		160	6.9	7.5																	
BED1	171	08/29/2023		<2.0	<2.0	<2.0																	
BED1	171	06/22/2023		<2.0	<2.0	<2.0																	
BED1	171	03/23/2023		<2.0	<2.0	<2.0																	
BED1	171	11/29/2022		<2.0	<2.0	<2.0																	
PT	171	09/21/2022		170	5.7	8.2																	
BED1	171	09/21/2022		<2.0	<2.0	<2.0																	
BED1	171	05/24/2022		<2.0	<2.0	<2.0																	
BED1	171	02/28/2022		<2.0	<2.0	<2.0																	
BED1	171	12/02/2021		<2.0	<2.0	<2.0																	
PT	171	09/07/2021		180	2.9	5.4																	
BED1	171	09/07/2021		<2.0	<2.0	<2.0																	
BED1-DUP	171	09/07/2021		<2.0	<2.0	<2.0																	
BED1	171	06/28/2021		<2.0	<2.0	<2.0																	
BED1	171	02/16/2021		<2.0	<2.0	<2.0																	
BED1	171	12/08/2020		<2.0	<2.0	<2.0																	
PT	171	08/12/2020		290	7.0	8.5																	
BED1	171	08/12/2020		<2.0	<2.0	<2.0																	
BED1	171	06/10/2020		<2.0	<2.0	<2.0																	
BED1	171	03/02/2020		<2.0	<2.0	<2.0																	
BED1-DUP	171	03/02/2020		<2.0	<2.0	<2.0																	
BED1	171	12/05/2019	Carbon Changeout 10/11/2019 - Fe.	<2.0	<2.0	<2.0																	
PT	171	09/03/2019		130	<2.0	2																	
BED1	171	09/03/2019		<2.0	<2.0	<2.0																	
BED1	171	06/25/2019		<2.0	<2.0	<2.0																	
BED1	171	02/19/2019		<2.0	<2.0	<2.0																	
BED1	171	11/28/2018		<2.0	<2.0	<2.0																	
PT	171	09/18/2018		82	2.2	2.8																<4.0	
BED1	171	09/18/2018		<2.0	<2.0	<2.0																	
BED1	171	05/11/2018		<2.0	<2.0	<2.0																	
BED2	171	05/11/2018		<2.0	<2.0	<2.0																	
BED1	171	03/22/2018		<2.0	<2.0	<2.0																	
BED1	171	12/05/2017		<2.0	<2.0	<2.0																	
	171	05/17/2017	GAC installed 07/31/2017.	120 J	32 J	2.7 J	<20 UJ	<20 UJ	2.7 J	8.3 J	89 J	66 J	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ						
BED1	172	11/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	172	08/14/2024		46	<2.0	3.8	<2.0	<2.0	<2.0	<2.0	28	18	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	172	08/14/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	172	05/09/2024		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	172	02/12/2024		<2.0	<2.0	<2.0																	
BED1	172	10/13/2023		<2.0	<2.0	<2.0																	
PT	172	08/07/2023		44	2.6	5.0																	
BED1	172	08/07/2023		<2.0	<2.0	<2.0																	
BED1	172	05/15/2023		<2.0	<2.0	<2.0																	
BED1	172	02/28/2023		<2.0	<2.0	<2.0																	
BED1-DUP	172	02/28/2023		<2.0	<2.0	<2.0																	
BED1	172	12/14/2022	Carbon Changeout 12/14/2022 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
PT	172	08/02/2022		59 J	2.5 J	4.2 J																	
BED1	172	08/02/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	172	04/26/2022		<2.0	<2.0	<2.0																	
BED1	172	02/01/2022		<2.0	<2.0	<2.0																	
BED1-DUP	172	02/01/2022		<2.0	<2.0	<2.0																	
BED1	172	11/10/2021		<2.0	<2.0	<2.0																	
PT	172	08/30/2021		80	2.4 J	7.5																	
BED1	172	08/30/2021		<2.0	<2.0	<2.0																	
BED1	172	06/15/2021		<2.0	<2.0	<2.0																	
BED1	172	01/22/2021		<2.0	<2.0	<2.0																	
BED1	172	10/20/2020		<2.0	<2.0	<2.0																	
PT	172	08/19/2020		64	2.3	3.6																	
BED1	172	08/19/2020		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1-DUP	172	08/19/2020		<2.0	<2.0	<2.0																	
BED1	172	06/11/2020		<2.0	<2.0	<2.0																	
BED1	172	02/26/2020		<2.0	<2.0	<2.0																	
BED1	172	11/20/2019		<2.0	<2.0	<2.0																	
PT	172	09/19/2019		63	2.1	2.8																	
BED1	172	09/19/2019		<2.0	<2.0	<2.0																	
BED1	172	04/23/2019		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	172	02/06/2019		<2.0	<2.0	<2.0																	
BED1	172	11/09/2018		<2.0	<2.0	<2.0																	
PT	172	08/13/2018		41	<2.0	2.1																<4.0	
BED1	172	08/13/2018		<2.0	<2.0	<2.0																	
BED1	172	05/16/2018		<2.0	<2.0	<2.0																	
BED1	172	03/13/2018		<2.0	<2.0	<2.0																	
BED1	172	12/12/2017	Carbon Changeout 11/02/2017 - Fe.	<2.0	<2.0	<2.0																	
	172	05/18/2017	GAC installed 09/12/2017.	58 B	19 B	3.1 B	<20 UJ	<20 UJ	<2.0	<2.0	40 B	23 B	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	172	05/18/2017	GAC installed 09/12/2017.	59 B	9.7 B	3 B	<20 UJ	<20 UJ	<2.0	<2.0	39 B	23 B	<2.0	<2.0	<2.0	<2.0	<2.0						
	173	05/15/2023		4.6	<2.0	<2.0																	
	173	05/30/2017		<2.0	<2.0	<2.0	<20 UJ	<20 UJ	<2.0	<2.0	4.4	2.6	<2.0	<2.0	<2.0	<2.0	<2.0						
	174	05/30/2017		<2.0	<2.0	<2.0	<20 UJ	<20 UJ	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	175	11/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	175	08/09/2024		43	22	7.6	<2.0	<2.0	3.3	4.1	34	21	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	175	08/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	175	04/10/2024		<2.0	<2.0	<2.0																	
BED1	175	03/11/2024		<2.0	<2.0	<2.0																	
BED1	175	10/31/2023		<2.0	<2.0	<2.0																	
PT	175	08/28/2023		56	28	10																	
BED1	175	08/28/2023		<2.0	<2.0	<2.0																	
BED1	175	05/31/2023		<2.0	<2.0	<2.0																	
BED1	175	03/22/2023	Carbon Changeout 03/22/2023 - 5yr.	<2.0	<2.0	<2.0																	
PT	175	09/13/2022		68	32	10																	
BED1	175	09/13/2022		<2.0	<2.0	<2.0																	
BED1	175	06/20/2022		<2.0	<2.0	<2.0																	
BED1	175	03/23/2022		<2.0	<2.0	<2.0																	
BED1-DUP	175	03/23/2022		<2.0	<2.0	<2.0																	
BED1	175	12/13/2021		<2.0	<2.0	<2.0																	
BED1-DUP	175	12/13/2021		<2.0	<2.0	<2.0																	
PT	175	09/13/2021		43	20	6.0																	
BED1	175	09/13/2021		<2.0	<2.0	<2.0																	
BED1	175	06/14/2021		<2.0	<2.0	<2.0																	
BED1	175	03/11/2021		<2.0	<2.0	<2.0																	
BED1	175	11/17/2020		<2.0	<2.0	<2.0																	
PT	175	09/21/2020		62	29	6.9																	
BED1	175	09/21/2020		<2.0	<2.0	<2.0																	
BED1	175	06/25/2020		<2.0	<2.0	<2.0																	
BED1	175	02/18/2020		<2.0	<2.0	<2.0																	
BED1	175	11/12/2019		<2.0	<2.0	<2.0																	
PT	175	08/23/2019		61	26	8.6																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	175	08/23/2019		<2.0	<2.0	<2.0																	
BED1	175	05/06/2019		<2.0	<2.0	<2.0																	
BED1	175	02/25/2019		<2.0	<2.0	<2.0																	
BED1	175	11/13/2018		<2.0	<2.0	<2.0																	
PT	175	08/28/2018		65	41	7.0																<4.0	
BED1	175	08/28/2018		<2.0	<2.0	<2.0																	
BED1	175	05/21/2018		<2.0	<2.0	<2.0																	
BED1	175	02/22/2018		<2.0	<2.0	<2.0																	
BED1	175	12/05/2017		<2.0	<2.0	<2.0																	
	175	05/30/2017	GAC installed 08/01/2017.	64	45	7.1	<20 UJ	<20 UJ	6.6	9	45	28	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0	<2.0						
	176	04/22/2024		<2.0	<2.0	<2.0																	
	176	05/02/2022		<2.0	<2.0	<2.0																	
	176	03/12/2021		<2.0	<2.0	<2.0																	
	176	05/31/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	177	06/13/2022		4.8	<2.0	<2.0																	
	177	04/19/2021		4.3	<2.0	<2.0																	
	177	05/31/2017		4.5	<2.0	<2.0	<20	<20	6.5	<2.0	4.8	2.3	<2.0	<2.0	<2.0	<2.0	<2.0						
	178	05/02/2022		<2.0	<2.0	<2.0																	
	178	03/16/2021		<2.0	<2.0	<2.0																	
	178	05/31/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	179	09/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	179	06/27/2022		<2.0	<2.0	<2.0																	
	179	05/07/2021		<2.0	<2.0	<2.0																	
	179	05/31/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	180	07/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	180	06/01/2022		<2.0	<2.0	<2.0																	
	180	04/26/2021		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
	180	06/11/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	180	06/11/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	180	05/31/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	181	08/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	181	07/28/2022		<2.0	<2.0	<2.0																	
	181	04/21/2021		<2.0	<2.0	<2.0																	
	181	05/31/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	182	05/31/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	183	11/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	183	08/13/2024		28	<2.0	5.4	<2.0	<2.0	<2.0	<2.0	29	22	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	183	08/13/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	183	05/24/2024		<2.0	<2.0	<2.0																	
BED1	183	02/20/2024		<2.0	<2.0	<2.0																	
BED1	183	10/31/2023		<2.0	<2.0	<2.0																	
PT	183	08/30/2023		17	<2.0	2.5																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	183	08/30/2023		<2.0	<2.0	<2.0																	
BED1-DUP	183	08/30/2023		<2.0	<2.0	<2.0																	
BED1	183	05/25/2023		<2.0	<2.0	<2.0																	
BED1	183	03/07/2023		<2.0	<2.0	<2.0																	
BED1	183	12/08/2022		<2.0	<2.0	<2.0																	
PT	183	09/14/2022		2.2	<2.0	<2.0																	
BED1	183	09/14/2022		<2.0	<2.0	<2.0																	
BED1	183	06/02/2022	Carbon Changeout 03/02/2022 - 5yr.	<2.0	<2.0	<2.0																	
BED1	183	02/23/2022		48	21	13																	
BED2	183	02/23/2022		<2.0	<2.0	<2.0																	
BED1	183	12/01/2021		<2.0	<2.0	<2.0																	
PT	183	09/07/2021		50	17	15																	
BED1	183	09/07/2021		47	15	13																	
BED2	183	09/07/2021		<2.0	<2.0	<2.0																	
BED1	183	05/04/2021		45	17	13																	
BED1-DUP	183	05/04/2021		52	20	15																	
BED2	183	05/04/2021		<2.0	<2.0	<2.0																	
BED1	183	01/21/2021		55	21	20																	
BED2	183	01/21/2021		<2.0	<2.0	<2.0																	
BED1	183	10/14/2020		61	20	19																	
BED2	183	10/14/2020		<2.0	<2.0	<2.0																	
PT	183	08/12/2020		59	17	16																	
PT	183	08/12/2020	Split sampling for method comparison.	56	17	16																	
BED1	183	08/12/2020		54 J	17	15																	
BED1	183	08/12/2020	Split sampling for method comparison.	58	16	16																	
BED1-DUP	183	08/12/2020		54	17	14																	
BED2	183	08/12/2020		<2.0	<2.0	<2.0																	
BED2	183	08/12/2020	Split sampling for method comparison.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	183	06/23/2020		68	38	16																	
BED2	183	06/23/2020		<2.0	<2.0	<2.0																	
BED1	183	02/14/2020		<2.0	<2.0	<2.0																	
BED1	183	10/28/2019		50	19 J	15																	
BED2	183	10/28/2019		<2.0	<2.0	<2.0																	
PT	183	07/24/2019		58	22	15																	
BED1	183	07/24/2019		52	22	14																	
BED2	183	07/24/2019		<2.0	<2.0	<2.0																	
BED1	183	04/16/2019		49	11	13																	
BED2	183	04/16/2019		<2.0	<2.0	<2.0																	
BED1	183	02/01/2019		55	8.9	13																	
BED2	183	02/01/2019		<2.0	<2.0	<2.0																	
BED1	183	11/06/2018		60	8.9	13																	
BED2	183	11/06/2018		<2.0	<2.0	<2.0																	
PT	183	07/10/2018		63	8.6	12																<4.0	
BED1	183	07/10/2018		57	8.8	11																	
BED2	183	07/10/2018		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
PT	183	05/08/2018																				<10	
BED1	183	05/08/2018																				<10	
BED1	183	04/17/2018		65	10	11																	
BED2	183	04/17/2018		<2.0	<2.0	<2.0																	
PT	183	02/28/2018	February-March 2018 branched and linear study sample.				<0.40	<0.40	12	2.0	37	25	3.0	<0.40	<0.40	<0.40	<0.40			29	20		
BED1	183	02/28/2018		70	14	11																	
BED2	183	02/28/2018		<2.0	<2.0	<2.0																	
BED1	183	12/12/2017	Carbon Changeout 11/06/2017 - Fe.	75	12	11																	
BED2	183	12/12/2017	Carbon Changeout 11/06/2017 - Fe.	<2.0	<2.0	<2.0																	
	183	05/31/2017	GAC installed 08/02/2017.	96	19	9.2	<20	<20	12	4.1	44	28	3.1	<2.0	<2.0	<2.0	<2.0						
BED1	184	12/02/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	184	08/30/2024		87	120	28	<2.0	<2.0	11	6.0	54	38	2.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	184	08/30/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	184	06/07/2024		<2.0	<2.0	<2.0																	
BED1	184	03/15/2024		<2.0	<2.0	<2.0																	
BED1	184	11/28/2023		<2.0	<2.0	<2.0																	
PT	184	09/05/2023		160	110	22																	
BED1	184	09/05/2023		<2.0	<2.0	<2.0																	
BED1	184	06/13/2023	Carbon Changeout 04/04/2023 - tank size.	<2.0	<2.0	<2.0																	
BED1	184	03/16/2023		<2.0	<2.0	<2.0																	
PT	184	11/03/2022	Carbon Changeout 11/02/2022 - 5yr.	81	40	21																	
BED1	184	11/03/2022	Carbon Changeout 11/02/2022 - 5yr.	<2.0	<2.0	<2.0																	
BED1	184	09/29/2022		<2.0	<2.0	<2.0																	
BED1	184	06/21/2022		<2.0	<2.0	<2.0																	
BED1	184	03/10/2022		<2.0	<2.0	<2.0																	
BED1	184	12/02/2021		<2.0	<2.0	<2.0																	
PT	184	09/14/2021		75	72	11																	
BED1	184	09/14/2021		<2.0	<2.0	<2.0																	
BED1	184	05/27/2021		<2.0	<2.0	<2.0																	
BED1	184	02/26/2021		<2.0	<2.0 UJ	<2.0																	
BED1	184	10/14/2020		<2.0	<2.0	<2.0																	
PT	184	08/10/2020		100	110	10																	
PT	184	08/10/2020	Split sampling for method comparison.	100	100	11																	
BED1	184	08/10/2020		<2.0	<2.0	<2.0																	
BED1	184	08/10/2020	Split sampling for method comparison.	<2.0	<2.0	<2.0																	
BED1	184	06/23/2020		<2.0	<2.0	<2.0																	
BED1	184	03/10/2020		<2.0	<2.0	<2.0																	
BED1	184	12/05/2019		<2.0	<2.0	<2.0																	
PT	184	09/05/2019		120	61	10																	
BED1	184	09/05/2019		<2.0	<2.0	<2.0																	
BED1-DUP	184	09/05/2019		<2.0	<2.0	<2.0																	
BED1	184	05/20/2019		<2.0	<2.0	<2.0																	
BED1	184	02/19/2019		<2.0	<2.0	<2.0																	
BED1	184	11/28/2018		<2.0	<2.0	<2.0																	
PT	184	07/31/2018		77	50	6.9																<4.0	
BED1	184	07/31/2018		<2.0	<2.0	<2.0																	
BED1	184	05/02/2018		<2.0	<2.0	<2.0																	
BED1	184	02/22/2018		<2.0	<2.0	<2.0																	
BED1	184	12/13/2017		<2.0	<2.2	<2.0																	
BED2	184	12/13/2017		<2.0	<2.0	<2.0																	
	184	05/31/2017	GAC installed 08/24/2017.	74	50	4.8	<20	<20	4.2	6.2	73	49	<2.0	<2.0	<2.0	<2.0	<2.0						
	185	06/07/2017	Treatment incomplete/in progress - declined bottled water.	85	3.7	2.2 J	<20 UJ	<20 UJ	27	3.8	99	46	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0	<6.9						
DUP	185	06/07/2017	Treatment incomplete/in progress - declined bottled water.	86	3.9	2.1 J	<20 UJ	<20 UJ	26	3.8	94	46	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0	3.6						
POST	186	05/21/2021		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PRE	186	05/21/2021		<2.0	<2.0	<2.0																	
	186	06/14/2017		<2.0	<2.0	<2.0	<20 UJ	<20 UJ	<2.0	<2.0	<2.0	<2.0	<2.0	2.3	<2.0	<2.0	<2.0						
	186	05/18/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
POST	187	05/15/2023		<2.0	<2.0	<2.0																	
PRE	187	05/15/2023		<2.0	<2.0	<2.0																	
	187	06/21/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
POST	188	03/20/2024		2.8	2.6	<2.0																	
PRE	188	03/20/2024		3.5	2.8	<2.0																	
POST	188	04/11/2022		4.2	3.6 J	<2.0																	
PRE	188	04/11/2022		4.3	3.1 J	<2.0																	
	188	03/16/2021		3.6	2.8	<2.0																	
	188	06/23/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	2	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	189	07/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	189	05/02/2022		<2.0	<2.0	<2.0																	
	189	03/26/2021		<2.0	<2.0	<2.0																	
DUP	189	03/26/2021		<2.0	<2.0	<2.0																	
	189	06/28/2017		2.6	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	190	04/23/2024		<2.0	<2.0	<2.0																	
DUP	190	04/23/2024		<2.0	<2.0	<2.0																	
	190	04/18/2022		<2.0	<2.0	<2.0																	
	190	03/12/2021		<2.0	<2.0	<2.0																	
	190	07/05/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	191	11/12/2018	No well decommissioning report, but the well is no longer usable according to homeowner. Replacement well installed (Regulatory Location ID #399). Not qualified so GAC removed 06/20/2019.	<2.0	<2.0	<2.0																	
PT	191	08/14/2018		70	4.6	15																<4.0	
BED1	191	08/14/2018		<2.0	<2.0	<2.0																	
BED1	191	05/16/2018		<2.0	<2.0	<2.0																	
BED1	191	03/14/2018		<2.0	<2.0	<2.0																	
BED1	191	12/12/2017	Carbon Changeout 12/08/2017 - Fe.	<2.0	<2.0	<2.0																	
	191	07/12/2017	GAC installed 09/08/2017.	71	5.3	16	<20	<20	<2.0	<2.0	31	22	<2.0	<2.0	<2.0	<2.0	<2.0						

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
	192	09/19/2023		7.2	<2.0	4.4																	
	192	06/02/2021		3.6 J	<2.0	<2.0 UJ																	
	192	07/13/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
POST	193	07/08/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	193	07/08/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	193	06/20/2022		<2.0	<2.0	<2.0																	
PRE	193	06/20/2022		<2.0	<2.0	<2.0																	
	193	06/30/2021		<2.0	<2.0	<2.0																	
DUP	193	06/30/2021		<2.0	<2.0	<2.0																	
	193	07/18/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	194	07/03/2024		2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	194	07/03/2024		2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	194	12/18/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	194	08/08/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	195	10/02/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	195	10/02/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	195	07/03/2024		63	<2.0	4.3	<2.0	<2.0	<2.0	<2.0	44	22	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	195	07/03/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	195	04/02/2024		<2.0	<2.0	<2.0																	
BED1	195	01/03/2024		<2.0	<2.0	<2.0																	
BED1	195	10/05/2023		<2.0	<2.0	<2.0																	
BED1-DUP	195	10/05/2023		<2.0	<2.0	<2.0																	
PT	195	07/26/2023		52	<2.0	3.1																	
BED1	195	07/26/2023		<2.0	<2.0	<2.0																	
BED1	195	05/01/2023		<2.0	<2.0	<2.0																	
BED1-DUP	195	05/01/2023		<2.0	<2.0	<2.0																	
BED1	195	03/15/2023		<2.0	<2.0	<2.0																	
BED1	195	12/22/2022		<2.0	<2.0	<2.0																	
BED1-DUP	195	12/22/2022		<2.0	<2.0	<2.0																	
PT	195	07/05/2022		67	<2.0	4.0																	
BED1	195	07/05/2022		<2.0	<2.0	<2.0																	
BED1	195	04/05/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	195	01/03/2022		<2.0	<2.0	<2.0																	
BED1	195	10/07/2021		<2.0	<2.0	<2.0																	
PT	195	07/14/2021		69	<2.0	2.8																	
BED1	195	07/14/2021		<2.0	<2.0	<2.0																	
BED1-DUP	195	07/14/2021		<2.0	<2.0	<2.0																	
BED1	195	04/20/2021		<2.0	<2.0	<2.0																	
BED1	195	01/22/2021		<2.0	<2.0	<2.0																	
BED1	195	10/19/2020		<2.0	<2.0	<2.0																	
PT	195	08/17/2020		67	<2.0	2.4																	
BED1	195	08/17/2020		<2.0	<2.0	<2.0																	
BED1	195	06/30/2020		<2.0	<2.0	<2.0																	
BED1	195	03/03/2020		<2.0	<2.0	<2.0																	
BED1	195	11/26/2019		<2.0	<2.0	<2.0																	
PT	195	07/30/2019		74	<2.0	<2.0																	
BED1	195	07/30/2019		<2.0	<2.0	<2.0																	
	195	12/18/2018	GAC installed 05/15/2019.	59	<2.0	<2.0	<20	<20	<2.0	<2.0	47	20	<2.0	<2.0	<2.0	<2.0	<2.0						
	195	08/08/2017		47	<2.0	<2.0	<20	<20	<2.0	<2.0	46	20	<2.0	<2.0	<2.0	<2.0	<2.0						
	196	09/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	196	03/16/2021		<2.0	<2.0	<2.0																	
	196	08/10/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	196	08/10/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	196	06/08/2017	Results for this sample may be results for a different location due to mislabeling.	84	2.7	17	<20 UJ	<20 UJ	6.6	<2.0	61	30	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0	2.8						
	197	08/10/2017	Replacement well installed (Regulatory Location ID #296). Not qualified so bottled water stopped. Well decommissioned according to NJ Data Miner.	24	<2.0	5.3	<20	<20	<2.0	<2.0	23	9.4	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	198	10/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	198	10/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	198	07/16/2024		55	30	5.8	<2.0	<2.0	16	2.6	44	20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	198	07/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	198	07/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	198	04/23/2024		<2.0	<2.0	<2.0																	
BED1	198	01/30/2024		<2.0	<2.0	<2.0																	
BED1-DUP	198	01/30/2024		<2.0	<2.0	<2.0																	
BED1	198	10/26/2023		<2.0	<2.0	<2.0																	
PT	198	08/14/2023		62	41	7.5																	
BED1	198	08/14/2023		<2.0	<2.0	<2.0																	
BED1	198	05/30/2023		<2.0	<2.0	<2.0																	
BED1	198	02/21/2023	Carbon Changeout 02/21/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	198	10/05/2022		<2.0	<2.0	<2.0																	
PT	198	07/18/2022		57	27	6.4																	
BED1	198	07/18/2022		<2.0	<2.0	<2.0																	
BED1	198	04/13/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	198	01/25/2022		<2.0	<2.0	<2.0																	
BED1	198	10/27/2021		<2.0	<2.0	<2.0																	
PT	198	08/18/2021		58	17	6.9																	
BED1	198	08/18/2021		<2.0	<2.0	<2.0																	
BED1	198	05/11/2021		<2.0	<2.0	<2.0																	
BED1	198	02/10/2021		<2.0	<2.0	<2.0																	
BED1	198	11/03/2020		<2.0	<2.0	<2.0																	
PT	198	09/02/2020		58	24	4.7																	
BED1	198	09/02/2020		<2.0	<2.0	<2.0																	
BED1	198	06/22/2020		<2.0	<2.0	<2.0																	
BED1-DUP	198	06/22/2020		<2.0	<2.0	<2.0																	
BED1	198	02/04/2020		<2.0	<2.0	<2.0																	
BED1	198	10/11/2019		<2.0	<2.0	<2.0																	
PT	198	07/24/2019		80	17	5.3																	
BED1	198	07/24/2019		<2.0	<2.0	<2.0																	
BED1	198	04/17/2019		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	198	02/08/2019		<2.0	<2.0	<2.0																	
BED1	198	11/09/2018		<2.0	<2.0	<2.0																	
PT	198	08/13/2018		79	21	5.4																<4.0	
BED1	198	08/13/2018		<2.0	<2.0	<2.0																	
	198	05/11/2018		<2.0	<2.0	<2.0																	
BED1	198	03/16/2018		<2.0	<2.0	<2.0																	
	198	09/12/2017	GAC installed 10/04/2017.	80	20	5	<20	<20	2.2	3.6	50	33	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	198	09/12/2017	GAC installed 10/04/2017.	82	20	4.8	<20	<20	2.2	3.5	52	33	<2.0	<2.0	<2.0	<2.0	<2.0						
	199	07/28/2022		<2.0	<2.0	<2.0																	
	199	09/19/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	200	12/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	200	08/01/2024		22	20	<2.0	<2.0	<2.0	<2.0	4.9	19	9.8	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	200	08/01/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	200	04/16/2024		<2.0	<2.0	<2.0																	
BED1	200	01/11/2024	Carbon Changeout 01/11/2024 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	200	10/23/2023		<2.0	<2.0	<2.0																	
PT	200	08/08/2023		20	19	<2.0																	
BED1	200	08/08/2023		<2.0	<2.0	<2.0																	
BED1	200	04/20/2023		<2.0	<2.0	<2.0																	
BED1	200	01/25/2023		<2.0	<2.0	<2.0																	
BED1	200	10/19/2022		<2.0	<2.0	<2.0																	
PT	200	08/10/2022		15	13	<2.0																	
BED1	200	08/10/2022		<2.0	<2.0	<2.0																	
BED1	200	05/04/2022		<2.0	<2.0	<2.0																	
BED1	200	02/08/2022		<2.0	<2.0	<2.0																	
BED1	200	11/09/2021		<2.0	<2.0	<2.0																	
PT	200	08/24/2021		17	16	<2.0																	
BED1	200	08/24/2021		<2.0	<2.0	<2.0																	
BED1	200	05/19/2021		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	200	02/16/2021		<2.0	<2.0	<2.0																	
BED1	200	12/02/2020		<2.0	<2.0	<2.0																	
PT	200	09/23/2020		17	21	<2.0																	
BED1	200	09/23/2020		<2.0	<2.0	<2.0																	
BED1	200	06/25/2020		<2.0	<2.0	<2.0																	
BED1	200	02/20/2020		<2.0	<2.0	<2.0																	
BED1	200	10/23/2019		<2.0	<2.0	<2.0																	
PT	200	07/19/2019		14	24	<2.0																	
BED1	200	07/19/2019		<2.0	<2.0	<2.0																	
BED1	200	04/11/2019		<2.0	<2.0	<2.0																	
	200	10/26/2018	GAC installed 01/30/2019.	14	16	<2.0	<20	<20	<2.0	5.7	14	6.2	<2.0	<2.0	<2.0	<2.0	<2.0						
	200	10/17/2017		12	15	<2.0	<20	<20	<2.0	5.4	12	5.3	<2.0	<2.0	<2.0	<2.0	<2.0						
POST	201	04/15/2024		<2.0	<2.0	<2.0																	
PRE	201	04/15/2024		<2.0	<2.0	<2.0																	
POST	201	05/02/2022		<2.0	<2.0	<2.0																	
PRE	201	05/02/2022		<2.0	<2.0	<2.0																	
POST	201	03/12/2021		<2.0	<2.0	<2.0																	
PRE	201	03/12/2021		<2.0	<2.0	<2.0																	
	201	10/26/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	202	07/18/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	202	07/18/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	202	10/26/2017		2.6	<2.0	2.2	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	203	03/09/2021		<2.0	<2.0	<2.0																	
	203	10/26/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	204	12/13/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	204	09/03/2024		46	5.6	3.7	<2.0	<2.0	4.3	3.8	40	23	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	204	09/03/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	204	04/18/2024		<2.0	<2.0	<2.0																	
BED1	204	02/01/2024		<2.0	<2.0	<2.0																	
BED1	204	11/01/2023		<2.0	<2.0	<2.0																	
PT	204	08/22/2023		48	5.8	3.5																	
BED1	204	08/22/2023		<2.0	<2.0	<2.0																	
BED1	204	06/07/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	204	03/27/2023		<2.0	<2.0	<2.0																	
BED1-DUP	204	03/27/2023		<2.0	<2.0	<2.0																	
BED1	204	11/07/2022		<2.0	<2.0	<2.0																	
PT	204	08/16/2022		39	5.0	2.6																	
BED1	204	08/16/2022		<2.0	<2.0	<2.0																	
BED1	204	04/27/2022		<2.0	<2.0	<2.0																	
BED1	204	02/01/2022		<2.0	<2.0	<2.0																	
BED1	204	11/08/2021		<2.0	<2.0	<2.0																	
PT	204	08/26/2021		35	4.7	2.3																	
BED1	204	08/26/2021		<2.0	<2.0	<2.0																	
BED1	204	05/25/2021		<2.0	<2.0	<2.0																	
BED1	204	02/25/2021	Carbon Changeout 10/13/2020 - Fe.	<2.0	<2.0	<2.0																	
BED1	204	10/05/2020		<2.0	<2.0	<2.0																	
PT	204	08/04/2020		32	4.2	<2																	
BED1	204	08/04/2020		<2	<2	<2																	
BED1	204	03/12/2020		<2.0	<2.0	<2.0																	
BED1	204	11/27/2019		<2.0	<2.0	<2.0																	
PT	204	09/11/2019		34	3.6	<2.0																	
BED1	204	09/11/2019		<2.0	<2.0	<2.0																	
BED1	204	05/10/2019		<2.0	<2.0	<2.0																	
BED1	204	03/18/2019		<2.0	<2.0	<2.0																	
BED1	204	12/10/2018		<2.0	<2.0	<2.0																	
PT	204	07/09/2018		29	3.7	<2.0																<4.0	
BED1	204	07/09/2018		<2.0	<2.0	<2.0																	
	204	10/26/2017	GAC installed 04/10/2018.	26	4	<2.0	<20	<20	2.2	5.1	29	16	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	205	11/14/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	205	08/27/2024		56	8.0	23	<2.0	<2.0	5.0	<2.0	41	30	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	205	08/27/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	205	06/07/2024		<2.0	<2.0	<2.0																	
BED1	205	03/14/2024		<2.0	<2.0	<2.0																	
BED1	205	11/29/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	205	09/12/2023		48	8.1 J	13																	
BED1	205	09/12/2023		<2.0	<2.0	<2.0																	
BED1	205	06/01/2023		<2.0	<2.0	<2.0																	
BED1	205	03/14/2023	Carbon Changeout 03/14/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	205	11/22/2022		<2.0	<2.0	<2.0																	
PT	205	08/24/2022		49	6.6	6.9																	
BED1	205	08/24/2022		<2.0	<2.0	<2.0																	
BED1	205	05/10/2022		<2.0	<2.0	<2.0																	
BED1-DUP	205	05/10/2022		<2.0	<2.0	<2.0																	
BED1	205	02/07/2022		<2.0	<2.0	<2.0																	
BED1	205	11/15/2021		<2.0	<2.0	<2.0																	
PT	205	09/02/2021		72	7.0 J	13																	
BED1	205	09/02/2021		<2.0	<2.0	<2.0																	
BED1	205	05/12/2021		<2.0	<2.0	<2.0																	
BED1-DUP	205	05/12/2021		<2.0	<2.0	<2.0																	
BED1	205	02/11/2021		<2.0	<2.0	<2.0																	
BED1	205	11/09/2020		<2.0	<2.0	<2.0																	
BED1-DUP	205	11/09/2020		<2.0	<2.0	<2.0																	
PT	205	08/25/2020		60	6.4	22																	
BED1	205	08/25/2020		<2.0	<2.0	<2.0																	
BED1	205	06/16/2020		<2.0	<2.0	<2.0																	
BED1	205	01/30/2020		<2.0	<2.0	<2.0																	
BED1	205	10/16/2019		<2.0	<2.0	<2.0																	
BED1-DUP	205	10/16/2019		<2.0	<2.0	<2.0																	
PT	205	07/25/2019		81	7.8	21																	
BED1	205	07/25/2019		<2.0	<2.0	<2.0																	
BED1	205	04/09/2019		<2.0	<2.0	<2.0																	
BED1	205	01/08/2019		<2.0	<2.0	<2.0																	
BED1	205	10/25/2018		<2.0	<2.0	<2.0																	
PT	205	07/12/2018		61	5.1	4.3																<4.0	
BED1	205	07/12/2018		<2.0	<2.0	<2.0																	
BED1	205	04/12/2018		<2.0	<2.0	<2.0																	
	205	10/26/2017	GAC installed 01/17/2018.	68	4.3	3.6	<20	<20	2.5	<2.0	56	36	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	206	11/14/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	206	08/16/2024		58	3.5	13	<2.0	<2.0	3.8	<2.0	39	32	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	206	08/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	206	04/24/2024		<2.0	<2.0	<2.0																	
BED1	206	02/08/2024		<2.0	<2.0	<2.0																	
BED1	206	11/14/2023	Carbon Changeout 11/14/2023 - 5yr.	<2.0	<2.0	<2.0																	
PT	206	08/30/2023		63	3.4	12																	
BED1	206	08/30/2023		<2.0	<2.0	<2.0																	
BED1	206	06/07/2023		2.4	<2.0	<2.0																	
BED2	206	06/07/2023		<2.0	<2.0	<2.0																	
BED1	206	03/21/2023		<2.0	<2.0	<2.0																	
BED1	206	12/14/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	206	09/14/2022		65	3.7	15																	
BED1	206	09/14/2022		<2.0	<2.0	<2.0																	
BED1	206	06/02/2022		<2.0	<2.0	<2.0																	
BED1	206	03/07/2022		<2.0	<2.0	<2.0																	
BED1	206	12/08/2021		<2.0	<2.0	<2.0																	
PT	206	09/01/2021		50	2.7 J	8.0																	
BED1	206	09/01/2021		<2.0	<2.0	<2.0																	
BED1	206	06/22/2021		<2.0	<2.0	<2.0																	
BED1	206	02/09/2021		<2.0	<2.0	<2.0																	
BED1	206	11/10/2020		<2.0	<2.0	<2.0																	
BED1-DUP	206	11/10/2020		<2.0	<2.0	<2.0																	
PT	206	09/10/2020		<2.0	<2.0	<2.0																	
BED1	206	09/10/2020		<2.0	<2.0	<2.0																	
BED1	206	06/30/2020		<2.0	<2.0	<2.0																	
BED1	206	03/16/2020		<2.0	<2.0	<2.0																	
BED1	206	10/28/2019		<2.0	<2.0	<2.0																	
PT	206	08/05/2019		70	3.4	12																	
BED1	206	08/05/2019		<2.0	<2.0	<2.0																	
BED1	206	04/15/2019		<2.0	<2.0	<2.0																	
BED1-DUP	206	04/15/2019		<2.0	<2.0	<2.0																	
BED1	206	01/17/2019		<2.0	<2.0	<2.0																	
BED1	206	10/29/2018		<2.0	<2.0	<2.0																	
PT	206	07/12/2018		100	4.5	19																<4.0	
BED1	206	07/12/2018		<2.0	<2.0	<2.0																	
PT	206	05/08/2018																				<10	
BED1	206	05/08/2018																				<10	
BED1	206	04/16/2018		<2.0	<2.0	<2.0																	
	206	10/26/2017	GAC installed 01/31/2018.	98	4.3	19	<20	<20	3.8	<2.0	75	44	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	207	11/01/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	207	07/30/2024		56	8.1	4.7	<2.0	<2.0	5.7	<2.0	41	27	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	207	07/30/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	207	05/10/2024		<2.0	<2.0	<2.0																	
BED1	207	02/12/2024		<2.0	<2.0	<2.0																	
BED1	207	11/16/2023		<2.0	<2.0	<2.0																	
PT	207	09/05/2023		55	7.7	3.5																	
BED1	207	09/05/2023		<2.0	<2.0	<2.0																	
BED1	207	05/31/2023	Carbon Changeout 05/31/2023 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	207	01/10/2023		<2.0	<2.0	<2.0																	
BED1	207	10/04/2022		<2.0	<2.0	<2.0																	
PT	207	07/18/2022		50	7.6	3.0																	
BED1	207	07/18/2022		<2.0	<2.0	<2.0																	
BED1	207	04/14/2022		<2.0	<2.0	<2.0																	
BED1-DUP	207	04/14/2022		<2.0	<2.0	<2.0																	
BED1	207	01/20/2022		<2.0	<2.0	<2.0																	
BED1-DUP	207	01/20/2022		<2.0	<2.0	<2.0																	
BED1	207	10/18/2021		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1-DUP	207	10/18/2021		<2.0	<2.0	<2.0																	
PT	207	08/02/2021		59	15	4.6																	
BED1	207	08/02/2021		<2.0	<2.0	<2.0																	
BED1	207	05/04/2021		<2.0	<2.0	<2.0																	
BED1	207	02/01/2021		<2.0	<2.0	<2.0																	
BED1	207	10/20/2020		<2.0	<2.0	<2.0																	
PT	207	08/19/2020		52	6.4	3.0																	
BED1	207	08/19/2020		<2.0	<2.0	<2.0																	
BED1	207	06/11/2020		<2.0	<2.0	<2.0																	
BED1	207	01/17/2020		<2.0	<2.0	<2.0																	
BED1	207	10/04/2019		<2.0	<2.0	<2.0																	
PT	207	07/08/2019		54	6.3	2.9																	
BED1	207	07/08/2019		<2.0	<2.0	<2.0																	
BED1	207	04/03/2019		<2.0	<2.0	<2.0																	
BED1	207	01/15/2019		<2.0	<2.0	<2.0																	
BED1	207	10/29/2018		<2.0	<2.0	<2.0																	
PT	207	07/17/2018		59	7.1	2.1																<4.0	
BED1	207	07/17/2018		<2.0	<2.0	<2.0																	
BED1	207	04/17/2018		<2.0	<2.0	<2.0																	
	207	10/27/2017	GAC installed 02/02/2018.	54	8.8	2.9	<20	<20	4.5	2.7	47	28	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	208	10/28/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	208	10/28/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	208	08/07/2024		48	2.0	<2.0	<2.0	<2.0	<2.0	<2.0	29	19	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	208	08/07/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	208	05/21/2024		<2.0	<2.0	<2.0																	
BED1-DUP	208	05/21/2024		<2.0	<2.0	<2.0																	
BED1	208	03/26/2024		<2.0	<2.0	<2.0																	
BED1-DUP	208	03/26/2024		<2.0	<2.0	<2.0																	
BED1	208	11/01/2023		<2.0	<2.0	<2.0																	
BED1-DUP	208	11/01/2023		<2.0	<2.0	<2.0																	
PT	208	08/29/2023		51	2.1	<2.0																	
BED1	208	08/29/2023		<2.0	<2.0	<2.0																	
BED1	208	06/13/2023	Carbon Changeout 06/13/2023 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	208	01/18/2023		<2.0	<2.0	<2.0																	
BED1	208	10/14/2022		<2.0	<2.0	<2.0																	
BED1-DUP	208	10/14/2022		<2.0	<2.0	<2.0																	
PT	208	07/25/2022		40	<2.0	<2.0																	
BED1	208	07/25/2022		<2.0	<2.0	<2.0																	
BED1	208	04/26/2022		<2.0	<2.0	<2.0																	
BED1-DUP	208	04/26/2022		<2.0	<2.0	<2.0																	
BED1	208	01/31/2022		<2.0	<2.0	<2.0																	
BED1	208	10/29/2021		<2.0	<2.0	<2.0																	
PT	208	08/16/2021		46	2.1	<2.0																	
BED1	208	08/16/2021		<2.0	<2.0	<2.0																	
BED1	208	05/18/2021		<2.0	<2.0	<2.0																	
BED1	208	02/15/2021		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	208	11/19/2020		<2.0	<2.0	<2.0																	
PT	208	09/16/2020		38	<2.0	<2.0																	
BED1	208	09/16/2020		<2.0	<2.0	<2.0																	
BED1	208	06/05/2020		<2.0	<2.0	<2.0																	
BED1	208	01/30/2020		<2.0	<2.0	<2.0																	
BED1	208	10/16/2019		<2.0	<2.0	<2.0																	
PT	208	07/23/2019		36	<2.0	<2.0																	
BED1	208	07/23/2019		<2.0	<2.0	<2.0																	
BED1	208	04/15/2019		<2.0	<2.0	<2.0																	
BED1	208	01/24/2019		<2.0	<2.0	<2.0																	
BED1	208	10/29/2018		<2.0	<2.0	<2.0																	
PT	208	07/13/2018		22	<2.0	<2.0																<4.0	
BED1	208	07/13/2018		<2.0	<2.0	<2.0																	
BED1	208	04/20/2018		<2.0	<2.0	<2.0																	
	208	10/27/2017	GAC installed 02/13/2018.	32	<2.0	<2.0	<20	<20	<2.0	2.3	34	16	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	209	11/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	209	08/16/2024		48	4.5	3.3	<2.0	<2.0	<2.0	2.0	32	21	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	209	08/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	209	05/23/2024		<2.0	<2.0	<2.0																	
BED1	209	02/16/2024		<2.0	<2.0	<2.0																	
BED1	209	11/02/2023		<2.0	<2.0	<2.0																	
PT	209	08/22/2023		53	4.8	3.3																	
BED1	209	08/22/2023		<2.0	<2.0	<2.0																	
BED1	209	06/01/2023		<2.0	<2.0	<2.0																	
BED1	209	02/23/2023	Carbon Changeout 02/23/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	209	11/16/2022		<2.0	<2.0	<2.0																	
PT	209	08/08/2022		45	4.2 J	2.6																	
BED1	209	08/08/2022		<2.0	<2.0	<2.0																	
BED1	209	05/09/2022		<2.0	<2.0	<2.0																	
BED1	209	02/08/2022		<2.0	<2.0	<2.0																	
BED1	209	11/09/2021		<2.0	<2.0	<2.0																	
PT	209	08/25/2021		44	5.1	2.5																	
BED1	209	08/25/2021		<2.0	<2.0	<2.0																	
BED1-DUP	209	08/25/2021		<2.0	<2.0	<2.0																	
BED1	209	05/11/2021		<2.0	<2.0	<2.0																	
BED1	209	02/15/2021		<2.0	<2.0	<2.0																	
BED1	209	12/03/2020		<2.0	<2.0	<2.0																	
PT	209	09/28/2020		37	4.7	<2.0																	
BED1	209	09/28/2020		<2.0	<2.0	<2.0																	
BED1	209	06/17/2020		<2.0	<2.0	<2.0																	
BED1	209	03/09/2020		<2.0	<2.0	<2.0																	
PT	209	09/27/2019		40	4.5	2.2																	
BED1	209	09/27/2019		<2.0	<2.0	<2.0																	
BED1	209	04/24/2019		<2.0	<2.0	<2.0																	
BED1	209	02/07/2019		<2.0	<2.0	<2.0																	
BED1	209	11/08/2018		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	209	07/10/2018		39	4.1	<2.0																<4.0	
BED1	209	07/10/2018		<2.0	<2.0	<2.0																	
BED1	209	04/20/2018		<2.0	<2.0	<2.0																	
	209	10/27/2017	GAC installed 01/19/2018.	39	3.6	<2.0	<20	<20	<2.0	3.2	37	18	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	209	10/27/2017	GAC installed 01/19/2018.	38	3.6	<2.0	<20	<20	<2.0	3	36	20	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	210	05/17/2022	No well decommissioning report, but the well is no longer usable according to homeowner. Replacement well installed (Regulatory Location ID #679). Qualified for treatment so GAC System transferred to replacement well.	<2.0	<2.0	<2.0																	
BED1	210	02/16/2022		<2.0	<2.0	<2.0																	
BED1	210	11/15/2021		<2.0	<2.0	<2.0																	
PT	210	08/30/2021		67	7.1	13																	
BED1	210	08/30/2021		<2.0	<2.0	<2.0																	
BED1	210	06/07/2021		<2.0	<2.0	<2.0																	
BED1-DUP	210	06/07/2021		<2.0	<2.0	<2.0																	
BED1	210	03/10/2021		<2.0	<2.0	<2.0																	
BED1	210	11/16/2020		<2.0	<2.0	<2.0																	
PT	210	09/09/2020		64	5.2	8.4																	
BED1	210	09/09/2020		<2.0	<2.0	<2.0																	
BED1	210	06/19/2020		<2.0	<2.0	<2.0																	
BED1	210	03/06/2020		<2.0	<2.0	<2.0																	
BED1	210	11/22/2019		<2.0	<2.0	<2.0																	
PT	210	08/23/2019		55	4.7	6.4																	
BED1	210	08/23/2019		<2.0	<2.0	<2.0																	
BED1	210	04/30/2019		<2.0	<2.0	<2.0																	
BED1	210	02/22/2019		<2.0	<2.0	<2.0																	
BED1	210	11/14/2018		<2.0	<2.0	<2.0																	
PT	210	08/23/2018		56	7.7	9.4																<4.0	
BED1	210	08/23/2018		<2.0	<2.0	<2.0																	
	210	10/27/2017	GAC installed 04/30/2018.	68	5.8	7.4	<20	<20	3.4	<2.0	42	26	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	211	12/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	211	09/17/2024		43	12	11	<2.0	<2.0	6.1	2.1	45	20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	211	09/17/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	211	05/31/2024		<2.0	<2.0	<2.0																	
BED1	211	02/28/2024		<2.0	<2.0	<2.0																	
BED1	211	11/29/2023		<2.0	<2.0	<2.0																	
PT	211	08/28/2023		41	8.4	10																	
BED1	211	08/28/2023		<2.0	<2.0	<2.0																	
BED1	211	06/07/2023	Carbon Changeout 06/07/2023 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	211	02/20/2023		<2.0	<2.0	<2.0																	
BED1	211	11/14/2022		<2.0	<2.0	<2.0																	
PT	211	09/07/2022		42	11	9.6																	
BED1	211	09/07/2022		<2.0	<2.0	<2.0																	
BED1	211	06/07/2022		<2.0	<2.0	<2.0																	
BED1	211	03/03/2022		<2.0	<2.0	<2.0																	
BED1	211	12/02/2021		<2.0	<2.0	<2.0																	
PT	211	09/01/2021		48	11 J	9.4																	
BED1	211	09/01/2021		<2.0	<2.0	<2.0																	
BED1	211	06/28/2021		<2.0	<2.0	<2.0																	
BED1-DUP	211	06/28/2021		<2.0	<2.0	<2.0																	
BED1	211	02/15/2021		<2.0	<2.0	<2.0																	
BED1	211	12/03/2020		<2.0	<2.0	<2.0																	
PT	211	09/21/2020		46	11	7.0																	
BED1	211	09/21/2020		<2.0	<2.0	<2.0																	
BED1-DUP	211	09/21/2020		<2.0	<2.0	<2.0																	
BED1	211	06/29/2020		<2.0	<2.0	<2.0																	
BED1	211	12/05/2019		<2.0	<2.0	<2.0																	
PT	211	09/12/2019		63	14	9.7																	
BED1	211	09/12/2019		<2.0	<2.0	<2.0																	
BED1	211	05/30/2019		<2.0	<2.0	<2.0																	
BED1	211	03/11/2019		<2.0	<2.0	<2.0																	
BED1	211	11/13/2018		<2.0	<2.0	<2.0																	
PT	211	08/30/2018		52	10	7.5																<4.0	
BED1	211	08/30/2018		<2.0	<2.0	<2.0																	
BED1	211	04/16/2018		<2.0	<2.0	<2.0																	
	211	10/27/2017	GAC installed 02/01/2018.	60	10	7.7	<20	<20	2.1	<2.0	38	22	<2.0	<2.0	<2.0	<2.0	<2.0						
	212	05/20/2024		<2.0	<2.0	<2.0																	
	212	05/02/2022		<2.0	<2.0	<2.0																	
DUP	212	05/02/2022		<2.0	<2.0	<2.0																	
	212	03/19/2021		<2.0	<2.0	<2.0																	
DUP	212	03/19/2021		<2.0	<2.0	<2.0																	
	212	10/30/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	213	10/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	213	07/18/2024		19	<2.0	3.9	<2.0	<2.0	<2.0	<2.0	15	8.7	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	213	07/18/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	213	04/12/2024		<2.0	<2.0	<2.0																	
BED1	213	01/16/2024		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	213	10/11/2023		<2.0	<2.0	<2.0																	
PT	213	07/25/2023		160	<2.0	23																	
BED1	213	07/25/2023		<2.0	<2.0	<2.0																	
BED1	213	04/24/2023		<2.0	<2.0	<2.0																	
BED1	213	03/23/2023	Carbon Changeout 03/23/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	213	10/25/2022		<2.0	<2.0	<2.0																	
PT	213	08/16/2022		19	<2.0	2.7																	
BED1	213	08/16/2022		<2.0	<2.0	<2.0																	
BED1	213	05/09/2022		<2.0	<2.0	<2.0																	
BED1	213	02/15/2022		<2.0	<2.0	<2.0																	
BED1	213	11/16/2021		<2.0	<2.0	<2.0																	
PT	213	08/30/2021		32	<2.0	4.0																	
BED1	213	08/30/2021		<2.0	<2.0	<2.0																	
BED1	213	05/13/2021		<2.0	<2.0	<2.0																	
BED1	213	02/15/2021		<2.0	<2.0	<2.0																	
BED1	213	10/29/2020		<2.0	<2.0	<2.0																	
PT	213	08/31/2020		180	<2.0	16																	
BED1	213	08/31/2020		<2.0	<2.0	<2.0																	
BED1-DUP	213	08/31/2020		<2.0	<2.0	<2.0																	
BED1	213	06/11/2020		<2.0	<2.0	<2.0																	
BED1	213	02/17/2020		<2.0	<2.0	<2.0																	
BED1	213	11/12/2019		<2.0	<2.0	<2.0																	
PT	213	09/06/2019		39	<2.0	3.5																	
BED1	213	09/06/2019		<2.0	<2.0	<2.0																	
BED1	213	05/20/2019		<2.0	<2.0	<2.0																	
BED1	213	01/08/2019		<2.0	<2.0	<2.0																	
BED1	213	10/22/2018		45	<2.0	3.4																	
BED2	213	10/22/2018		<2.0	<2.0	<2.0																	
PT	213	07/10/2018		230	<2.0	11																<4.0	
BED1	213	07/10/2018		<2.0	<2.0	<2.0																	
BED1	213	04/12/2018		<2.0	<2.0	<2.0																	
	213	10/30/2017	GAC installed 01/10/2018.	47	<2.0	2.6	<20	<20	<2.0	<2.0	24	13	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	214	10/02/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	214	07/03/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	214	07/03/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	214	04/02/2024		<2.0	<2.0	<2.0																	
BED1	214	01/04/2024		<2.0	<2.0	<2.0																	
BED1	214	12/07/2023		<2.0	<2.0	<2.0																	
PT	214	08/09/2023	Carbon Changeout 08/09/2023 - 5yr.	26	2.1	<2.0																	
BED1	214	08/09/2023	Carbon Changeout 08/09/2023 - 5yr.	<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	214	05/01/2023		<2.0	<2.0	<2.0																	
BED1	214	03/15/2023		<2.0	<2.0	<2.0																	
BED1	214	11/21/2022		<2.0	<2.0	<2.0																	
BED1-DUP	214	11/21/2022		<2.0	<2.0	<2.0																	
PT	214	07/05/2022		27	2.3	<2.0																	
BED1	214	07/05/2022		<2.0	<2.0	<2.0																	
BED1	214	04/05/2022		<2.0	<2.0	<2.0																	
BED1-DUP	214	04/05/2022		<2.0	<2.0	<2.0																	
BED1	214	01/04/2022		<2.0	<2.0	<2.0																	
BED1-DUP	214	01/04/2022		<2.0	<2.0	<2.0																	
BED1	214	10/05/2021		<2.0	<2.0	<2.0																	
PT	214	07/08/2021		24	2.1	<2.0																	
BED1	214	07/08/2021		<2.0	<2.0	<2.0																	
BED1-DUP	214	07/08/2021		<2.0	<2.0	<2.0																	
BED1	214	04/01/2021		<2.0	<2.0	<2.0																	
BED1-DUP	214	04/01/2021		<2.0	<2.0	<2.0																	
BED1	214	01/11/2021		<2.0	<2.0	<2.0																	
BED1-DUP	214	01/11/2021		<2.0	<2.0	<2.0																	
BED1	214	11/10/2020		<2.0	<2.0	<2.0																	
PT	214	08/17/2020		24	3.2	<2.0																	
BED1	214	08/17/2020		<2.0	<2.0	<2.0																	
BED1	214	06/22/2020		<2.0	<2.0	<2.0																	
BED1	214	03/17/2020		<2.0	<2.0	<2.0																	
BED1	214	10/15/2019		<2.0	<2.0	<2.0																	
PT	214	07/15/2019		28	2.5	<2.0																	
BED1	214	07/15/2019		<2.0	<2.0	<2.0																	
BED1	214	06/03/2019		<2.0	<2.0	<2.0																	
BED1	214	03/18/2019		2.6	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	214	12/12/2018		<2.0	<2.0	<2.0																	
PT	214	08/27/2018		18	3.2	<2.0																<4.0	
BED1	214	08/27/2018		<2.0	<2.0	<2.0																	
	214	10/30/2017	GAC installed 04/20/2018.	17	<2.0	<2.0	<20	<20	<2.0	<2.0	18	8.4	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	215	10/24/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	215	10/24/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	215	07/19/2024		56	10	6.5	<2.0	<2.0	2.5	3.0	40	25	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	215	07/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	215	04/17/2024		<2.0	<2.0	<2.0																	
BED1-DUP	215	04/17/2024		<2.0	<2.0	<2.0																	
BED1	215	01/12/2024		<2.0	<2.0	<2.0																	
BED1	215	10/25/2023		<2.0	<2.0	<2.0																	
BED1-DUP	215	10/25/2023		<2.0	<2.0	<2.0																	
PT	215	08/23/2023		68	10	7.5																	
BED1	215	08/23/2023		<2.0	<2.0	<2.0																	
BED1-DUP	215	08/23/2023		<2.0	<2.0	<2.0																	
BED1	215	06/07/2023	Carbon Changeout 03/29/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1-DUP	215	06/07/2023	Carbon Changeout 03/29/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	215	10/19/2022		<2.0	<2.0	<2.0																	
BED1-DUP	215	10/19/2022		<2.0	<2.0	<2.0																	
PT	215	08/18/2022		57	10	6.0																	
BED1	215	08/18/2022		2.4	<2.0	<2.0																	
BED2	215	08/18/2022		<2.0	<2.0	<2.0																	
BED1	215	04/27/2022		5.6 J	<2.0	<2.0																	
BED1-DUP	215	04/27/2022		2.8 J	<2.0	<2.0																	
BED2	215	04/27/2022		<2.0	<2.0	<2.0																	
BED1	215	02/02/2022		11	<2.0	<2.0																	
BED1-DUP	215	02/02/2022		12	<2.0	<2.0																	
BED2	215	02/02/2022		<2.0	<2.0	<2.0																	
BED1	215	11/04/2021		<2.0	<2.0	<2.0																	
PT	215	08/20/2021		70	11	6.2																	
BED1	215	08/20/2021		<2.0	<2.0	<2.0																	
BED1-DUP	215	08/20/2021		<2.0	<2.0	<2.0																	
BED1	215	05/18/2021		<2.0	<2.0	<2.0																	
BED1	215	02/26/2021		<2.0	<2.0	<2.0																	
BED1	215	10/19/2020		<2.0	<2.0	<2.0																	
PT	215	08/17/2020		53	12	5.5																	
BED1	215	08/17/2020		<2.0	<2.0	<2.0																	
BED1-DUP	215	08/17/2020		<2.0	<2.0	<2.0																	
BED1	215	06/10/2020		<2.0	<2.0	<2.0																	
BED1	215	01/24/2020		<2.0	<2.0	<2.0																	
BED1	215	10/07/2019		<2.0	<2.0	<2.0																	
PT	215	07/10/2019		63	9.9	4.2																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	215	07/10/2019		<2.0	<2.0	<2.0																	
BED1	215	04/08/2019		<2.0	<2.0	<2.0																	
BED1	215	01/16/2019		<2.0	<2.0	<2.0																	
BED1-DUP	215	01/16/2019		<2.0	<2.0	<2.0																	
BED1	215	10/29/2018		<2.0	<2.0	<2.0																	
BED1-DUP	215	10/29/2018		<2.0	<2.0	<2.0																	
PT	215	07/18/2018		50	8.7	3.5																<4.0	
BED1	215	07/18/2018		<2.0	<2.0	<2.0																	
BED1-DUP	215	07/18/2018		<2.0	<2.0	<2.0																	
BED1	215	04/13/2018		<2.0	<2.0	<2.0																	
BED1-DUP	215	04/13/2018		<2.0	<2.0	<2.0																	
	215	10/30/2017	GAC installed 01/16/2018.	49	9.2	3.3	<20	<20	<2.0	4	44	23	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	216	10/25/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	216	08/02/2024		55	2.3	2.3	<2.0	<2.0	<2.0	<2.0	39	28	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	216	08/02/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	216	05/17/2024		<2.0	<2.0	<2.0																	
BED1	216	01/18/2024		<2.0	<2.0	<2.0																	
BED1	216	10/13/2023		<2.0	<2.0	<2.0																	
PT	216	08/14/2023		43 J	<2.0 UJ	2.1 J																	
BED1	216	08/14/2023		<2.0	<2.0	<2.0																	
BED1	216	05/16/2023		<2.0	<2.0	<2.0																	
BED1	216	03/01/2023	Carbon Changeout 03/01/2023 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	216	10/05/2022		<2.0 UJ	<2.0	<2.0 UJ																	
PT	216	07/13/2022		37	<2.0	<2.0																	
BED1	216	07/13/2022		<2.0	<2.0	<2.0																	
BED1	216	04/06/2022		<2.0	<2.0	<2.0																	
BED1-DUP	216	04/06/2022		2.4	<2.0	<2.0																	
BED2	216	04/06/2022		<2.0	<2.0	<2.0																	
BED1	216	01/05/2022		<2.0	<2.0	<2.0																	
BED1	216	10/07/2021		<2.0	<2.0	<2.0																	
PT	216	07/14/2021		49	2.0	2.5																	
BED1	216	07/14/2021		<2.0	<2.0	<2.0																	
BED1	216	04/12/2021		<2.0	<2.0	<2.0																	
BED1	216	01/21/2021		3.4	<2.0	<2.0																	
BED2	216	01/21/2021		<2.0	<2.0	<2.0																	
BED1	216	10/07/2020		<2.0	<2.0	<2.0																	
PT	216	07/28/2020		36	<2.0	2.5																	
BED1	216	07/28/2020		<2.0	<2.0	<2.0																	
BED1	216	06/05/2020		4.2	<2.0	<2.0																	
BED1	216	02/10/2020		<2.0	<2.0	<2.0																	
BED1	216	10/29/2019		<2.0	<2.0	<2.0																	
PT	216	08/21/2019		49	5.7	2.9																	
BED1	216	08/21/2019		<2.0	<2.0	<2.0																	
BED1	216	05/08/2019		<2.0	<2.0	<2.0																	
BED1	216	03/07/2019		<2.0	<2.0	<2.0																	
BED1	216	12/13/2018		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	216	07/24/2018		58	2.9	4.2																48	
BED1	216	07/24/2018		<2.0	<2.0	<2.0																<4.0	
BED1	216	04/16/2018		<2.0	<2.0	<2.0																	
	216	10/30/2017	GAC installed 01/19/2018.	27	<2.0	<2.0	<20	<20	<2.0	<2.0	32	18	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	217	11/07/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	217	07/31/2024		61	3.3	14	<2.0	<2.0	2.8	<2.0	40	34	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	217	07/31/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	217	05/17/2024		<2.0	<2.0	<2.0																	
BED1	217	02/21/2024		<2.0	<2.0	<2.0																	
BED1	217	11/10/2023		<2.0	<2.0	<2.0																	
PT	217	08/21/2023		66	3.6	14																	
BED1	217	08/21/2023		<2.0	<2.0	<2.0																	
BED1	217	06/05/2023		<2.0	<2.0	<2.0																	
BED1	217	03/31/2023	Carbon Changeout 03/31/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	217	10/17/2022		<2.0	<2.0	<2.0																	
PT	217	07/18/2022		62	3.1	10																	
BED1	217	07/18/2022		4.2	<2.0	<2.0																	
BED2	217	07/18/2022		<2.0	<2.0	<2.0																	
BED1	217	04/19/2022		<2.0	<2.0	<2.0																	
BED1	217	01/24/2022		<2.0	<2.0	<2.0																	
BED1-DUP	217	01/24/2022		<2.0	<2.0	<2.0																	
BED1	217	10/12/2021		<2.0	<2.0	<2.0																	
BED1-DUP	217	10/12/2021		<2.0	<2.0	<2.0																	
PT	217	07/19/2021		80	3.5	15																	
BED1	217	07/19/2021		15	<2.0	<2.0																	
BED2	217	07/19/2021		<2.0	<2.0	<2.0																	
BED1	217	04/28/2021		<2.0	<2.0	<2.0																	
BED1	217	02/04/2021		<2.0	<2.0	<2.0																	
BED1	217	10/29/2020		<2.0	<2.0	<2.0																	
PT	217	08/27/2020		91	3.7 J	15 J																	
BED1	217	08/27/2020		<2.0	<2.0	<2.0																	
BED1	217	06/12/2020		<2.0	<2.0	<2.0																	
BED1	217	02/06/2020		<2.0	<2.0	<2.0																	
BED1	217	10/29/2019		<2.0	<2.0	<2.0																	
PT	217	08/21/2019		91	6.4	16																	
BED1	217	08/21/2019		<2.0	<2.0	<2.0																	
BED1	217	05/07/2019		<2.0	<2.0	<2.0																	
BED1	217	02/04/2019		<2.0	<2.0	<2.0																	
BED1	217	11/02/2018		<2.0	<2.0	<2.0																	
PT	217	07/13/2018		93	3.7	14																<4.0	
BED1	217	07/13/2018		<2.0	<2.0	<2.0																	
BED1	217	04/13/2018		<2.0	<2.0	<2.0																	
	217	10/30/2017	GAC installed 01/16/2018.	89	4	13	<20	<20	3	<2.0	76	46	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	218	11/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	218	07/26/2024		61	5.4	8.8	<2.0	<2.0	<2.0	<2.0	34	25	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	218	07/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	218	07/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	218	04/24/2024		<2.0	<2.0	<2.0																	
BED1	218	02/01/2024		<2.0	<2.0	<2.0																	
BED1	218	11/09/2023		<2.0	<2.0	<2.0																	
PT	218	08/17/2023		80	7.6	11																	
BED1	218	08/17/2023		<2.0	<2.0	<2.0																	
BED1	218	05/08/2023		<2.0	<2.0	<2.0																	
BED1	218	02/15/2023	Carbon Changeout 02/15/2023 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	218	10/25/2022		<2.0	<2.0	<2.0																	
PT	218	08/17/2022		75	6.3	7.3																	
BED1	218	08/17/2022		<2.0	<2.0	<2.0																	
BED1	218	04/28/2022		<2.0	<2.0	<2.0																	
BED1	218	02/01/2022		<2.0	<2.0	<2.0																	
BED1	218	10/22/2021		<2.0	<2.0	<2.0																	
BED1-DUP	218	10/22/2021		<2.0	<2.0	<2.0																	
PT	218	07/23/2021		86	5.8	7.5																	
BED1	218	07/23/2021		<2.0	<2.0	<2.0																	
BED1	218	04/23/2021		<2.0	<2.0	<2.0																	
BED1	218	01/26/2021		<2.0	<2.0	<2.0																	
BED1	218	10/07/2020		<2.0	<2.0	<2.0																	
BED1-DUP	218	10/07/2020		<2.0	<2.0	<2.0																	
PT	218	08/03/2020		63	6.5	7.2																	
BED1	218	08/03/2020		<2	<2	<2																	
BED1	218	06/05/2020		<2.0	<2.0	<2.0																	
BED1	218	02/24/2020		<2.0	<2.0	<2.0																	
BED1	218	10/18/2019		<2.0	<2.0	<2.0																	
PT	218	07/15/2019		82	7.8	7.4																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	218	07/15/2019		<2.0	<2.0	<2.0																	
BED1	218	04/11/2019		<2.0	<2.0	<2.0																	
BED1	218	01/23/2019		<2.0	<2.0	<2.0																	
BED1-DUP	218	01/23/2019		<2.0	<2.0	<2.0																	
BED1	218	11/05/2018		<2.0	<2.0	<2.0																	
BED1-DUP	218	11/05/2018		<2.0	<2.0	<2.0																	
PT	218	07/30/2018		73	9.7	7.6																<4.0	
BED1	218	07/30/2018		<2.0	<2.0	<2.0																	
BED1-DUP	218	07/30/2018		<2.0	<2.0	<2.0																	
BED1	218	04/12/2018		<2.0	<2.0	<2.0																	
BED1-DUP	218	04/12/2018		<2.0	<2.0	<2.0																	
	218	10/31/2017	GAC installed 01/25/2018.	78	7.5	6.9	<20	<20	2.9	2.4	58	37	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	219	12/12/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	219	09/17/2024		54	3.2	<2.0	<2.0	<2.0	<2.0	<2.0	40	25	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	219	09/17/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	219	06/04/2024		<2.0	<2.0	<2.0																	
BED1	219	03/11/2024		<2.0	<2.0	<2.0																	
BED1	219	12/15/2023		<2.0	<2.0	<2.0																	
PT	219	08/15/2023		60	3.2	<2.0																	
BED1	219	08/15/2023		<2.0	<2.0	<2.0																	
BED1	219	05/24/2023		<2.0	<2.0	<2.0																	
BED1	219	02/14/2023	Carbon Changeout 02/14/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	219	11/15/2022		<2.0	<2.0	<2.0																	
PT	219	09/14/2022		50	3.0	<2.0																	
BED1	219	09/14/2022		<2.0	<2.0	<2.0																	
BED1	219	06/07/2022		<2.0	<2.0	<2.0																	
BED1-DUP	219	06/07/2022		<2.0	<2.0	<2.0																	
BED1	219	02/17/2022		<2.0	<2.0	<2.0																	
BED1	219	11/22/2021		<2.0	<2.0	<2.0																	
BED1-DUP	219	11/22/2021		<2.0	<2.0	<2.0																	
PT	219	09/20/2021		41	2.2	<2.0																	
BED1	219	09/20/2021		<2.0	<2.0	<2.0																	
BED1-DUP	219	09/20/2021		<2.0	<2.0	<2.0																	
BED1	219	04/29/2021		<2.0	<2.0	<2.0																	
BED1	219	02/04/2021		<2.0	<2.0	<2.0																	
BED1	219	10/27/2020		<2.0	<2.0	<2.0																	
BED1-DUP	219	10/27/2020		<2.0	<2.0	<2.0																	
PT	219	08/19/2020		53	2.8	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	219	08/19/2020		<2.0	<2.0	<2.0																	
BED1	219	06/05/2020		<2.0	<2.0	<2.0																	
BED1	219	01/24/2020		<2.0	<2.0	<2.0																	
BED1	219	10/08/2019		<2.0	<2.0	<2.0																	
PT	219	07/09/2019		40	2.6	<2.0																	
BED1	219	07/09/2019		<2.0	<2.0	<2.0																	
BED1	219	04/03/2019		<2.0	<2.0	<2.0																	
BED1	219	01/11/2019		<2.0	<2.0	<2.0																	
BED1	219	10/24/2018		<2.0	<2.0	<2.0																	
PT	219	07/11/2018		41	2.8	<2.0																<4.0	
BED1	219	07/11/2018		<2.0	<2.0	<2.0																	
BED1	219	04/12/2018		<2.0	<2.0	<2.0																	
	219	10/31/2017	GAC installed 01/25/2018.	42	3	<2.0	<20	<20	<2.0	<2.0	42	23	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	220	10/21/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	6.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	220	10/21/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	6.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	220	07/19/2024		34	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	26	14	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	220	07/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	2.6	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	220	07/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	3.7	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	220	05/10/2024		<2.0	<2.0	<2.0																	
BED1-DUP	220	05/10/2024		<2.0	<2.0	<2.0																	
BED1	220	01/22/2024		<2.0	<2.0	<2.0																	
BED1-DUP	220	01/22/2024		<2.0	<2.0	<2.0																	
BED1	220	10/24/2023		<2.0	<2.0	<2.0																	
PT	220	07/10/2023		27	<2.0	<2.0																	
BED1	220	07/10/2023		<2.0	<2.0	<2.0																	
BED1-DUP	220	07/10/2023		<2.0	<2.0	<2.0																	
BED1	220	04/03/2023		<2.0	<2.0	<2.0																	
BED1-DUP	220	04/03/2023		<2.0	<2.0	<2.0																	
BED1	220	01/09/2023		<2.0	<2.0	<2.0																	
BED1-DUP	220	01/09/2023		<2.0	<2.0	<2.0																	
BED1	220	10/12/2022		<2.0	<2.0	<2.0																	
BED1-DUP	220	10/12/2022		<2.0	<2.0	<2.0																	
PT	220	07/25/2022		34	<2.0	<2.0																	
BED1	220	07/25/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1-DUP	220	07/25/2022		<2.0	<2.0	<2.0																	
BED1	220	04/18/2022		<2.0	<2.0	<2.0																	
BED1	220	01/24/2022		<2.0	<2.0	<2.0																	
BED1-DUP	220	01/24/2022		<2.0	<2.0	<2.0																	
BED1	220	10/06/2021		<2.0	<2.0	<2.0																	
BED1-DUP	220	10/06/2021		<2.0	<2.0	<2.0																	
PT	220	07/19/2021		26	<2.0	<2.0																	
BED1	220	07/19/2021		<2.0	<2.0	<2.0																	
BED1-DUP	220	07/19/2021		<2.0	<2.0	<2.0																	
BED1	220	04/06/2021		<2.0	<2.0	<2.0																	
BED1	220	01/11/2021		<2.0	<2.0	<2.0																	
BED1	220	10/05/2020		<2.0	<2.0	<2.0																	
PT	220	08/03/2020		23	<2	<2																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	220	08/03/2020		<2	<2	<2																	
BED1	220	06/04/2020		<2.0	<2.0	<2.0																	
BED1-DUP	220	06/04/2020		<2.0	<2.0	<2.0																	
BED1	220	01/24/2020		<2.0	<2.0	<2.0																	
	220	08/14/2019	GAC installed 10/21/2019.	21	<2.0	<2.0	<20	<20	<2.0	<2.0	24	10	<2.0	<2.0	<2.0	<2.0	<2.0					<4.0	
	220	04/23/2018		9.1	<2.0	<2.0	<20	<20	<2.0	<2.0	14	6.2	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	220	04/23/2018		9.4	<2.0	<2.0	<20	<20	<2.0	<2.0	15	5.9	<2.0	<2.0	<2.0	<2.0	<2.0						
	220	11/03/2017		11	<2.0	<2.0	<20	<20	<2.0	<2.0	18	6.9	<2.0	<2.0	<2.0	<2.0	<2.0						
PT	221	09/24/2018	GAC removed 10/19/2018 at owner's request. Permanent bottled water.	50	4.7	2.9																<4.0	
BED1	221	09/24/2018	GAC removed 10/19/2018 at owner's request. Permanent bottled water.	<2.0	<2.0	<2.0																	
BED1	221	04/18/2018		<2.0	<2.0	<2.0																	
	221	11/03/2017	GAC installed 02/21/2018.	46	5.3	2.4	<20	<20	<2.0	2.9	42	24	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	222	11/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	222	11/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	222	07/23/2024		54	11	8.1	<2.0	<2.0	4.9	<2.0	28	22	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	222	07/23/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	222	07/23/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	222	05/07/2024		<2.0	<2.0	<2.0																	
BED1	222	02/15/2024		<2.0	<2.0	<2.0																	
BED1-DUP	222	02/15/2024		<2.0	<2.0	<2.0																	
BED1	222	11/06/2023		<2.0	<2.0	<2.0																	
BED1-DUP	222	11/06/2023		<2.0	<2.0	<2.0																	
PT	222	08/23/2023		100	5.0	11																	
BED1	222	08/23/2023		<2.0	<2.0	<2.0																	
BED1	222	05/15/2023		<2.0	<2.0	<2.0																	
BED1	222	02/16/2023	Carbon Changeout 02/16/2023 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	222	10/20/2022		<2.0	<2.0	<2.0																	
PT	222	08/09/2022		59	4.9 J	6.0																	
BED1	222	08/09/2022		<2.0	<2.0	<2.0																	
BED1	222	04/25/2022		<2.0	<2.0	<2.0																	
BED1	222	02/01/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	222	10/11/2021		<2.0	<2.0	<2.0																	
PT	222	07/19/2021		65	10	7.4																	
BED1	222	07/19/2021		<2.0	<2.0	<2.0																	
BED1	222	04/15/2021		<2.0	<2.0	<2.0																	
BED1	222	01/21/2021		<2.0	<2.0	<2.0																	
BED1	222	10/14/2020		<2.0	<2.0	<2.0																	
BED1-DUP	222	10/14/2020		<2.0	<2.0	<2.0																	
PT	222	08/06/2020		58	6.1	5.3																	
BED1	222	08/06/2020		<2.0	<2.0	<2.0																	
BED1	222	06/08/2020		<2.0	<2.0	<2.0																	
BED1	222	01/27/2020		2.6	<2.0	<2.0																	
BED1	222	10/11/2019		<2.0	<2.0	<2.0																	
PT	222	07/10/2019		60	12	7.7																	
BED1	222	07/10/2019		<2.0	<2.0	<2.0																	
BED1	222	04/05/2019		<2.0	<2.0	<2.0																	
BED1	222	01/10/2019		<2.0	<2.0	<2.0																	
BED1	222	10/25/2018		<2.0	<2.0	<2.0																	
BED1-DUP	222	10/25/2018		<2.0	<2.0	<2.0																	
PT	222	07/10/2018		47	7.7	6.5																<4.0	
BED1	222	07/10/2018		<2.0	<2.0	<2.0																	
BED1	222	04/17/2018		<2.0	<2.0	<2.0																	
	222	11/03/2017	GAC installed 01/18/2018.	58	5.9	8.8	<20	<20	2.5	<2.0	43	27	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	223	10/22/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	223	07/19/2024		35	7.7	2.4	<2.0	<2.0	<2.0	4.7	30	15	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	223	07/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	223	05/13/2024		<2.0	<2.0	<2.0																	
BED1-DUP	223	05/13/2024		<2.0	<2.0	<2.0																	
BED1	223	01/12/2024		<2.0	<2.0	<2.0																	
BED1	223	10/13/2023		<2.0	<2.0	<2.0																	
BED1-DUP	223	10/13/2023		<2.0	<2.0	<2.0																	
PT	223	08/07/2023		36	7.7	2.6																	
BED1	223	08/07/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	223	05/16/2023	Carbon Changeout 05/16/2023 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	223	01/11/2023		<2.0	<2.0	<2.0																	
BED1-DUP	223	01/11/2023		<2.0	<2.0	<2.0																	
BED1	223	10/12/2022		<2.0	<2.0	<2.0																	
PT	223	07/11/2022		29	7.6	2.0																	
BED1	223	07/11/2022		<2.0	<2.0	<2.0																	
BED1	223	04/06/2022		<2.0	<2.0	<2.0																	
BED1	223	01/06/2022		<2.0	<2.0	<2.0																	
BED1	223	10/08/2021		<2.0	<2.0	<2.0																	
BED1-DUP	223	10/08/2021		<2.0	<2.0	<2.0																	
PT	223	07/14/2021		32	8.6	2.0																	
BED1	223	07/14/2021		<2.0	<2.0	<2.0																	
BED1	223	04/13/2021		<2.0	<2.0	<2.0																	
BED1	223	01/22/2021		<2.0	<2.0	<2.0																	
BED1	223	10/19/2020		<2.0	<2.0	<2.0																	
PT	223	08/12/2020		26	8.4	<2.0																	
BED1	223	08/12/2020		<2.0	<2.0	<2.0																	
BED1	223	06/09/2020		<2.0	<2.0	<2.0																	
BED1	223	01/27/2020		<2.0	<2.0	<2.0																	
BED1	223	10/14/2019		<2.0	<2.0	<2.0																	
PT	223	07/22/2019		33	7.6	<2.0																	
BED1	223	07/22/2019		<2.0	<2.0	<2.0																	
BED1	223	04/15/2019		<2.0	<2.0	<2.0																	
BED1	223	01/23/2019		<2.0	<2.0	<2.0																	
BED1	223	10/31/2018		<2.0	<2.0	<2.0																	
PT	223	07/17/2018		23	7.8	<2.0																<4.0	
BED1	223	07/17/2018		<2.0	<2.0	<2.0																	
BED1	223	04/16/2018		<2.0	<2.0	<2.0																	
BED1-DUP	223	04/16/2018		<2.0	<2.0	<2.0																	
	223	11/03/2017	GAC installed 02/07/2018.	24	7.5	<2.0	<20	<20	<2.0	4.4	26	11	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	224	10/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	224	07/11/2024		79	3.1	4.1	<2.0	<2.0	2.5	<2.0	56	39	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	224	07/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	224	04/05/2024		<2.0	<2.0	<2.0																	
BED1	224	01/18/2024		<2.0	<2.0	<2.0																	
BED1	224	10/25/2023		<2.0	<2.0	<2.0																	
PT	224	08/17/2023		63	4.2	6.2																	
BED1	224	08/17/2023		<2.0	<2.0	<2.0																	
BED1	224	05/31/2023	Carbon Changeout 05/31/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	224	03/08/2023		<2.0	<2.0	<2.0																	
BED1	224	12/13/2022		<2.0	<2.0	<2.0																	
BED1-DUP	224	12/13/2022		<2.0	<2.0	<2.0																	
PT	224	09/19/2022		51	<2.0	2.4																	
BED1	224	09/19/2022		<2.0	<2.0	<2.0																	
BED1	224	05/03/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	224	03/22/2022		<2.0	<2.0	<2.0																	
BED1	224	12/08/2021		<2.0	<2.0	<2.0																	
PT	224	08/31/2021		76	13	6.8																	
BED1	224	08/31/2021		<2.0	<2.0	<2.0																	
BED1	224	05/05/2021		<2.0	<2.0	<2.0																	
BED1	224	02/11/2021		<2.0	<2.0	<2.0																	
BED1	224	11/10/2020		<2.0	<2.0	<2.0																	
PT	224	09/09/2020		58	2.9	2.6																	
BED1	224	09/09/2020		<2.0	<2.0	<2.0																	
BED1	224	06/23/2020		<2.0	<2.0	<2.0																	
BED1	224	02/07/2020		<2.0	<2.0	<2.0																	
BED1	224	10/30/2019		<2.0	<2.0	<2.0																	
PT	224	08/27/2019		78	9.3	5.0																	
BED1	224	08/27/2019		<2.0	<2.0	<2.0																	
BED1	224	05/15/2019		<2.0	<2.0	<2.0																	
BED1-DUP	224	05/15/2019		<2.0	<2.0	<2.0																	
BED1	224	03/22/2019		<2.0	<2.0	<2.0																	
BED1	224	12/10/2018		<2.0	<2.0	<2.0																	
PT	224	08/28/2018		59	2.6	2.7																	
BED1	224	08/28/2018		<2.0	<2.0	<2.0																	
BED1	224	05/31/2018		<2.0	<2.0	<2.0																	
	224	11/07/2017	GAC installed 02/09/2018.	43	<2.0	<2.0	<20	<20	<2.0	<2.0	41	26	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	225	12/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	225	09/06/2024		41	3.0	<2.0	<2.0	<2.0	<2.0	<2.0	33	18	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	225	09/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	225	05/17/2024		<2.0	<2.0	<2.0																	
BED1	225	02/02/2024		<2.0	<2.0	<2.0																	
BED1	225	10/12/2023		<2.0	<2.0	<2.0																	
PT	225	08/07/2023		52	4.9	3.0																	
BED1	225	08/07/2023		<2.0	<2.0	<2.0																	
BED1	225	05/15/2023		<2.0	<2.0	<2.0																	
BED1	225	02/22/2023	Carbon Changeout 02/22/2023 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	225	10/06/2022		<2.0	<2.0	<2.0																	
PT	225	07/14/2022		35	3.2	<2.0																	
BED1	225	07/14/2022		<2.0	<2.0	<2.0																	
BED1	225	04/13/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	225	01/25/2022		<2.0	<2.0	<2.0																	
BED1	225	10/29/2021		<2.0	<2.0	<2.0																	
PT	225	08/18/2021		37	5.1	<2.0																	
BED1	225	08/18/2021		<2.0	<2.0	<2.0																	
BED1	225	06/01/2021		<2.0	<2.0	<2.0																	
BED1-DUP	225	06/01/2021		<2.0	<2.0	<2.0																	
BED1	225	02/09/2021		<2.0	<2.0	<2.0																	
BED1	225	11/03/2020		<2.0	<2.0	<2.0																	
PT	225	08/26/2020		42	3.4	<2.0																	
BED1	225	08/26/2020		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	225	06/17/2020		<2.0	<2.0	<2.0																	
BED1	225	02/11/2020		<2.0	<2.0	<2.0																	
BED1	225	11/01/2019		<2.0	<2.0	<2.0																	
PT	225	08/28/2019		34	3.7	<2.0																	
BED1	225	08/28/2019		<2.0	<2.0	<2.0																	
BED1	225	03/20/2019		<2.0	<2.0	<2.0																	
BED1	225	12/06/2018		<2.0	<2.0	<2.0																	
PT	225	09/10/2018		36	3.0	<2.0																<4.0	
BED1	225	09/10/2018		<2.0	<2.0	<2.0																	
BED1	225	04/13/2018		<2.0	<2.0	<2.0																	
	225	11/07/2017	GAC installed 01/26/2018.	28	3.6	<2.0	<20	<20	<2.0	2.7	27	13	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	226	10/22/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	226	07/18/2024		53	6.5	3.3	<2.0	<2.0	<2.0	2.1	35	21	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	226	07/18/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	226	07/18/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	226	05/07/2024		<2.0	<2.0	<2.0																	
BED1	226	02/19/2024		<2.0	<2.0	<2.0																	
BED1	226	11/13/2023		<2.0	<2.0	<2.0																	
PT	226	07/17/2023		46	5.2	2.7																	
BED1	226	07/17/2023		<2.0	<2.0	<2.0																	
BED1	226	04/19/2023	Carbon Changeout 04/19/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	226	03/13/2023		<2.0	<2.0	<2.0																	
BED1	226	12/15/2022		<2.0	<2.0	<2.0																	
BED1-DUP	226	12/15/2022		<2.0	<2.0	<2.0																	
PT	226	09/21/2022		50	5.5	2.6																	
BED1	226	09/21/2022		<2.0	<2.0	<2.0																	
BED1-DUP	226	09/21/2022		<2.0	<2.0	<2.0																	
BED1	226	06/09/2022		<2.0	<2.0	<2.0																	
BED1	226	02/24/2022		<2.0	<2.0	<2.0																	
BED1	226	11/23/2021		<2.0	<2.0	<2.0																	
BED1-DUP	226	11/23/2021		<2.0	<2.0	<2.0																	
PT	226	09/23/2021		42	4.8	2.3																	
BED1	226	09/23/2021		<2.0	<2.0	<2.0																	
BED1	226	06/21/2021		<2.0	<2.0	<2.0																	
BED1-DUP	226	06/21/2021		<2.0	<2.0	<2.0																	
BED1	226	03/08/2021		<2.0	<2.0	<2.0																	
BED1	226	11/19/2020		<2.0	<2.0	<2.0																	
PT	226	09/14/2020		45	5.7 J	2.3																	
BED1	226	09/14/2020		<2.0	<2.0	<2.0																	
BED1-DUP	226	09/14/2020		<2.0	<2.0	<2.0																	
BED1	226	06/23/2020		<2.0	<2.0	<2.0																	
BED1	226	02/27/2020		<2.0	<2.0	<2.0																	
BED1	226	11/25/2019		<2.0	<2.0	<2.0																	
PT	226	09/03/2019		42	16	2.4																	
BED1	226	09/03/2019		<2.0	<2.0	<2.0																	
BED1	226	06/04/2019		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1-DUP	226	06/04/2019		<2.0	<2.0	<2.0																	
BED1	226	01/30/2019		<2.0	<2.0	<2.0																	
BED1	226	10/30/2018		<2.0	<2.0	<2.0																	
PT	226	07/17/2018		40	5.5	<2.0																<4.0	
BED1	226	07/17/2018		<2.0	<2.0	<2.0																	
BED1	226	04/18/2018		<2.0	<2.0	<2.0																	
	226	11/13/2017	GAC installed 02/14/2018.	37	5.2	<2.0	<20	<20	<2.0	2.6	34	17	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	227	10/28/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	227	07/23/2024		130	3.4	6.1	<2.0	<2.0	<2.0	<2.0	59	44	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	227	07/23/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	227	04/23/2024		<2.0	<2.0	<2.0																	
BED1	227	02/05/2024		<2.0	<2.0	<2.0																	
BED1	227	11/06/2023		<2.0	<2.0	<2.0																	
PT	227	08/24/2023		130	2.2	3.1																	
BED1	227	08/24/2023		<2.0	<2.0	<2.0																	
BED1	227	06/07/2023		<2.0	<2.0	<2.0																	
BED1	227	03/14/2023	Carbon Changeout 03/14/2023 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	227	10/10/2022		<2.0	<2.0	<2.0																	
PT	227	07/26/2022		190	<2.0	2.9																	
BED1	227	07/26/2022		<2.0	<2.0	<2.0																	
BED1	227	04/19/2022		<2.0	<2.0	<2.0																	
BED1	227	01/27/2022		<2.0	<2.0	<2.0																	
BED1	227	11/02/2021		<2.0	<2.0	<2.0																	
PT	227	08/23/2021		180	5.6	4.6																	
BED1	227	08/23/2021		<2.0	<2.0	<2.0																	
BED1	227	06/16/2021		<2.0	<2.0	<2.0																	
BED1	227	02/10/2021		<2.0	<2.0	<2.0																	
BED1	227	10/27/2020		<2.0	<2.0	<2.0																	
PT	227	08/25/2020		140	<2.0	2.2																	
BED1	227	08/25/2020		<2.0	<2.0	<2.0																	
BED1	227	06/17/2020		<2.0	<2.0	<2.0																	
BED1	227	01/20/2020		<2.0	<2.0	<2.0																	
BED1	227	10/08/2019		<2.0	<2.0	<2.0																	
PT	227	07/15/2019		180	<2.0	<2.0																	
BED1	227	07/15/2019		<2.0	<2.0	<2.0																	
BED1	227	04/10/2019		<2.0	<2.0	<2.0																	
BED1	227	01/18/2019		<2.0	<2.0	<2.0																	
BED1	227	10/26/2018		<2.0	<2.0	<2.0																	
PT	227	07/12/2018		190	<2.0	<2.0																<4.0	
BED1	227	07/12/2018		<2.0	<2.0	<2.0																	
BED1	227	04/16/2018		<2.0	<2.0	<2.0																	
	227	11/13/2017	GAC installed 01/26/2018.	220	<2.0	<2.0	<20	<20	<2.0	<2.0	110	66	<2.0	<2.0	<2.0	<2.0	<2.0						
	228	05/20/2024		<2.0	<2.0	<2.0																	
	228	07/05/2022		<2.0	<2.0	<2.0																	
	228	05/07/2021		<2.0	<2.0	<2.0																	
	228	11/14/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
	229	11/14/2017		3.8	<2.0	<2.0	<20	<20	<2.0	<2.0	9.7	3.4	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	230	11/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	230	08/15/2024		25	<2.0	2.7	<2.0	<2.0	<2.0	<2.0	86	16	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			2.1	<2.0
BED1	230	08/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	230	06/21/2024		<2.0	<2.0	<2.0																	
BED1	230	03/14/2024		<2.0	<2.0	<2.0																	
BED1	230	11/16/2023		<2.0	<2.0	<2.0																	
PT	230	08/23/2023		29	<2.0	3.1																	
BED1	230	08/23/2023		<2.0	<2.0	<2.0																	
BED1	230	05/17/2023	Carbon Changeout 05/17/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	230	03/09/2023		<2.0	<2.0	<2.0																	
BED1	230	11/22/2022		<2.0	<2.0	<2.0																	
PT	230	09/14/2022		29	2.3	3.3																	
BED1	230	09/14/2022		<2.0	<2.0	<2.0																	
BED1	230	05/18/2022		<2.0	<2.0	<2.0																	
BED1	230	03/22/2022		<2.0	<2.0	<2.0																	
BED1	230	12/07/2021		<2.0	<2.0	<2.0																	
PT	230	08/25/2021		21	<2.0	3.0																	
BED1	230	08/25/2021		<2.0	<2.0	<2.0																	
BED1	230	06/14/2021		<2.0	<2.0	<2.0																	
BED1	230	03/11/2021		<2.0	<2.0	<2.0																	
BED1	230	12/03/2020		<2.0	<2.0	<2.0																	
PT	230	09/08/2020		20	<2.0	2.7																	
BED1	230	09/08/2020		<2.0	<2.0	<2.0																	
BED1	230	06/22/2020		<2.0	<2.0	<2.0																	
BED1	230	03/12/2020		<2.0	<2.0	<2.0																	
BED1	230	11/27/2019		<2.0	<2.0	<2.0																	
PT	230	07/30/2019		53	3.6	5.7																	
BED1	230	07/30/2019		<2.0	<2.0	<2.0																	
BED1	230	04/22/2019		<2.0	<2.0	<2.0																	
BED1	230	02/05/2019		<2.0	<2.0	<2.0																	
BED1	230	11/01/2018		<2.0	<2.0	<2.0																	
PT	230	07/11/2018		27	2.1	2.7																<4.0	
BED1	230	07/11/2018		<2.0	<2.0	<2.0																	
BED1	230	04/19/2018		<2.0	<2.0	<2.0																	
	230	11/14/2017	GAC installed 02/06/2018.	71 J	6.3 J	10 J	<20	<20	<2.0	2.2	240 J	47 J	<2.0	<2.0	<2.0	<2.0	<2.0						
	230	11/14/2017	Before treatment sample. GAC installed 02/06/2018.	52 J	3.1 J	5.6 J	<20	<20	<2.0	2.1	190 J	33 J	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	231	11/20/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	231	09/04/2024		110	4.2	8.9	<2.0	<2.0	2.9	2.0	52	47	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	231	09/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	231	05/15/2024		<2.0	<2.0	<2.0																	
BED1	231	02/21/2024		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	231	11/02/2023	Carbon Changeout 11/02/2023 - 5yr.	<2.0	<2.0	<2.0																	
PT	231	09/28/2023		99	2.9	7.4																	
BED1	231	09/28/2023		<2.0	<2.0	<2.0																	
BED1-DUP	231	09/28/2023		<2.0	<2.0	<2.0																	
BED1	231	06/12/2023		<2.0	<2.0	<2.0																	
BED1-DUP	231	06/12/2023		<2.0	<2.0	<2.0																	
BED1	231	03/06/2023		<2.0	<2.0	<2.0																	
BED1	231	12/05/2022		<2.0	<2.0	<2.0																	
PT	231	08/22/2022		71	3.7	6.4																	
BED1	231	08/22/2022		<2.0	<2.0	<2.0																	
BED1	231	05/02/2022		<2.0	<2.0	<2.0																	
BED1	231	03/23/2022		<2.0	<2.0	<2.0																	
BED1	231	12/07/2021		<2.0	<2.0	<2.0																	
PT	231	09/27/2021		130	4.9	10																	
BED1	231	09/27/2021		<2.0	<2.0	<2.0																	
BED1-DUP	231	09/27/2021		<2.0	<2.0	<2.0																	
BED1	231	06/29/2021		<2.0	<2.0	<2.0																	
BED1	231	03/11/2021		<2.0	<2.0	<2.0																	
BED1	231	11/24/2020		<2.0	<2.0	<2.0																	
PT	231	09/23/2020		160	4.3	6.5																	
BED1	231	09/23/2020		<2.0	<2.0	<2.0																	
BED1	231	06/25/2020		<2.0	<2.0	<2.0																	
BED1	231	12/05/2019		<2.0	<2.0	<2.0																	
PT	231	09/26/2019		97	2.6	6.3																	
BED1	231	09/26/2019		<2.0	<2.0	<2.0																	
BED1	231	06/25/2019		<2.0	<2.0	<2.0																	
PT	231	01/17/2019		89	3.7	6.2																<4.0	
BED1	231	01/17/2019		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	231	10/29/2018		<2.0	<2.0	<2.0																	
	231	11/14/2017	GAC installed 04/11/2018.	80	2.5	5.7	<20	<20	2.4	2.3	72	47	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	232	05/04/2021	Carbon Changeout 06/10/2021 - results driven. PWS connection 06/25/2021. GAC removed 06/25/2021. Well decommissioned 08/12/2021.	8.7	<2.0	<2.0																	
BED2	232	05/04/2021	Carbon Changeout 06/10/2021 - results driven. PWS connection 06/25/2021. GAC removed 06/25/2021. Well decommissioned 08/12/2021.	2.2	<2.0	<2.0																	
BED1	232	02/09/2021		4.8	<2.0	<2.0																	
BED2	232	02/09/2021		<2.0	<2.0	<2.0																	
BED1	232	11/03/2020		5.1	<2.0	<2.0																	
PT	232	09/02/2020		100	2.1	12																	
BED1	232	09/02/2020		3.8	<2.0	<2.0																	
BED1	232	06/22/2020		8.5	<2.0	<2.0																	
BED1	232	03/16/2020		5.1	<2.0	<2.0																	
BED1	232	11/25/2019		<2.0	<2.0	<2.0																	
PT	232	08/29/2019		130	2.3	16																	
BED1	232	08/29/2019		<2.0	<2.0	<2.0																	
BED1	232	05/01/2019		<2.0	<2.0	<2.0																	
BED1	232	02/21/2019		<2.0	<2.0	<2.0																	
BED1	232	10/30/2018		<2.0	<2.0	<2.0																	
PT	232	07/24/2018		150	2.5	10																<4.0	
BED1	232	07/24/2018		<2.0	<2.0	<2.0																	
BED1	232	05/03/2018		<2.0	<2.0	<2.0																	
	232	11/20/2017	GAC installed 02/23/2018.	63	2.4	4.7	<20	<20	<2.0	<2.0	44	30	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	233	11/21/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	233	08/29/2024		65	8.2	8.3	<2.0	<2.0	2.1	<2.0	48	30	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	233	08/29/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	233	05/09/2024		<2.0	<2.0	<2.0																	
BED1	233	02/12/2024		<2.0	<2.0	<2.0																	
BED1	233	11/14/2023		<2.0	<2.0	<2.0																	
PT	233	08/31/2023		64	7.8	6.8																	
BED1	233	08/31/2023		<2.0	<2.0	<2.0																	
BED1	233	05/04/2023	Carbon Changeout 05/04/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	233	01/18/2023		21	<2.0	<2.0																	
BED2	233	01/18/2023		<2.0	<2.0	<2.0																	
BED1	233	10/19/2022		9.8	<2.0	<2.0																	
BED2	233	10/19/2022		<2.0	<2.0	<2.0																	
PT	233	08/18/2022		75	9.1	8.8																	
BED1	233	08/18/2022		15	<2.0	<2.0																	
BED2	233	08/18/2022		<2.0	<2.0	<2.0																	
BED1	233	04/20/2022		8.4	<2.0	<2.0																	
BED2	233	04/20/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	233	01/31/2022		11	<2.0	<2.0																	
BED2	233	01/31/2022		<2.0	<2.0	<2.0																	
BED1	233	11/02/2021		7.5	<2.0	<2.0																	
BED2	233	11/02/2021		<2.0	<2.0	<2.0																	
PT	233	08/16/2021		59	9.1	7.0																	
BED1	233	08/16/2021		3.9	<2.0	<2.0																	
BED2	233	08/16/2021		<2.0	<2.0	<2.0																	
BED1	233	05/17/2021		4.6	<2.0	<2.0																	
BED2	233	05/17/2021		<2.0	<2.0	<2.0																	
BED1	233	02/24/2021		4.0	<2.0	<2.0																	
BED2	233	02/24/2021		<2.0	<2.0	<2.0																	
BED1	233	10/06/2020		2.7	<2.0	<2.0																	
PT	233	07/28/2020		69	12	8.7																	
BED1	233	07/28/2020		<2.0	<2.0	<2.0																	
BED1	233	06/03/2020		<2.0	<2.0	<2.0																	
BED1	233	01/23/2020		<2.0	<2.0	<2.0																	
BED1-DUP	233	01/23/2020		<2.0	<2.0	<2.0																	
BED1	233	10/08/2019		<2.0	<2.0	<2.0																	
PT	233	07/10/2019		72	6.9	5.6																	
BED1	233	07/10/2019		<2.0	<2.0	<2.0																	
BED1	233	04/03/2019		<2.0	<2.0	<2.0																	
BED1	233	01/14/2019		<2.0	<2.0	<2.0																	
BED1	233	11/13/2018		<2.0	<2.0	<2.0																	
PT	233	09/10/2018		67	5.7	5.0																<4.0	
BED1	233	09/10/2018		<2.0	<2.0	<2.0																	
BED1	233	04/23/2018		<2.0	<2.0	<2.0																	
	233	11/21/2017	GAC installed 03/27/2018.	69	7.3	5.4	<20	<20	<2.0	2.6	54	35	<2.0	<2.0	<2.0	<2.0	<2.0						
	234	05/23/2022		<2.0	<2.0	<2.0																	
DUP	234	05/23/2022		<2.0	<2.0	<2.0																	
	234	04/26/2021		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
	234	08/20/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	234	11/27/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	235	12/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	235	09/06/2024		52	<2.0	12	<2.0	<2.0	7.7	<2.0	51	22	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	235	09/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	235	06/14/2024		<2.0	<2.0	<2.0																	
BED1	235	03/08/2024		<2.0	<2.0	<2.0																	
BED1	235	12/04/2023		<2.0	<2.0	<2.0																	
PT	235	09/14/2023		44	2.1	10																	
BED1	235	09/14/2023		<2.0	<2.0	<2.0																	
BED1-DUP	235	09/14/2023		<2.0	<2.0	<2.0																	
BED1	235	06/13/2023	Carbon Changeout 06/13/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	235	02/09/2023		<2.0	<2.0	<2.0																	
BED1	235	10/17/2022		<2.0	<2.0	<2.0																	
PT	235	08/04/2022		63	<2.0	13																	
BED1	235	08/04/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	235	04/25/2022		<2.0	<2.0	<2.0																	
BED1	235	01/26/2022		<2.0	<2.0	<2.0																	
BED1	235	11/01/2021		<2.0	<2.0	<2.0																	
PT	235	08/23/2021		80	2.5	17																	
BED1	235	08/23/2021		<2.0	<2.0	<2.0																	
BED1	235	06/01/2021		<2.0	<2.0	<2.0																	
BED1	235	03/10/2021		<2.0	<2.0	<2.0																	
BED1-DUP	235	03/10/2021		<2.0	<2.0	<2.0																	
BED1	235	10/19/2020		<2.0	<2.0	<2.0																	
BED1-DUP	235	10/19/2020		<2.0	<2.0	<2.0																	
PT	235	08/11/2020		20	2.3	7.3																	
BED1	235	08/11/2020		<2.0	<2.0	<2.0																	
BED1	235	06/08/2020		<2.0	<2.0	<2.0																	
BED1	235	01/16/2020		<2.0	<2.0	<2.0																	
BED1	235	10/02/2019		<2.0	<2.0	<2.0																	
PT	235	07/09/2019		110	<2.0	10																	
BED1	235	07/09/2019		<2.0	<2.0	<2.0																	
BED1	235	04/08/2019		<2.0	<2.0	<2.0																	
BED1-DUP	235	04/08/2019		<2.0	<2.0	<2.0																	
BED1	235	01/14/2019		<2.0	<2.0	<2.0																	
BED1	235	10/26/2018		<2.0	<2.0	<2.0																	
PT	235	07/16/2018		130	<2.0	11																<4.0	
BED1	235	07/16/2018		<2.0	<2.0	<2.0																	
BED1	235	04/18/2018		<2.0	<2.0	<2.0																	
	235	11/27/2017	GAC installed 02/09/2018.	89	<2.0	11	<20	<20	5.7	<2.0	61	28	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	236	11/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	236	11/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	236	08/28/2024		65	10	7.7	<2.0	<2.0	2.2	2.4	48	29	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	236	08/28/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	236	08/28/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	236	05/29/2024		<2.0	<2.0	<2.0																	
BED1-DUP	236	05/29/2024		<2.0	<2.0	<2.0																	
BED1	236	03/11/2024		<2.0	<2.0	<2.0																	
BED1	236	11/07/2023	Carbon Changeout 11/07/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1-DUP	236	11/07/2023	Carbon Changeout 11/07/2023 - 5yr.	<2.0	<2.0	<2.0																	
PT	236	08/21/2023		70	11	8.1																	
BED1	236	08/21/2023		<2.0	<2.0	<2.0																	
BED1-DUP	236	08/21/2023		<2.0	<2.0	<2.0																	
BED1	236	05/25/2023		<2.0	<2.0	<2.0																	
BED1	236	02/06/2023		<2.0	<2.0	<2.0																	
BED1	236	11/30/2022		<2.0	<2.0	<2.0																	
PT	236	09/19/2022		62	9.3	5.8																	
BED1	236	09/19/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	236	06/01/2022		<2.0	<2.0	<2.0																	
BED1-DUP	236	06/01/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	236	02/16/2022		<2.0	<2.0	<2.0																	
BED1	236	11/29/2021		<2.0	<2.0	<2.0																	
PT	236	08/27/2021		63	12	6.6																	
BED1	236	08/27/2021		<2.0	<2.0	<2.0																	
BED1	236	06/11/2021		<2.0	<2.0	<2.0																	
BED1	236	03/05/2021		<2.0	<2.0	<2.0																	
BED1	236	11/24/2020		<2.0	<2.0	<2.0																	
PT	236	09/21/2020		54	11	5.1																	
BED1	236	09/21/2020		<2.0	<2.0	<2.0																	
BED1	236	06/26/2020		<2.0	<2.0	<2.0																	
BED1	236	03/06/2020		<2.0	<2.0	<2.0																	
BED1	236	11/07/2019		<2.0	<2.0	<2.0																	
BED1-DUP	236	11/07/2019		<2.0	<2.0	<2.0																	
PT	236	08/28/2019		58	11	5																	
BED1	236	08/28/2019		<2.0	<2.0	<2.0																	
BED1	236	05/16/2019		<2.0	<2.0	<2.0																	
BED1	236	02/13/2019		<2.0	<2.0	<2.0																	
BED1-DUP	236	02/13/2019		<2.0	<2.0	<2.0																	
BED1	236	11/09/2018		<2.0	<2.0	<2.0																	
BED1-DUP	236	11/09/2018		<2.0	<2.0	<2.0																	
PT	236	08/09/2018		60	12	5.5																<4.0	
BED1	236	08/09/2018		<2.0	<2.0	<2.0																	
BED1-DUP	236	08/09/2018		<2.0	<2.0	<2.0																	
	236	11/27/2017	GAC installed 05/04/2018.	51	9.9	3.9	<20	<20	<2.0	3.5	42	22	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	237	11/08/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	237	08/07/2024		47	4.0	3.2	<2.0	<2.0	<2.0	<2.0	33	20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	237	08/07/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	237	05/30/2024		<2.0	<2.0	<2.0																	
BED1	237	03/01/2024		<2.0	<2.0	<2.0																	
BED1	237	12/21/2023		<2.0	<2.0	<2.0																	
PT	237	09/19/2023		56	4.7	3.2																	
BED1	237	09/19/2023		<2.0	<2.0	<2.0																	
BED1	237	06/15/2023	Carbon Changeout 06/15/2023 - 5yr.	<2.0	<2.0	<2.0																	
PT	237	09/20/2022		52	4.7	2.9																	
BED1	237	09/20/2022		<2.0	<2.0	<2.0																	
BED1-DUP	237	09/20/2022		<2.0	<2.0	<2.0																	
BED1	237	06/20/2022		<2.0	<2.0	<2.0																	
BED1	237	03/16/2022		<2.0	<2.0	<2.0																	
BED1	237	12/15/2021		<2.0	<2.0	<2.0																	
BED1-DUP	237	12/15/2021		<2.0	<2.0	<2.0																	
PT	237	09/07/2021		56	4.8	3.1																	
BED1	237	09/07/2021		<2.0	<2.0	<2.0																	
BED1	237	06/10/2021		<2.0	<2.0	<2.0																	
BED1	237	03/15/2021		<2.0	<2.0	<2.0																	
BED1	237	10/27/2020		<2.0	<2.0	<2.0																	
PT	237	07/28/2020		46	4.9	2.4																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	237	07/28/2020		<2.0	<2.0	<2.0																	
BED1	237	03/06/2020		<2.0	<2.0	<2.0																	
BED1	237	11/22/2019		<2.0	<2.0	<2.0																	
PT	237	09/25/2019		37	3.9	<2.0																	
BED1	237	09/25/2019		<2.0	<2.0	<2.0																	
BED1	237	06/28/2019		<2.0	<2.0	<2.0																	
BED1	237	03/28/2019		<2.0	<2.0	<2.0																	
BED1	237	11/27/2018		<2.0	<2.0	<2.0																	
PT	237	07/18/2018		44	4.7	<2.0																<4.0	
BED1	237	07/18/2018		<2.0	<2.0	<2.0																	
BED1	237	04/19/2018		2.2 B	<2.0	<2.0																	
	237	11/27/2017	GAC installed 02/20/2018.	39	4.6	<2.0	<20	<20	<2.0	2.8	35	19	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	238	10/30/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	238	07/31/2024		44	7.0	3.1	<2.0	<2.0	<2.0	2.5	34	22	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	238	07/31/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	238	03/06/2024		<2.0	<2.0	<2.0																	
BED1	238	12/06/2023		<2.0	<2.0	<2.0																	
BED1-DUP	238	12/06/2023		<2.0	<2.0	<2.0																	
PT	238	08/15/2023	Carbon Changeout 08/15/2023 - 5yr.	42	7.1	2.8																	
BED1	238	08/15/2023	Carbon Changeout 08/15/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	238	04/24/2023		<2.0	<2.0	<2.0																	
BED1-DUP	238	04/24/2023		<2.0	<2.0	<2.0																	
BED1	238	02/06/2023		<2.0	<2.0	<2.0																	
BED1	238	11/07/2022		<2.0	<2.0	<2.0																	
BED1-DUP	238	11/07/2022		<2.0	<2.0	<2.0																	
PT	238	07/18/2022		41	5.7	2.5																	
BED1	238	07/18/2022		<2.0	<2.0	<2.0																	
BED1-DUP	238	07/18/2022		<2.0	<2.0	<2.0																	
BED1	238	04/18/2022		<2.0	<2.0	<2.0																	
BED1	238	01/24/2022		<2.0	<2.0	<2.0																	
BED1	238	10/28/2021		<2.0	<2.0	<2.0																	
BED1-DUP	238	10/28/2021		<2.0	<2.0	<2.0																	
PT	238	08/18/2021		46	8.1	2.7																	
BED1	238	08/18/2021		<2.0	<2.0	<2.0																	
BED1	238	06/09/2021		<2.0	<2.0	<2.0																	
BED1	238	03/17/2021		<2.0	<2.0	<2.0																	
BED1	238	10/19/2020		<2.0	<2.0	<2.0																	
PT	238	08/10/2020		36	6.8	<2.0																	
BED1	238	08/10/2020		<2.0	<2.0	<2.0																	
BED1	238	06/08/2020		<2.0	<2.0	<2.0																	
BED1	238	02/20/2020		<2.0	<2.0	<2.0																	
BED1	238	11/13/2019		<2.0	<2.0	<2.0																	
PT	238	08/29/2019		33	7.9	<2.0																	
BED1	238	08/29/2019		<2.0	<2.0	<2.0																	
BED1	238	05/16/2019		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	238	02/22/2019		<2.0	<2.0	<2.0																	
BED1	238	11/27/2018		<2.0	<2.0	<2.0																	
PT	238	09/19/2018		32	5.2	2.1																<4.0	
BED1	238	09/19/2018		<2.0	<2.0	<2.0																	
	238	11/28/2017	GAC installed 04/24/2018.	29	5.1	<2.0	<20	<20	<2.0	2.9	30	13	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	239	11/21/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	239	09/10/2024		57	3.8	16	<2.0	<2.0	7.7	<2.0	37	22	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	239	09/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	239	06/18/2024		<2.0	<2.0	<2.0																	
BED1-DUP	239	06/18/2024		<2.0	<2.0	<2.0																	
BED1	239	03/12/2024		<2.0	<2.0	<2.0																	
BED1	239	12/11/2023		<2.0	<2.0	<2.0																	
BED1-DUP	239	12/11/2023		<2.0	<2.0	<2.0																	
PT	239	09/25/2023	Carbon Changeout 09/25/2023 - 5yr.	55	3.5	15																	
BED1	239	09/25/2023	Carbon Changeout 09/25/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	239	05/08/2023		<2.0	<2.0	<2.0																	
BED1-DUP	239	05/08/2023		<2.0	<2.0	<2.0																	
BED1	239	01/18/2023		<2.0	<2.0	<2.0																	
BED1-DUP	239	01/18/2023		<2.0	<2.0	<2.0																	
BED1	239	10/17/2022		<2.0	<2.0	<2.0																	
BED1-DUP	239	10/17/2022		<2.0	<2.0	<2.0																	
PT	239	08/04/2022		59	3.6	14																	
BED1	239	08/04/2022		<2.0	<2.0	<2.0																	
BED1-DUP	239	08/04/2022		<2.0	<2.0	<2.0																	
BED1	239	04/28/2022		<2.0	<2.0	<2.0																	
BED1	239	03/17/2022		<2.0	<2.0	<2.0																	
BED1	239	12/09/2021		<2.0	<2.0	<2.0																	
BED1-DUP	239	12/09/2021		<2.0	<2.0	<2.0																	
PT	239	09/08/2021		61	3.6	19																	
BED1	239	09/08/2021		<2.0	<2.0	<2.0																	
BED1-DUP	239	09/08/2021		<2.0	<2.0	<2.0																	
BED1	239	05/13/2021		<2.0	<2.0	<2.0																	
BED1	239	02/12/2021		<2.0	<2.0	<2.0																	
BED1-DUP	239	02/12/2021		<2.0	<2.0	<2.0																	
BED1	239	11/17/2020		<2.0	<2.0	<2.0																	
PT	239	09/16/2020		67	3.3	15																	
BED1	239	09/16/2020		<2.0	<2.0	<2.0																	
BED1	239	06/23/2020		<2.0	<2.0	<2.0																	
BED1	239	02/28/2020		<2.0	<2.0	<2.0																	
BED1	239	11/21/2019		<2.0	<2.0	<2.0																	
PT	239	09/06/2019		66	2.7	14																	
BED1	239	09/06/2019		<2.0	<2.0	<2.0																	
BED1	239	04/05/2019		<2.0	<2.0	<2.0																	
BED1	239	01/15/2019		<2.0	<2.0	<2.0																	
BED1	239	10/26/2018		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	239	07/13/2018		76	3.0	13																<4.0	
BED1	239	07/13/2018		<2.0	<2.0	<2.0																	
	239	11/28/2017	GAC installed 04/12/2018.	78	3.3	13	<20	<20	2.3	<2.0	53	24	<2.0	<2.0	<2.0	<2.0	<2.0						
	240	08/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	240	07/05/2022		<2.0	<2.0	<2.0																	
DUP	240	07/05/2022		<2.0	<2.0	<2.0																	
	240	04/19/2021		<2.0	<2.0	<2.0																	
	240	11/30/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	241	03/13/2023		<2.0	<2.0	<2.0																	
	241	03/14/2022		<2.0	<2.0	<2.0																	
DUP	241	03/14/2022		<2.0	<2.0	<2.0																	
	241	10/04/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<4.0	<2.0
	241	11/30/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	242	11/08/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	242	11/08/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	242	08/23/2024		28	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	15	11	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	242	08/23/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	242	08/23/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	242	06/07/2024		<2.0	<2.0	<2.0																	
BED1-DUP	242	06/07/2024		<2.0	<2.0	<2.0																	
BED1	242	02/16/2024		<2.0	<2.0	<2.0																	
BED1-DUP	242	02/16/2024		<2.0	<2.0	<2.0																	
BED1	242	10/09/2023		<2.0	<2.0	<2.0																	
PT	242	07/24/2023		19	<2.0	<2.0																	
BED1	242	07/24/2023		<2.0	<2.0	<2.0																	
BED1	242	04/19/2023		<2.0	<2.0	<2.0																	
BED1	242	01/30/2023		<2.0	<2.0	<2.0																	
BED1-DUP	242	01/30/2023		<2.0	<2.0	<2.0																	
BED1	242	10/28/2022		<2.0	<2.0	<2.0																	
BED1-DUP	242	10/28/2022		<2.0	<2.0	<2.0																	
PT	242	08/22/2022		26	<2.0	<2.0																	
BED1	242	08/22/2022		<2.0	<2.0	<2.0																	
BED1	242	04/18/2022		<2.0	<2.0	<2.0																	
BED1-DUP	242	04/18/2022		<2.0	<2.0	<2.0																	
BED1	242	01/25/2022		<2.0	<2.0	<2.0																	
BED1	242	11/01/2021		<2.0	<2.0	<2.0																	
BED1-DUP	242	11/01/2021		<2.0	<2.0	<2.0																	
BED1	242	04/09/2021		<2.0	<2.0	<2.0																	
BED1	242	01/14/2021		<2.0	<2.0	<2.0																	
BED1-DUP	242	01/14/2021		<2.0	<2.0	<2.0																	
PT	242	09/16/2020		74	<2.0	2.9																	
BED1	242	09/16/2020		<2.0	<2.0	<2.0																	
BED1	242	06/10/2020		<2.0	<2.0	<2.0																	
BED1	242	01/17/2020		<2.0	<2.0	<2.0																	
	242	08/26/2019	GAC installed 11/15/2019.	62	<2.0	2.1	<20	<20	<2.0	<2.0	59	29	<2.0	<2.0	<2.0	<2.0	<2.0						
	242	04/23/2018		9.8	<2.0	<2.0	<20	<20	<2.0	<2.0	13	5.8	<2.0	<2.0	<2.0	<2.0	<2.0						
	242	11/30/2017		11	<2.0	<2.0	<20	<20	<2.0	<2.0	16	7.3	<2.0	<2.0	<2.0	<2.0	<2.0						

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTTeDA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	243	05/16/2023	Carbon Changeout 05/16/2023 - 5yr. Replacement well installed (Regulatory Location ID #705). Qualified for treatment so GAC System transferred to replacement well. Well decommissioned according to NJ Data Miner.	<2.0	<2.0	<2.0																	
BED1	243	01/11/2023		<2.0	<2.0	<2.0																	
BED1	243	10/10/2022		<2.0	<2.0	<2.0																	
PT	243	07/26/2022		56	10	13																	
BED1	243	07/26/2022		<2.0	<2.0	<2.0																	
BED1	243	04/20/2022		<2.0	<2.0	<2.0																	
BED1-DUP	243	04/20/2022		<2.0	<2.0	<2.0																	
BED1	243	01/24/2022		<2.0	<2.0	<2.0																	
BED1	243	10/22/2021		<2.0	<2.0	<2.0																	
PT	243	08/16/2021		65	18	16																	
BED1	243	08/16/2021		<2.0	<2.0	<2.0																	
BED1-DUP	243	08/16/2021		<2.0	<2.0	<2.0																	
BED1	243	05/05/2021		<2.0	<2.0	<2.0																	
BED1	243	02/10/2021		<2.0	<2.0	<2.0																	
BED1	243	11/03/2020		<2.0	<2.0	<2.0																	
PT	243	09/02/2020		58	9.6	10																	
BED1	243	09/02/2020		<2.0	<2.0	<2.0																	
BED1	243	06/19/2020		<2.0	<2.0	<2.0																	
BED1	243	02/07/2020		<2.0	<2.0	<2.0																	
BED1	243	10/31/2019		<2.0	<2.0	<2.0																	
PT	243	08/29/2019		57	11	11																	
BED1	243	08/29/2019		<2.0	<2.0	<2.0																	
BED1-DUP	243	08/29/2019		<2.0	<2.0	<2.0																	
BED1	243	05/23/2019		<2.0	<2.0	<2.0																	
BED1-DUP	243	05/23/2019		<2.0	<2.0	<2.0																	
BED1	243	02/21/2019		<2.0	<2.0	<2.0																	
BED1	243	11/05/2018		<2.0	<2.0	<2.0																	
PT	243	07/26/2018		65	14	12																<4.0	
BED1	243	07/26/2018		<2.0	<2.0	<2.0																	
BED1	243	04/25/2018		<2.0	<2.0	<2.0																	
	243	11/30/2017	GAC installed 03/27/2018.	61	11	11	<20	<20	<2.0	2.8	43	28	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	244	12/03/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	244	09/04/2024		72	9.7	10	<2.0	<2.0	4.0	3.0	48	30	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	244	09/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	244	05/29/2024		<2.0	<2.0	<2.0																	
BED1	244	03/05/2024	Carbon Changeout 03/05/2024 - 5yr.	<2.0	<2.0	<2.0																	
BED1-DUP	244	03/05/2024	Carbon Changeout 03/05/2024 - 5yr.	<2.0	<2.0	<2.0																	
BED1	244	05/30/2023		<2.0	<2.0	<2.0																	
BED1	244	03/07/2023		<2.0	<2.0	<2.0																	
BED1	244	12/28/2022		<2.0	<2.0	<2.0																	
BED1-DUP	244	12/28/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	244	06/14/2022		<2.0	<2.0	<2.0																	
BED1-DUP	244	06/14/2022		<2.0	<2.0	<2.0																	
BED1	244	03/08/2022		<2.0	<2.0	<2.0																	
BED1	244	11/30/2021		<2.0	<2.0	<2.0																	
BED1-DUP	244	11/30/2021		<2.0	<2.0	<2.0																	
BED1	244	06/09/2021		<2.0	<2.0	<2.0																	
BED1	244	03/23/2021		<2.0	<2.0	<2.0																	
BED1	244	03/17/2020		<2.0	<2.0	<2.0																	
PT	244	09/03/2019		64	9	6.5																	
BED1	244	09/03/2019		<2.0	<2.0	<2.0																	
BED1	244	06/04/2019		<2.0	<2.0	<2.0																	
BED1	244	01/30/2019		<2.0	<2.0	<2.0																	
BED1	244	11/07/2018		<2.0	<2.0	<2.0																	
PT	244	08/07/2018		63	7.0	6.6																<4.0	
BED1	244	08/07/2018		<2.0	<2.0	<2.0																	
	244	11/30/2017	GAC installed 05/02/2018.	33	<2.0	2.6	<20	<20	2	2.1	56	20	<2.0	<2.0	<2.0	<2.0	<2.0						
	245	08/19/2024		53	<2.0	8.2	<2.0	<2.0	7.2	<2.0	28	18	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	245	07/28/2022		8.0	<2.0	<2.0																	
DUP	245	07/28/2022		8.2	<2.0	<2.0																	
	245	08/02/2021	Well resampled and not qualified. Well included in QREP.	4.2	<2.0	<2.0																	
	245	04/14/2021	Well resampled and not qualified. Permanent bottled water stopped.	<2.0 UJ	<2.0	<2.0 UJ																	
DUP	245	04/14/2021	Well resampled and not qualified. Permanent bottled water stopped.	<2.0	<2.0	<2.0																	
PT	245	09/03/2019	GAC removed 11/19/2019 at owner's request. Permanent bottled water.	34	<2.0	4.9																	
BED1	245	09/03/2019	GAC removed 11/19/2019 at owner's request. Permanent bottled water.	<2.0	<2.0	<2.0																	
BED1	245	06/07/2019		<2.0	<2.0	<2.0																	
BED1	245	02/26/2019		<2.0	<2.0	<2.0																	
BED1	245	11/09/2018		<2.0	<2.0	<2.0																	
PT	245	08/10/2018		27	<2.0	2.6																<4.0	
BED1	245	08/10/2018		<2.0	<2.0	<2.0																	
BED1	245	05/04/2018		<2.0	<2.0	<2.0																	
	245	11/30/2017	GAC installed 03/30/2018.	32	<2.0	3.6	<20	<20	<2.0	<2.0	39	16	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	246	11/21/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	246	11/21/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	246	09/06/2024		52	3.5	15	<2.0	<2.0	12	<2.0	41	19	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	246	09/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	246	09/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	246	06/12/2024		<2.0	<2.0	<2.0																	
BED1-DUP	246	06/12/2024		<2.0	<2.0	<2.0																	
BED1	246	01/17/2024		<2.0	<2.0	<2.0																	
BED1-DUP	246	01/17/2024		<2.0	<2.0	<2.0																	
BED1	246	10/25/2023	Carbon Changeout 10/25/2023 - 5yr.	<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	246	08/03/2023		54	2.9	13																	
BED1	246	08/03/2023		<2.0	<2.0	<2.0																	
BED1-DUP	246	08/03/2023		<2.0	<2.0	<2.0																	
BED1	246	05/08/2023		<2.0	<2.0	<2.0																	
BED1	246	02/14/2023		<2.0	<2.0	<2.0																	
BED1	246	11/17/2022		<2.0	<2.0	<2.0																	
BED1-DUP	246	11/17/2022		<2.0	<2.0	<2.0																	
PT	246	09/08/2022		66	3.7	15																	
BED1	246	09/08/2022		<2.0	<2.0	<2.0																	
BED1-DUP	246	09/08/2022		<2.0	<2.0	<2.0																	
BED1	246	05/25/2022		<2.0	<2.0	<2.0																	
BED1-DUP	246	05/25/2022		<2.0	<2.0	<2.0																	
BED1	246	02/24/2022		<2.0	<2.0	<2.0																	
BED1	246	11/15/2021		<2.0	<2.0	<2.0																	
BED1-DUP	246	11/15/2021		<2.0	<2.0	<2.0																	
PT	246	08/27/2021		67	3.7	15																	
BED1	246	08/27/2021		<2.0	<2.0	<2.0																	
BED1-DUP	246	08/27/2021		<2.0	<2.0	<2.0																	
BED1	246	06/16/2021		<2.0	<2.0	<2.0																	
BED1-DUP	246	06/16/2021		<2.0	<2.0	<2.0																	
BED1	246	02/16/2021		<2.0	<2.0	<2.0																	
BED1	246	12/02/2020		<2.0	<2.0	<2.0																	
BED1-DUP	246	12/02/2020		<2.0	<2.0	<2.0																	
PT	246	08/26/2020		65	3.4	15																	
BED1	246	08/26/2020		<2.0	<2.0	<2.0																	
BED1-DUP	246	08/26/2020		<2.0	<2.0	<2.0																	
BED1	246	06/09/2020		<2.0	<2.0	<2.0																	
BED1	246	01/30/2020		<2.0	<2.0	<2.0																	
BED1-DUP	246	01/30/2020		<2.0	<2.0	<2.0																	
BED1	246	10/22/2019		<2.0	<2.0	<2.0																	
PT	246	08/02/2019		79	3.5	15																	
BED1	246	08/02/2019		<2.0	<2.0	<2.0																	
BED1	246	04/25/2019		<2.0	2.2	<2.0																	
BED1	246	02/18/2019		<2.0	3.4	<2.0																	
BED1	246	11/27/2018		<2.0	<2.0	<2.0																	
PT	246	08/01/2018		76	2.7	13																<4.0	
BED1	246	08/01/2018		<2.0	<2.0	<2.0																<4.0	
	246	11/30/2017	GAC installed 05/24/2018.	77	3.1	12	<20	<20	3.1	<2.0	55	27	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	247	11/21/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	247	09/06/2024		49	4.3	3.1	<2.0	<2.0	<2.0	<2.0	35	19	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	247	09/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	247	05/24/2024		<2.0	<2.0	<2.0																	
BED1	247	03/01/2024		<2.0	<2.0	<2.0																	
BED1-DUP	247	03/01/2024		<2.0	<2.0	<2.0																	
BED1	247	11/02/2023		<2.0	<2.0	<2.0																	
PT	247	07/14/2023		44	3.5	2.6																	
BED1	247	07/14/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	247	04/18/2023	Carbon Changeout 04/18/2023 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	247	02/09/2023		<2.0	<2.0	<2.0																	
BED1	247	10/26/2022		<2.0	<2.0	<2.0																	
BED1-DUP	247	10/26/2022		<2.0	<2.0	<2.0																	
PT	247	08/23/2022		48	3.7	2.8																	
BED1	247	08/23/2022		<2.0	<2.0	<2.0																	
BED1-DUP	247	08/23/2022		<2.0	<2.0	<2.0																	
BED1	247	05/23/2022		<2.0	<2.0	<2.0																	
BED1-DUP	247	05/23/2022		<2.0	<2.0	<2.0																	
BED1	247	02/10/2022		<2.0	<2.0	<2.0																	
BED1	247	10/25/2021		<2.0	<2.0	<2.0																	
BED1-DUP	247	10/25/2021		<2.0	<2.0	<2.0																	
PT	247	08/17/2021		54	4.7	3.0																	
BED1	247	08/17/2021		<2.0	<2.0	<2.0																	
BED1-DUP	247	08/17/2021		<2.0	<2.0	<2.0																	
BED1	247	05/25/2021		<2.0	<2.0	<2.0																	
BED1	247	02/15/2021		<2.0	<2.0	<2.0																	
BED1	247	12/01/2020		<2.0	<2.0	<2.0																	
PT	247	08/25/2020		37	3.6	<2.0																	
BED1	247	08/25/2020		<2.0	<2.0	<2.0																	
BED1	247	06/16/2020		<2.0	<2.0	<2.0																	
BED1	247	02/20/2020		<2.0	<2.0	<2.0																	
BED1	247	11/13/2019		<2.0	<2.0	<2.0																	
PT	247	09/12/2019		59	11	6.2																	
BED1	247	09/12/2019		<2.0	<2.0	<2.0																	
BED1	247	04/12/2019		<2.0	<2.0	<2.0																	
BED1	247	01/23/2019		<2.0	<2.0	<2.0																	
BED1	247	11/02/2018		<2.0	<2.0	<2.0																	
PT	247	07/19/2018		36	3.6	<2.0																<4.0	
BED1	247	07/19/2018		<2.0	<2.0	<2.0																	
BED1	247	04/16/2018		<2.0	<2.0	<2.0																	
	247	11/30/2017	GAC installed 02/20/2018.	34	3.4	<2.0	<20	<20	<2.0	<2.0	33	17	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	248	10/22/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	248	08/07/2024		50	4.0	14	<2.0	<2.0	6.3	<2.0	38	21	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	248	08/07/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	248	08/07/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	248	05/23/2024		<2.0	<2.0	<2.0																	
BED1	248	03/08/2024		<2.0	<2.0	<2.0																	
BED1	248	11/02/2023		<2.0	<2.0	<2.0																	
PT	248	08/09/2023		54	4.2	18																	
BED1	248	08/09/2023		<2.0	<2.0	<2.0																	
BED1-DUP	248	08/09/2023		<2.0	<2.0	<2.0																	
BED1	248	06/27/2023	Carbon Changeout 06/27/2023 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	248	03/09/2023		<2.0	<2.0	<2.0																	
BED1-DUP	248	03/09/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	248	12/07/2022		<2.0	<2.0	<2.0																	
BED1-DUP	248	12/07/2022		<2.0	<2.0	<2.0																	
PT	248	09/19/2022		57	3.7	15																	
BED1	248	09/19/2022		<2.0	<2.0	<2.0																	
BED1	248	05/25/2022		<2.0	<2.0	<2.0																	
BED1	248	03/01/2022		<2.0	<2.0	<2.0																	
BED1	248	11/18/2021		<2.0	<2.0	<2.0																	
PT	248	08/19/2021		60	4.3	17																	
BED1	248	08/19/2021		<2.0	<2.0	<2.0																	
BED1-DUP	248	08/19/2021		<2.0	<2.0	<2.0																	
BED1	248	04/20/2021		<2.0	<2.0	<2.0																	
BED1	248	01/21/2021		<2.0	<2.0	<2.0																	
PT	248	09/14/2020		44	2.6 J	12																	
BED1	248	09/14/2020		<2.0	<2.0	<2.0																	
BED1	248	06/24/2020		<2.0	<2.0	<2.0																	
BED1	248	02/27/2020		<2.0	<2.0	<2.0																	
BED1	248	11/25/2019		<2.0	<2.0	<2.0																	
PT	248	09/25/2019		67	3.5	16																	
BED1	248	09/25/2019		<2.0	<2.0	<2.0																	
BED1-DUP	248	09/25/2019		<2.0	<2.0	<2.0																	
BED1	248	05/20/2019		<2.0	<2.0	<2.0																	
BED1	248	03/07/2019		<2.0	<2.0	<2.0																	
BED1	248	11/28/2018		<2.0	<2.0	<2.0																	
PT	248	08/07/2018		79	3.9	16																<4.0	
BED1	248	08/07/2018		<2.0	<2.0	<2.0																	
BED1	248	05/03/2018		<2.0	<2.0	<2.0																	
	248	11/30/2017	GAC installed 02/16/2018.	72	4.3	17	<20	<20	3.8	<2.0	52	24	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	248	11/30/2017	GAC installed 02/16/2018.	76	4.6	17	<20	<20	3.3	<2.0	50	25	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	249	12/20/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	249	12/20/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	249	09/06/2024		56	9.6	7.0	<2.0	<2.0	2.5	2.5	43	27	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	249	09/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	249	05/23/2024		<2.0	<2.0	<2.0																	
BED1	249	02/08/2024	Carbon Changeout 02/08/2024 - 5yr.	62	9.7	7.9																	
BED1-DUP	249	02/08/2024	Carbon Changeout 02/08/2024 - 5yr.	62	9.8	7.9																	
BED2	249	02/08/2024	Carbon Changeout 02/08/2024 - 5yr.	<2.0	<2.0	<2.0																	
BED1	249	11/30/2023		<2.0	<2.0	<2.0																	
BED1-DUP	249	11/30/2023		<2.0	<2.0	<2.0																	
PT	249	09/06/2023		66	11	8.1																	
BED1	249	09/06/2023		<2.0	<2.0	<2.0																	
BED1-DUP	249	09/06/2023		<2.0	<2.0	<2.0																	
BED1	249	06/26/2023		<2.0	<2.0	<2.0																	
BED1-DUP	249	06/26/2023		<2.0	<2.0	<2.0																	
BED1	249	03/06/2023		<2.0	<2.0	<2.0																	
BED1-DUP	249	03/06/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	249	11/30/2022		<2.0	<2.0	<2.0																	
BED1-DUP	249	11/30/2022		<2.0	<2.0	<2.0																	
PT	249	09/06/2022		65	9.9	6.9																	
BED1	249	09/06/2022		<2.0	<2.0	<2.0																	
BED1-DUP	249	09/06/2022		<2.0	<2.0	<2.0																	
BED1	249	06/06/2022		<2.0	<2.0	<2.0																	
BED1	249	03/07/2022		<2.0	<2.0	<2.0																	
BED1-DUP	249	03/07/2022		<2.0	<2.0	<2.0																	
BED1	249	12/29/2021		<2.0	<2.0	<2.0																	
BED1-DUP	249	12/29/2021		<2.0	<2.0	<2.0																	
PT	249	09/17/2021		64	9.8	7.4																	
BED1	249	09/17/2021		<2.0	<2.0	<2.0																	
BED1	249	06/17/2021		<2.0	<2.0	<2.0																	
BED1	249	02/12/2021		<2.0	<2.0	<2.0																	
BED1	249	11/17/2020		<2.0	<2.0	<2.0																	
PT	249	09/16/2020		64	10	6.1																	
BED1	249	09/16/2020		<2.0	<2.0	<2.0																	
BED1	249	06/24/2020		<2.0	<2.0	<2.0																	
BED1-DUP	249	06/24/2020		<2.0	<2.0	<2.0																	
BED1	249	02/20/2020		<2.0	<2.0	<2.0																	
BED1	249	11/18/2019		<2.0	<2.0	<2.0																	
PT	249	09/12/2019		58	10	5.8																	
BED1	249	09/12/2019		<2.0	<2.0	<2.0																	
BED1	249	05/30/2019		<2.0	<2.0	<2.0																	
BED1-DUP	249	05/30/2019		<2.0	<2.0	<2.0																	
PT	249	01/17/2019		68	13	6.5																<4.0	
BED1	249	01/17/2019		<2.0	<2.0	<2.0																	
BED1	249	10/22/2018		<2.0	<2.0	<2.0																	
	249	11/30/2017	GAC installed 09/28/2018.	53	10	4.8	<20	<20	<2.0	3.8	48	26	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	250	11/20/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	250	09/04/2024		86	10	9.3	<2.0	<2.0	4.1	<2.0	52	31	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	250	09/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	250	05/29/2024		<2.0	<2.0	<2.0																	
BED1	250	01/24/2024	Carbon Changeout 01/24/2024 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	250	11/08/2023		2.4	<2.0	<2.0																	
BED1-DUP	250	11/08/2023		2.7	<2.0	<2.0																	
BED2	250	11/08/2023		<2.0	<2.0	<2.0																	
PT	250	08/16/2023		69	9.8	8.5																	
BED1	250	08/16/2023		2.8	<2.0	<2.0																	
BED1-DUP	250	08/16/2023		2.9	<2.0	<2.0																	
BED2	250	08/16/2023		<2.0	<2.0	<2.0																	
BED1	250	04/19/2023		<2.0	<2.0	<2.0																	
BED1	250	02/06/2023		<2.0	<2.0	<2.0																	
BED1	250	11/14/2022		<2.0	<2.0	<2.0																	
PT	250	09/12/2022		86	11	9.5																	
BED1	250	09/12/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	250	06/21/2022		<2.0	<2.0	<2.0																	
BED1-DUP	250	06/21/2022		<2.0	<2.0	<2.0																	
BED1	250	03/07/2022		<2.0	<2.0	<2.0																	
PT	250	09/16/2021		70	11	8.6																	
BED1	250	09/16/2021		<2.0	<2.0	<2.0																	
BED1-DUP	250	09/16/2021		<2.0	<2.0	<2.0																	
BED1	250	06/09/2021		<2.0	<2.0	<2.0																	
BED1-DUP	250	06/09/2021		<2.0	<2.0	<2.0																	
BED1	250	02/17/2021		<2.0	<2.0	<2.0																	
BED1-DUP	250	02/17/2021		<2.0	<2.0	<2.0																	
PT	250	09/16/2020		75	8.9	7.6																	
BED1	250	09/16/2020		<2.0	<2.0	<2.0																	
BED1	250	06/26/2020		<2.0	<2.0	<2.0																	
BED1	250	11/27/2019		<2.0	<2.0	<2.0																	
PT	250	09/25/2019		77	9.4	8.3																	
BED1	250	09/25/2019		<2.0	<2.0	<2.0																	
BED1	250	05/17/2019		<2.0	<2.0	<2.0																	
BED1	250	03/18/2019		<2.0	<2.0	<2.0																	
PT	250	12/21/2018		81	8.6	5.8																<4.0	
BED1	250	12/21/2018		<2.0	<2.0	<2.0																	
	250	11/30/2017	GAC installed 09/19/2018.	69	9.2	6.2	<20	<20	<2.0	2.8	56	36	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	251	11/07/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	251	08/27/2024		62	5.9	8.0	<2.0	<2.0	3.0	<2.0	46	34	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	251	08/27/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	251	05/31/2024		<2.0	<2.0	<2.0																	
BED1-DUP	251	05/31/2024		<2.0	<2.0	<2.0																	
BED1	251	02/08/2024		<2.0	<2.0	<2.0																	
BED1	251	10/25/2023		<2.0	<2.0	<2.0																	
PT	251	08/01/2023		53	5.9	6.2																	
BED1	251	08/01/2023		<2.0	<2.0	<2.0																	
BED1-DUP	251	08/01/2023		<2.0	<2.0	<2.0																	
BED1	251	04/19/2023		<2.0	<2.0	<2.0																	
BED1	251	02/09/2023		<2.0	<2.0	<2.0																	
BED1	251	11/07/2022		<2.0	<2.0	<2.0																	
PT	251	09/15/2022		58	5.7	5.8																	
BED1	251	09/15/2022		<2.0	<2.0	<2.0																	
BED1	251	05/26/2022		<2.0	<2.0	<2.0																	
BED1	251	02/21/2022		<2.0	<2.0	<2.0																	
BED1-DUP	251	02/21/2022		<2.0	<2.0	<2.0																	
BED1	251	11/17/2021		<2.0	<2.0	<2.0																	
PT	251	09/10/2021		62	6.5	6.2																	
BED1	251	09/10/2021		<2.0	<2.0	<2.0																	
BED1-DUP	251	09/10/2021		<2.0	<2.0	<2.0																	
BED1	251	06/10/2021		<2.0	<2.0	<2.0																	
BED1	251	03/08/2021		<2.0	<2.0	<2.0																	
PT	251	09/28/2020		67	17	8.2																	
BED1	251	09/28/2020		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1-DUP	251	09/28/2020		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	251	06/18/2020		<2.0	<2.0	<2.0																	
BED1	251	01/29/2020		<2.0	<2.0	<2.0																	
	251	11/30/2017	GAC installed 11/05/2019.	62	5.9	4.3	<20	<20	<2.0	2.4	49	31	<2.0	<2.0	<2.0	<2.0	<2.0						
	252	07/01/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	4.1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	252	05/23/2022		<2.0	<2.0	<2.0																	
	252	04/21/2021		<2.0	<2.0	<2.0																	
	252	12/07/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
POST	253	03/12/2024		<2.0	<2.0	<2.0																	
PRE	253	03/12/2024		<2.0	<2.0	<2.0																	
POST	253	08/14/2023		<2.0	<2.0	<2.0																	
PRE	253	08/14/2023		<2.0	<2.0	<2.0																	
	253	12/07/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	254	06/13/2022		<2.0	<2.0	<2.0																	
DUP	254	06/13/2022		<2.0	<2.0	<2.0																	
	254	04/27/2021		<2.0	<2.0	<2.0																	
	254	12/07/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	255	12/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	255	09/17/2024		64	9.3	6.5	<2.0	<2.0	2.3	2.9	48	28	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	255	09/17/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	255	06/13/2024		<2.0	<2.0	<2.0																	
BED1	255	03/18/2024		<2.0	<2.0	<2.0																	
BED1	255	10/31/2023		<2.0	<2.0	<2.0																	
PT	255	07/13/2023		53	8.1	5.0																	
BED1	255	07/13/2023		<2.0	<2.0	<2.0																	
BED1	255	04/11/2023	Carbon Changeout 04/11/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	255	02/13/2023		<2.0	<2.0	<2.0																	
BED1-DUP	255	02/13/2023		<2.0	<2.0	<2.0																	
BED1	255	11/08/2022		<2.0	<2.0	<2.0																	
PT	255	09/06/2022		61	9.3	5.1																	
BED1	255	09/06/2022		<2.0	<2.0	<2.0																	
BED1	255	05/04/2022		<2.0	<2.0	<2.0																	
BED1-DUP	255	05/04/2022		<2.0	<2.0	<2.0																	
BED1	255	02/07/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1-DUP	255	02/07/2022		<2.0	<2.0	<2.0																	
BED1	255	10/19/2021		<2.0	<2.0	<2.0																	
PT	255	07/23/2021		51	7.8	4.0																	
BED1	255	07/23/2021		<2.0	<2.0	<2.0																	
BED1	255	05/10/2021		<2.0	<2.0	<2.0																	
BED1-DUP	255	05/10/2021		<2.0	<2.0	<2.0																	
BED1	255	02/15/2021		<2.0	<2.0	<2.0																	
BED1	255	11/18/2020		<2.0	<2.0	<2.0																	
BED1-DUP	255	11/18/2020		<2.0	<2.0	<2.0																	
PT	255	09/28/2020		49	9.4	3.6																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	255	09/28/2020		<2.0	<2.0	<2.0																	
BED1	255	06/04/2020		<2.0	<2.0	<2.0																	
BED1	255	02/19/2020		<2.0	<2.0	<2.0																	
BED1	255	11/14/2019		<2.0	<2.0	<2.0																	
PT	255	09/13/2019		56	9.2	3.8																	
BED1	255	09/13/2019		<2.0	<2.0	<2.0																	
BED1	255	05/01/2019		<2.0	<2.0	<2.0																	
BED1	255	02/18/2019		<2.0	<2.0	<2.0																	
BED1	255	11/27/2018		<2.0	<2.0	<2.0																	
PT	255	07/20/2018		45	8.6	2.8																<4.0	
BED1	255	07/20/2018		<2.0	<2.0	<2.0																	
PT	255	05/15/2018																				<10	
BED1	255	05/15/2018		<2.0	<2.0	<2.0																	
BED1	255	05/15/2018																				<10	
	255	12/07/2017	GAC installed 02/22/2018.	47	10	3.3	<20	<20	<2.0	3.8	46	23	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	256	11/07/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	256	08/06/2024		59	10	11	<2.0	<2.0	7.0	2.0	43	29	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	256	08/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	256	08/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	256	04/23/2024		<2.0	<2.0	<2.0																	
BED1-DUP	256	04/23/2024		<2.0	<2.0	<2.0																	
BED1	256	01/12/2024		<2.0	<2.0	<2.0																	
BED1	256	10/09/2023		<2.0	<2.0	<2.0																	
BED1-DUP	256	10/09/2023		<2.0	<2.0	<2.0																	
PT	256	07/13/2023		100	20	17																	
BED1	256	07/13/2023		<2.0	<2.0	<2.0																	
BED1	256	04/11/2023	Carbon Changeout 04/11/2023 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	256	01/24/2023		<2.0	<2.0	<2.0																	
BED1-DUP	256	01/24/2023		<2.0	<2.0	<2.0																	
BED1	256	10/18/2022		<2.0	<2.0	<2.0																	
PT	256	07/27/2022		67	8.7	8.9																	
BED1	256	07/27/2022		<2.0	<2.0	<2.0																	
BED1-DUP	256	07/27/2022		<2.0	<2.0	<2.0																	
BED1	256	04/26/2022		<2.0	<2.0	<2.0																	
BED1	256	02/02/2022		<2.0	<2.0	<2.0																	
BED1	256	11/15/2021		<2.0	<2.0	<2.0																	
PT	256	08/23/2021		65	11	10																	
BED1	256	08/23/2021		<2.0	<2.0	<2.0																	
BED1	256	05/24/2021		<2.0	<2.0	<2.0																	
BED1-DUP	256	05/24/2021		<2.0	<2.0	<2.0																	
BED1	256	03/05/2021		<2.0	<2.0	<2.0																	
BED1	256	10/13/2020		<2.0	<2.0	<2.0																	
PT	256	07/23/2020		69	10	8.0																	
BED1	256	07/23/2020		<2.0	<2.0	<2.0																	
BED1-DUP	256	07/23/2020		<2.0	<2.0	<2.0																	
BED1	256	06/01/2020		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	256	02/18/2020		<2.0	<2.0	<2.0																	
BED1	256	11/12/2019		<2.0	<2.0	<2.0																	
PT	256	09/10/2019		79	9.9	9.0																	
BED1	256	09/10/2019		<2.0	<2.0	<2.0																	
BED1	256	05/20/2019		<2.0	<2.0	<2.0																	
BED1	256	03/20/2019		<2.0	<2.0	<2.0																	
BED1	256	10/31/2018		<2.0	2.3	<2.0																	
PT	256	07/24/2018		73	10	7.2																<4.0	
BED1	256	07/24/2018		<2.0	<2.0	<2.0																	
BED1	256	04/19/2018		<2.0	<2.0	<2.0																	
	256	12/07/2017	GAC installed 03/13/2018.	63	12	6.3	<20	<20	2.2	3.3	59	33	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	256	12/07/2017	GAC installed 03/13/2018.	65	11	6.1	<20	<20	2.2	3.2	58	34	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	257	12/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	257	12/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	257	09/26/2024		60	7.1	7.5	<2.0	<2.0	2.1	<2.0	42	26	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	257	09/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	257	05/24/2024		<2.0	<2.0	<2.0																	
BED1	257	03/08/2024		<2.0	<2.0	<2.0																	
BED1-DUP	257	03/08/2024		<2.0	<2.0	<2.0																	
BED1	257	12/01/2023	Carbon Changeout 12/01/2023 - 5yr.	<2.0	<2.0	<2.0																	
PT	257	08/28/2023		68	6.6	7.4																	
BED1	257	08/28/2023		<2.0	<2.0	<2.0																	
BED1-DUP	257	08/28/2023		<2.0	<2.0	<2.0																	
BED1	257	06/05/2023		<2.0	<2.0	<2.0																	
BED1-DUP	257	06/05/2023		<2.0	<2.0	<2.0																	
BED1	257	03/06/2023		<2.0	<2.0	<2.0																	
BED1	257	11/14/2022		<2.0	<2.0	<2.0																	
BED1-DUP	257	11/14/2022		<2.0	<2.0	<2.0																	
PT	257	09/12/2022		83	6.8	6.4																	
BED1	257	09/12/2022		<2.0	<2.0	<2.0																	
BED1-DUP	257	09/12/2022		<2.0	<2.0	<2.0																	
BED1	257	06/07/2022		<2.0	<2.0	<2.0																	
BED1	257	03/08/2022		<2.0	<2.0	<2.0																	
BED1	257	11/29/2021		<2.0	<2.0	<2.0																	
PT	257	09/07/2021		80	7.5	6.9																	
BED1	257	09/07/2021		<2.0	<2.0	<2.0																	
BED1	257	06/11/2021		<2.0	<2.0	<2.0																	
BED1	257	02/11/2021		<2.0	<2.0	<2.0																	
BED1	257	11/16/2020		<2.0	<2.0	<2.0																	
BED1-DUP	257	11/16/2020		<2.0	<2.0	<2.0																	
PT	257	09/14/2020		75	8.8 J	6.6																	
BED1	257	09/14/2020		<2.0	<2.0	<2.0																	
BED1	257	06/30/2020		<2.0	<2.0	<2.0																	
BED1	257	11/18/2019		<2.0	<2.0	<2.0																	
PT	257	09/06/2019		73	8.5	7.3																	
BED1	257	09/06/2019		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	258	02/20/2020		<2.0	<2.0	<2.0																	
BED1	258	11/18/2019		<2.0	<2.0	<2.0																	
PT	258	08/28/2019		68	7.8	5.7																	
BED1	258	08/28/2019		<2.0	<2.0	<2.0																	
BED1-DUP	258	08/28/2019		<2.0	<2.0	<2.0																	
BED1	258	05/20/2019		<2.0	<2.0	<2.0																	
BED1	258	02/15/2019		<2.0	<2.0	<2.0																	
BED1	258	11/12/2018		<2.0	<2.0	<2.0																	
PT	258	08/20/2018		66	6.4	4.1																<4.0	
BED1	258	08/20/2018		<2.0	<2.0	<2.0																	
BED1	258	04/30/2018		<2.0	<2.0	<2.0																	
	258	12/07/2017	GAC installed 03/14/2018.	64	6.5	4.2	<20	<20	<2.0	2.5	54	32	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	259	11/01/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	259	08/07/2024		58	5.8	9.1	<2.0	<2.0	<2.0	<2.0	38	31	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	259	08/07/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	259	05/23/2024		<2.0	<2.0	<2.0																	
BED1	259	03/06/2024		<2.0	<2.0	<2.0																	
BED1-DUP	259	03/06/2024		<2.0	<2.0	<2.0																	
BED1	259	11/16/2023		<2.0	<2.0	<2.0																	
BED1-DUP	259	11/16/2023		<2.0	<2.0	<2.0																	
PT	259	08/15/2023		66	7.0	9.9																	
BED1	259	08/15/2023		<2.0	<2.0	<2.0																	
BED1-DUP	259	08/15/2023		<2.0	<2.0	<2.0																	
BED1	259	05/30/2023	Carbon Changeout 05/30/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	259	02/22/2023		<2.0	<2.0	<2.0																	
BED1-DUP	259	02/22/2023		<2.0	<2.0	<2.0																	
BED1	259	12/06/2022		<2.0	<2.0	<2.0																	
BED1-DUP	259	12/06/2022		<2.0	<2.0	<2.0																	
PT	259	09/27/2022		54	5.7	7.2																	
BED1	259	09/27/2022		<2.0	<2.0	<2.0																	
BED1	259	05/31/2022		<2.0	<2.0	<2.0																	
BED1	259	02/24/2022		<2.0	<2.0	<2.0																	
BED1	259	11/23/2021		<2.0	<2.0	<2.0																	
PT	259	09/21/2021		59	5.3	6.5																	
BED1	259	09/21/2021		<2.0	<2.0	<2.0																	
BED1	259	06/24/2021		<2.0	<2.0	<2.0																	
BED1	259	11/17/2020		<2.0	<2.0	<2.0																	
PT	259	09/16/2020		71	7.3	7.9																	
BED1	259	09/16/2020		<2.0	<2.0	<2.0																	
BED1	259	06/25/2020		<2.0	<2.0	<2.0																	
BED1	259	12/11/2019		<2.0	<2.0	<2.0																	
PT	259	09/26/2019		70	6.1	7.3																	
BED1	259	09/26/2019		<2.0	<2.0	<2.0																	
BED1	259	06/03/2019		<2.0	<2.0	<2.0																	
BED1	259	01/14/2019		<2.0	<2.0	<2.0																	
BED1	259	10/30/2018		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	259	07/18/2018		72	5.4	5.1																<4.0	
BED1	259	07/18/2018		<2.0	<2.0	<2.0																	
BED1	259	04/23/2018		<2.0	<2.0	<2.0																	
	259	12/07/2017	GAC installed 03/20/2018.	70	5.8	5.3	<20	<20	<2.0	2.4	56	36	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	260	11/07/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	260	08/16/2024		53	5.5	5.3	<2.0	<2.0	<2.0	<2.0	33	23	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	260	08/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	260	08/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	260	04/17/2024		<2.0	<2.0	<2.0																	
BED1	260	01/12/2024		<2.0	<2.0	<2.0																	
BED1	260	10/09/2023		<2.0	<2.0	<2.0																	
PT	260	07/24/2023		54	4.7	5.2																	
BED1	260	07/24/2023		<2.0	<2.0	<2.0																	
BED1-DUP	260	07/24/2023		<2.0	<2.0	<2.0																	
BED1	260	04/25/2023	Carbon Changeout 04/25/2023 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	260	02/09/2023		<2.0	<2.0	<2.0																	
BED1	260	11/28/2022		<2.0	<2.0	<2.0																	
BED1-DUP	260	11/28/2022		<2.0	<2.0	<2.0																	
PT	260	09/21/2022		53	5.1	4.0																	
BED1	260	09/21/2022		<2.0	<2.0	<2.0																	
BED1	260	05/24/2022		<2.0	<2.0	<2.0																	
BED1	260	03/02/2022		<2.0	<2.0	<2.0																	
BED1-DUP	260	03/02/2022		<2.0	<2.0	<2.0																	
BED1	260	11/18/2021		<2.0	<2.0	<2.0																	
PT	260	08/30/2021		78	6.1	5.0																	
BED1	260	08/30/2021		<2.0	<2.0	<2.0																	
BED1-DUP	260	08/30/2021		<2.0	<2.0	<2.0																	
BED1	260	06/11/2021		<2.0	<2.0	<2.0																	
BED1	260	02/24/2021		<2.0	<2.0	<2.0																	
PT	260	09/29/2020		69	6.4	4.3																	
BED1	260	09/29/2020		<2.0	<2.0	<2.0																	
BED1	260	06/23/2020		<2.0	<2.0	<2.0																	
BED1	260	03/12/2020		<2.0	<2.0	<2.0																	
BED1	260	12/04/2019		<2.0	<2.0	<2.0																	
PT	260	07/31/2019		66	5.8	4.0																	
BED1	260	07/31/2019		<2.0	<2.0	<2.0																	
BED1	260	04/24/2019		<2.0	<2.0	<2.0																	
BED1	260	02/19/2019		<2.0	<2.0	<2.0																	
BED1	260	11/28/2018		<2.0	<2.0	<2.0																	
PT	260	08/16/2018		57	6.4	3.3																<4.0	
BED1	260	08/16/2018		<2.0	<2.0	<2.0																	
BED1	260	05/01/2018		<2.0	<2.0	<2.0																	
	260	12/07/2017	GAC installed 03/20/2018.	54	5.8	3.1	<20	<20	<2.0	2.5	46	25	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	261	10/24/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	261	07/19/2024		35	2.5	<2.0	<2.0	<2.0	<2.0	2.0	27	14	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	261	07/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	261	05/09/2024		<2.0	<2.0	<2.0																	
BED1	261	02/05/2024		<2.0	<2.0	<2.0																	
BED1	261	11/10/2023		<2.0	<2.0	<2.0																	
PT	261	08/07/2023		17	<2.0	<2.0																	
BED1	261	08/07/2023		<2.0	<2.0	<2.0																	
BED1	261	05/09/2023	Carbon Changeout 05/09/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	261	01/26/2023		<2.0	<2.0	<2.0																	
BED1	261	10/17/2022		<2.0	<2.0	<2.0																	
PT	261	08/08/2022		11	<2.0	<2.0																	
BED1	261	08/08/2022		<2.0	<2.0	<2.0																	
BED1	261	05/05/2022		<2.0	<2.0	<2.0																	
BED1	261	02/02/2022		<2.0	<2.0	<2.0																	
BED1	261	11/03/2021		<2.0	<2.0	<2.0																	
BED1-DUP	261	11/03/2021		<2.0	<2.0	<2.0																	
PT	261	08/16/2021		2.8	<2.0	<2.0																	
BED1	261	08/16/2021		<2.0	<2.0	<2.0																	
BED1	261	05/18/2021		<2.0	<2.0	<2.0																	
BED1	261	02/25/2021		<2.0	<2.0	<2.0																	
BED1	261	10/15/2020		<2.0	<2.0	<2.0																	
PT	261	08/11/2020		4.9	<2.0	<2.0																	
PT	261	08/11/2020	Split sampling for method comparison.	5.4	<2.0	<2.0																	
BED1	261	08/11/2020		<2.0	<2.0	<2.0																	
BED1	261	08/11/2020	Split sampling for method comparison.	<2.0	<2.0	<2.0																	
BED1	261	06/24/2020		<2.0	<2.0	<2.0																	
BED1	261	03/06/2020		<2.0	<2.0	<2.0																	
BED1	261	11/01/2019		<2.0	<2.0	<2.0																	
PT	261	07/30/2019		<2.0	<2.0	<2.0																	
BED1	261	07/30/2019		<2.0	<2.0	<2.0																	
BED1	261	04/09/2019		<2.0	<2.0	<2.0																	
BED1	261	01/22/2019		<2.0	<2.0	<2.0																	
BED1-DUP	261	01/22/2019		<2.0	<2.0	<2.0																	
BED1	261	10/31/2018		<2.0	<2.0	<2.0																	
BED1-DUP	261	10/31/2018		<2.0	<2.0	<2.0																	
PT	261	07/19/2018		21	2.6	<2.0																<4.0	
BED1	261	07/19/2018		<2.0	<2.0	<2.0																	
BED1-DUP	261	07/19/2018		<2.0	<2.0	<2.0																	
BED1	261	04/23/2018		<2.0	<2.0	<2.0																	
BED1-DUP	261	04/23/2018		<2.0	<2.0	<2.0																	
	261	12/07/2017	GAC installed 03/14/2018.	16	2.1	<2.0	<20	<20	<2.0	2.3	20	9.7	<2.0	<2.0	<2.0	<2.0	<2.0						
	262	03/21/2022	PWS connection 10/24/2022. Well re-designated as non-potable 12/05/2022.	20	<2.0	<2.0																	
	262	12/08/2017		13	<2.0	<2.0	<20	<20	<2.0	<2.0	22	11	<2.0	<2.0	<2.0	<2.0	<2.0						
	263	07/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	13	3.1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	263	07/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	13	2.9	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
	263	05/23/2022		<2.0	<2.0	<2.0																	
	263	04/26/2021		<2.0	<2.0	<2.0																	
DUP	263	04/26/2021		<2.0	<2.0	<2.0																	
	263	08/26/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	5.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	263	12/13/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	264	12/13/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	264	12/13/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	265	11/07/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	265	08/07/2024		39	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	14	12	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	265	08/07/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	265	04/17/2024		<2.0	<2.0	<2.0																	
BED1	265	01/12/2024		<2.0	<2.0	<2.0																	
BED1	265	10/03/2023	Carbon Changeout 10/03/2023 - 5yr.	<2.0	<2.0	<2.0																	
PT	265	07/13/2023		44	<2.0	<2.0																	
BED1	265	07/13/2023		<2.0	<2.0	<2.0																	
BED1-DUP	265	07/13/2023		<2.0	<2.0	<2.0																	
BED1	265	04/19/2023		<2.0	<2.0	<2.0																	
BED1	265	01/26/2023		<2.0	<2.0	<2.0																	
BED1	265	10/24/2022		<2.0	<2.0	<2.0																	
BED1-DUP	265	10/24/2022		<2.0	<2.0	<2.0																	
PT	265	07/27/2022		47	<2.0	<2.0																	
BED1	265	07/27/2022		<2.0	<2.0	<2.0																	
BED1	265	04/28/2022		<2.0	<2.0	<2.0																	
BED1	265	02/02/2022		<2.0	<2.0	<2.0																	
BED1-DUP	265	02/02/2022		<2.0	<2.0	<2.0																	
BED1	265	11/05/2021		<2.0	<2.0	<2.0																	
PT	265	08/23/2021		50	<2.0	<2.0																	
BED1	265	08/23/2021		<2.0	<2.0	<2.0																	
BED1	265	05/19/2021		<2.0	<2.0	<2.0																	
BED1	265	02/25/2021		<2.0	<2.0	<2.0																	
BED1	265	10/15/2020		<2.0	<2.0	<2.0																	
PT	265	07/23/2020		42	<2.0	<2.0																	
BED1	265	07/23/2020		<2.0	<2.0	<2.0																	
BED1	265	06/02/2020		<2.0	<2.0	<2.0																	
BED1	265	01/20/2020		<2.0	<2.0	<2.0																	
BED1	265	10/02/2019		<2.0	<2.0	<2.0																	
PT	265	07/09/2019		100	<2.0	2.6																	
BED1	265	07/09/2019		<2.0	<2.0	<2.0																	
BED1	265	04/05/2019		<2.0	<2.0	<2.0																	
BED1	265	01/07/2019		<2.0	<2.0	<2.0																	
BED1	265	10/22/2018		<2.0	<2.0	<2.0																	
PT	265	07/09/2018		29	<2.0	<2.0																<4.0	
BED1	265	07/09/2018		<2.0	<2.0	<2.0																	
	265	12/13/2017	GAC installed 04/17/2018.	15	<2.0	<2.0	<20	<20	<2.0	<2.0	9.4	7.2	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	266	10/22/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	266	07/18/2024		61	6.9	5.5	<2.0	<2.0	5.3	<2.0	38	24	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	266	07/18/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	266	05/07/2024		<2.0	<2.0	<2.0																	
BED1-DUP	266	05/07/2024		<2.0	<2.0	<2.0																	
BED1	266	02/28/2024		<2.0	<2.0	<2.0																	
BED1-DUP	266	02/28/2024		<2.0	<2.0	<2.0																	
BED1	266	12/12/2023		<2.0	<2.0	<2.0																	
BED1-DUP	266	12/12/2023		<2.0	<2.0	<2.0																	
PT	266	09/13/2023	Carbon Changeout 09/13/2023 - 5yr.	58	5.2	5.2																	
BED1	266	09/13/2023	Carbon Changeout 09/13/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	266	05/23/2023		<2.0	<2.0	<2.0																	
BED1-DUP	266	05/23/2023		<2.0	<2.0	<2.0																	
BED1	266	03/13/2023		<2.0	<2.0	<2.0																	
BED1	266	11/03/2022		<2.0	<2.0	<2.0																	
PT	266	08/31/2022		64	6.8	5.2																	
BED1	266	08/31/2022		<2.0	<2.0	<2.0																	
BED1-DUP	266	08/31/2022		<2.0	<2.0	<2.0																	
BED1	266	05/31/2022		<2.0	<2.0	<2.0																	
BED1-DUP	266	05/31/2022		<2.0	<2.0	<2.0																	
BED1	266	02/23/2022		<2.0	<2.0	<2.0																	
BED1-DUP	266	02/23/2022		<2.0	<2.0	<2.0																	
BED1	266	11/29/2021		<2.0	<2.0	<2.0																	
BED1-DUP	266	11/29/2021		<2.0	<2.0	<2.0																	
PT	266	09/01/2021		77	7.6 J	5.8																	
BED1	266	09/01/2021		<2.0	<2.0	<2.0																	
BED1	266	05/17/2021		<2.0	<2.0	<2.0																	
BED1	266	02/24/2021		<2.0	<2.0	<2.0																	
BED1-DUP	266	02/24/2021		<2.0	<2.0	<2.0																	
BED1	266	11/10/2020		<2.0	<2.0	<2.0																	
PT	266	09/10/2020		66	7.3	5.0																	
BED1	266	09/10/2020		<2.0	<2.0	<2.0																	
BED1	266	06/22/2020		<2.0	<2.0	<2.0																	
BED1	266	03/17/2020		<2.0	<2.0	<2.0																	
BED1	266	10/03/2019		<2.0	<2.0	<2.0																	
PT	266	07/09/2019		69	7.1	4.3																	
BED1	266	07/09/2019		<2.0	<2.0	<2.0																	
BED1	266	04/05/2019		<2.0	<2.0	<2.0																	
BED1	266	01/10/2019		<2.0	<2.0	<2.0																	
BED1-DUP	266	01/10/2019		<2.0	<2.0	<2.0																	
BED1	266	10/25/2018		<2.0	<2.0	<2.0																	
PT	266	07/11/2018		62	7.5	4.1																<4.0	
BED1	266	07/11/2018		<2.0	<2.0	<2.0																	
BED1-DUP	266	07/11/2018		<2.0	<2.0	<2.0																	
	266	12/13/2017	GAC installed 04/19/2018.	58	7.9	3.8	<20	<20	<2.0	2.5	51	25	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	267	10/30/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	267	07/30/2024		15	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	18	10	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	267	07/30/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	267	05/15/2024		<2.0	<2.0	<2.0																	
BED1	267	02/07/2024		<2.0	<2.0	<2.0																	
BED1	267	11/15/2023		<2.0	<2.0	<2.0																	
PT	267	09/05/2023		27	<2.0	<2.0																	
BED1	267	09/05/2023		<2.0	<2.0	<2.0																	
BED1	267	06/01/2023		<2.0	<2.0	<2.0																	
BED1	267	02/20/2023		<2.0	<2.0	<2.0																	
BED1	267	10/10/2022		<2.0	<2.0	<2.0																	
	267	05/23/2022	GAC installed 08/10/2022.	23	<2.0	<2.0																	
	267	04/27/2021		8.9	<2.0	<2.0																	
	267	08/09/2019		2.6	<2.0	<2.0	<20	<20	<2.0	<2.0	7.0	2.5	<2.0	<2.0	<2.0	<2.0	<2.0					<4.0	
	267	08/08/2018		4.7	<2.0	<2.0	<20	<20	<2.0	<2.0	15	5.4	<2.0	<2.0	<2.0	<2.0	<2.0					<4.0	
DUP	267	08/08/2018		4.7	<2.0	<2.0	<20	<20	<2.0	<2.0	15	5.4	<2.0	<2.0	<2.0	<2.0	<2.0					<4.0	
	267	12/14/2017		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	5.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	268	12/31/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	268	08/08/2024		52	2.2	<2.0	<2.0	<2.0	<2.0	<2.0	35	20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	268	08/08/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	268	05/23/2024		<2.0	<2.0	<2.0																	
BED1	268	03/08/2024		<2.0	<2.0	<2.0																	
BED1	268	11/10/2023		<2.0	<2.0	<2.0																	
PT	268	07/06/2023	Carbon Changeout 07/06/2023 - 5yr.	63	2.5	<2.0																	
BED1	268	07/06/2023	Carbon Changeout 07/06/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	268	06/14/2023		<2.0	<2.0	<2.0																	
BED1-DUP	268	06/14/2023		<2.0	<2.0	<2.0																	
BED1	268	02/13/2023		<2.0	<2.0	<2.0																	
BED1	268	11/10/2022		<2.0	<2.0	<2.0																	
PT	268	08/25/2022		53	2.2	<2.0																	
BED1	268	08/25/2022		<2.0	<2.0	<2.0																	
BED1	268	05/09/2022		<2.0	<2.0	<2.0																	
BED1	268	02/08/2022		<2.0	<2.0	<2.0																	
BED1	268	11/16/2021		<2.0	<2.0	<2.0																	
PT	268	08/31/2021		65	2.5 J	<2.0																	
BED1	268	08/31/2021		<2.0	<2.0	<2.0																	
BED1-DUP	268	08/31/2021		<2.0	<2.0	<2.0																	
BED1	268	03/05/2021		<2.0	<2.0	<2.0																	
BED1	268	10/08/2020		<2.0	<2.0	<2.0																	
BED1	268	06/30/2020		<2.0	<2.0	<2.0																	
BED1	268	01/23/2020		<2.0	<2.0	<2.0																	
PT	268	08/30/2019		52	2.3	<2.0																	
BED1	268	08/30/2019		<2.0	<2.0	<2.0																	
BED1	268	05/31/2019		<2.0	<2.0	<2.0																	
BED1	268	02/22/2019		<2.0	<2.0	<2.0																	
BED1-DUP	268	02/22/2019		<2.0	<2.0	<2.0																	
BED1	268	11/13/2018		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1-DUP	268	11/13/2018		<2.0	<2.0	<2.0																	
PT	268	09/12/2018		49	<2.0	<2.0																<4.0	
BED1	268	09/12/2018		<2.0	<2.0	<2.0																	
BED1-DUP	268	09/12/2018		<2.0	<2.0	<2.0																	
BED1	268	06/07/2018		<2.0	<2.0	<2.0																	
BED1-DUP	268	06/07/2018		<2.0	<2.0	<2.0																	
	268	12/14/2017	GAC installed 03/28/2018.	41	<2.0	<2.0	<20	<20	<2.0	2.8	41	19	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	269	11/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	269	08/23/2024		97	3.5	12	<2.0	<2.0	2.0	<2.0	53	45	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	269	08/23/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	269	05/30/2024		<2.0	<2.0	<2.0																	
BED1	269	01/22/2024		<2.0	<2.0	<2.0																	
BED1	269	10/23/2023		<2.0	<2.0	<2.0																	
PT	269	08/09/2023		110	3.8	14																	
BED1	269	08/09/2023		<2.0	<2.0	<2.0																	
BED1	269	05/18/2023		<2.0	<2.0	<2.0																	
BED1-DUP	269	05/18/2023		<2.0	<2.0	<2.0																	
BED1	269	03/01/2023		<2.0	<2.0	<2.0																	
BED1-DUP	269	03/01/2023		<2.0	<2.0	<2.0																	
BED1	269	12/01/2022		<2.0	<2.0	<2.0																	
PT	269	09/20/2022		110	3.6	14																	
BED1	269	09/20/2022		<2.0	<2.0	<2.0																	
BED1	269	06/02/2022		<2.0	<2.0	<2.0																	
BED1	269	02/16/2022	Carbon Changeout 12/09/2021 - Pressure.	<2.0	<2.0	<2.0																	
BED1	269	11/05/2021		<2.0	<2.0	<2.0																	
PT	269	08/18/2021		110	4.7	18																	
BED1	269	08/18/2021		<2.0	<2.0	<2.0																	
BED1	269	06/04/2021		<2.0	<2.0	<2.0																	
BED1-DUP	269	06/04/2021		<2.0	<2.0	<2.0																	
BED1	269	03/12/2021		<2.0	<2.0	<2.0																	
BED1-DUP	269	03/12/2021		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	269	11/09/2020		<2.0	<2.0	<2.0																	
PT	269	09/09/2020		95	4.8	14																	
BED1	269	09/09/2020		<2.0	<2.0	<2.0																	
BED1	269	06/24/2020		<2.0	<2.0	<2.0																	
BED1	269	02/11/2020		<2.0	<2.0	<2.0																	
BED1	269	11/08/2019		<2.0	<2.0	<2.0																	
PT	269	08/30/2019		110	5.4	16																	
BED1	269	08/30/2019		<2.0	<2.0	<2.0																	
BED1	269	05/10/2019		<2.0	<2.0	<2.0																	
BED1	269	03/15/2019		<2.0	<2.0	<2.0																	
BED1-DUP	269	03/15/2019		<2.0	<2.0	<2.0																	
BED1	269	12/03/2018		<2.0	<2.0	<2.0																	
BED1-DUP	269	12/03/2018		<2.0	<2.0	<2.0																	
PT	269	08/27/2018		97	4.8	15																<4.0	
BED1	269	08/27/2018		<2.0	<2.0	<2.0																	
BED1-DUP	269	08/27/2018		<2.0	<2.0	<2.0																	
PT	269	05/10/2018																				<10 UJ	
BED1	269	05/10/2018																				<10	
BED1	269	04/18/2018		<2.0	<2.0	<2.0																	
BED1-DUP	269	04/18/2018		<2.0	<2.0	<2.0																	
	269	12/14/2017	GAC installed 02/27/2018.	87	4.1	11	<20	<20	<2.0	<2.0	64	40	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	270	10/21/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	270	07/19/2024		57	4.5	3.3	<2.0	<2.0	<2.0	<2.0	34	21	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	270	07/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	270	05/17/2024		<2.0	<2.0	<2.0																	
BED1	270	02/08/2024		<2.0	<2.0	<2.0																	
BED1-DUP	270	02/08/2024		<2.0	<2.0	<2.0																	
BED1	270	10/27/2023		<2.0	<2.0	<2.0																	
BED1-DUP	270	10/27/2023		<2.0	<2.0	<2.0																	
PT	270	08/15/2023	Carbon Changeout 08/15/2023 - 5yr.	72	6.5	4.1																	
BED1	270	08/15/2023	Carbon Changeout 08/15/2023 - 5yr.	<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	270	05/09/2023	Carbon Changeout 08/15/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	270	01/26/2023		<2.0	<2.0	<2.0																	
BED1	270	11/01/2022		<2.0	<2.0	<2.0																	
PT	270	08/11/2022		56	4.9	3.3																	
BED1	270	08/11/2022		<2.0	<2.0	<2.0																	
BED1-DUP	270	08/11/2022		<2.0	<2.0	<2.0																	
BED1	270	05/09/2022		<2.0	<2.0	<2.0																	
BED1	270	02/08/2022		<2.0	<2.0	<2.0																	
BED1	270	11/18/2021		<2.0	<2.0	<2.0																	
PT	270	08/23/2021		66	5.8	3.3																	
BED1	270	08/23/2021		<2.0	<2.0	<2.0																	
BED1	270	06/09/2021		<2.0	<2.0	<2.0																	
BED1	270	02/15/2021		<2.0	<2.0	<2.0																	
BED1	270	12/01/2020		<2.0	<2.0	<2.0																	
PT	270	08/25/2020		51	4.7	2.2																	
BED1	270	08/25/2020		<2.0	<2.0	<2.0																	
BED1	270	06/12/2020		<2.0	<2.0	<2.0																	
BED1	270	02/18/2020		<2.0	<2.0	<2.0																	
BED1	270	11/15/2019		<2.0	<2.0	<2.0																	
BED1-DUP	270	11/15/2019		<2.0	<2.0	<2.0																	
PT	270	09/10/2019		56	5.7	2.8																	
BED1	270	09/10/2019		<2.0	<2.0	<2.0																	
BED1	270	05/09/2019		<2.0	<2.0	<2.0																	
BED1	270	03/12/2019		<2.0	<2.0	<2.0																	
BED1	270	11/13/2018		<2.0	<2.0	<2.0																	
PT	270	09/12/2018		57	5.8	2.7																<4.0	
BED1	270	09/12/2018		<2.0	<2.0	<2.0																	
	270	12/15/2017	GAC installed 05/03/2018.	45	4.7	2.1	<20	<20	<2.0	2	42	22	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	271	12/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	271	12/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	271	09/13/2024		56	6.4	5.7	<2.0	<2.0	2.1	<2.0	40	24	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	271	09/13/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	271	05/24/2024		<2.0	<2.0	<2.0																	
BED1	271	02/02/2024		<2.0	<2.0	<2.0																	
BED1-DUP	271	02/02/2024		<2.0	<2.0	<2.0																	
BED1	271	11/03/2023		<2.0	<2.0	<2.0																	
BED1-DUP	271	11/03/2023		<2.0	<2.0	<2.0																	
PT	271	08/21/2023		66	8.3	7.5																	
BED1	271	08/21/2023		<2.0	<2.0	<2.0																	
BED1	271	05/26/2023	Carbon Changeout 05/26/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	271	01/30/2023		2.2	<2.0	<2.0																	
BED2	271	01/30/2023		<2.0	<2.0	<2.0																	
BED1	271	10/21/2022		2.3	<2.0	<2.0																	
BED2	271	10/21/2022		<2.0	<2.0	<2.0																	
PT	271	08/11/2022		60	6.9	5.8																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	271	08/11/2022		<2.0	<2.0	<2.0																	
BED1	271	05/09/2022		2.3	<2.0	<2.0																	
BED2	271	05/09/2022		<2.0	<2.0	<2.0																	
BED1	271	02/07/2022		2.3	<2.0	<2.0																	
BED2	271	02/07/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	271	11/12/2021		<2.0	<2.0	<2.0																	
BED1-DUP	271	11/12/2021		<2.0	<2.0	<2.0																	
PT	271	08/27/2021		63	8.1	6.5																	
BED1	271	08/27/2021		<2.0	<2.0	<2.0																	
BED1	271	05/26/2021		<2.0	<2.0	<2.0																	
BED1-DUP	271	05/26/2021		<2.0	<2.0	<2.0																	
BED1	271	02/15/2021		<2.0	<2.0	<2.0																	
BED1-DUP	271	02/15/2021		<2.0	<2.0	<2.0																	
BED1	271	10/28/2020		<2.0	<2.0	<2.0																	
PT	271	08/25/2020		63	6.8	5.6																	
BED1	271	08/25/2020		<2.0	<2.0	<2.0																	
BED1	271	06/17/2020		<2.0	<2.0	<2.0																	
BED1	271	02/06/2020		<2.0	<2.0	<2.0																	
BED1	271	10/24/2019		<2.0	<2.0	<2.0																	
PT	271	08/02/2019		74	6.7	4.7																	
BED1	271	08/02/2019		<2.0	<2.0	<2.0																	
BED1	271	04/18/2019		<2.0	<2.0	<2.0																	
BED1	271	01/24/2019		<2.0	<2.0	<2.0																	
BED1	271	11/02/2018		<2.0	<2.0	<2.0																	
PT	271	07/19/2018		65	7.0	3.7																<4.0	
BED1	271	07/19/2018		<2.0	<2.0	<2.0																	
BED1	271	04/26/2018		<2.0	<2.0	<2.0																	
	271	12/22/2017	GAC installed 03/23/2018.	68	8.1	4.2	<20	<20	<2.0	2.3	49	27	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	272	10/22/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	272	07/26/2024		51	2.4	<2.0	<2.0	<2.0	<2.0	<2.0	36	19	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	272	07/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	272	05/21/2024		<2.0	<2.0	<2.0																	
BED1	272	03/08/2024		<2.0	<2.0	<2.0																	
BED1	272	12/15/2023		<2.0	<2.0	<2.0																	
PT	272	09/26/2023	Carbon Changeout 09/26/2023 - 5yr.	49	3.1	<2.0																	
BED1	272	09/26/2023	Carbon Changeout 09/26/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	272	05/16/2023		<2.0	<2.0	<2.0																	
BED1	272	02/21/2023		<2.0	<2.0	<2.0																	
BED1	272	11/17/2022		<2.0	<2.0	<2.0																	
PT	272	09/12/2022		53	3.1	<2.0																	
BED1	272	09/12/2022		<2.0	<2.0	<2.0																	
BED1	272	06/29/2022		<2.0	<2.0	<2.0																	
BED1-DUP	272	06/29/2022		<2.0	<2.0	<2.0																	
BED1	272	02/08/2022		<2.0	<2.0	<2.0																	
BED1	272	11/17/2021		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	272	09/03/2021		43	4.0	<2.0																	
BED1	272	09/03/2021		<2.0 UJ	<2.0	<2.0 UJ																	
BED1	272	05/21/2021		<2.0	<2.0	<2.0																	
BED1-DUP	272	05/21/2021		<2.0	<2.0	<2.0																	
BED1	272	02/26/2021		<2.0	<2.0	<2.0																	
BED1	272	11/09/2020		<2.0	<2.0	<2.0																	
PT	272	09/09/2020		37	2.6	<2.0																	
BED1	272	09/09/2020		<2.0	<2.0	<2.0																	
BED1-DUP	272	09/09/2020		<2.0	<2.0	<2.0																	
BED1	272	06/25/2020		<2.0	<2.0	<2.0																	
BED1	272	03/06/2020		<2.0	<2.0	<2.0																	
BED1	272	12/13/2019		<2.0	<2.0	<2.0																	
PT	272	09/23/2019		28	2.6	<2.0																	
BED1	272	09/23/2019		<2.0	<2.0	<2.0																	
BED1	272	06/25/2019		<2.0	<2.0	<2.0																	
BED1	272	02/26/2019		<2.0	<2.0	<2.0																	
BED1	272	10/26/2018		<2.0	<2.0	<2.0																	
PT	272	07/09/2018		29	2.6	<2.0																<4.0	
BED1	272	07/09/2018		<2.0	<2.0	<2.0																	
	272	12/22/2017	GAC installed 04/24/2018.	17	2.8	<2.0	<20	<20	<2.0	<2.0	21	9.9	<2.0	<2.0	<2.0	<2.0	<2.0						
	273	12/22/2017	PWS connection 1Q18. Well decommissioned 05/25/2023.	62	<2.0	3.2	<20	<20	<2.0	2.2	88	52	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	274	11/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	274	11/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	274	09/05/2024		31	2.8	<2.0	<2.0	<2.0	<2.0	2.1	29	15	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	274	09/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	274	05/21/2024		<2.0	<2.0	<2.0																	
BED1	274	03/08/2024		<2.0	<2.0	<2.0																	
BED1	274	11/14/2023		<2.0	<2.0	<2.0																	
BED1-DUP	274	11/14/2023		<2.0	<2.0	<2.0																	
PT	274	07/28/2023		33	2.9	2.1																	
BED1	274	07/28/2023		<2.0	<2.0	<2.0																	
BED1	274	04/25/2023	Carbon Changeout 04/25/2023 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	274	03/21/2023		<2.0	<2.0	<2.0																	
BED1-DUP	274	03/21/2023		<2.0	<2.0	<2.0																	
BED1	274	12/27/2022		<2.0	<2.0	<2.0																	
BED1-DUP	274	12/27/2022		<2.0	<2.0	<2.0																	
PT	274	09/14/2022		37	3.6	2.2																	
BED1	274	09/14/2022		<2.0	<2.0	<2.0																	
BED1-DUP	274	09/14/2022		<2.0	<2.0	<2.0																	
BED1	274	06/08/2022		<2.0	<2.0	<2.0																	
BED1-DUP	274	06/08/2022		<2.0	<2.0	<2.0																	
BED1	274	03/03/2022		<2.0	<2.0	<2.0																	
BED1	274	12/06/2021		<2.0	<2.0	<2.0																	
BED1-DUP	274	12/06/2021		<2.0	<2.0	<2.0																	
PT	274	09/09/2021		47	4.5	3.2																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	274	09/09/2021		<2.0	<2.0	<2.0																	
BED1	274	05/21/2021		<2.0	<2.0	<2.0																	
BED1	274	02/26/2021		<2.0	<2.0	<2.0																	
BED1	274	12/08/2020		<2.0	<2.0	<2.0																	
PT	274	09/22/2020		19	2.4	<2.0																	
BED1	274	09/22/2020		<2.0	<2.0	<2.0																	
BED1	274	06/02/2020		<2.0	<2.0	<2.0																	
PT	274	09/13/2019		45	12	2.6																	
BED1	274	09/13/2019		<2.0	<2.0	<2.0																	
BED1	274	04/30/2019		<2.0	<2.0	<2.0																	
BED1	274	03/01/2019		<2.0	<2.0	<2.0																	
PT	274	09/25/2018		32	4.0	<2.0																<4.0	
BED1	274	09/25/2018		<2.0	<2.0	<2.0																	
BED1	274	06/01/2018		<2.0	<2.0	<2.0																	
	274	12/28/2017	GAC installed 03/28/2018.	30	4	<2.0	<20	<20	<2.0	2.4	30	15	<2.0	<2.0	<2.0	<2.0	<2.0						
	275	01/03/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	276	11/11/2024		54	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	37	20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	276	11/11/2024		53	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	37	21	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	276	07/05/2022		5.0	<2.0	<2.0																	
	276	04/27/2021		5.6	<2.0	<2.0																	
	276	08/09/2019		5.7	<2.0	<2.0	<20	<20	<2.0	<2.0	8.1	4.3	<2.0	<2.0	<2.0	<2.0	<2.0					<4.0	
	276	01/03/2018		3.7	<2.0	<2.0	<20	<20	<2.0	<2.0	7.4	3.2	<2.0	<2.0	<2.0	<2.0	<2.0						
	277	06/01/2022		<2.0	<2.0	<2.0																	
	277	04/19/2021		<2.0	<2.0	<2.0																	
PRE	277	04/19/2021		<2.0	<2.0	<2.0																	
	277	01/03/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	278	10/25/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	278	08/01/2024		9.9	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	19	6.2	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	278	08/01/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	278	05/17/2024		<2.0	<2.0	<2.0																	
BED1	278	02/29/2024		<2.0	<2.0	<2.0																	
BED1	278	11/30/2023	Carbon Changeout 11/30/2023 - 5yr.	<2.0	<2.0	<2.0																	
PT	278	08/21/2023		<2.0	<2.0	<2.0																	
BED1	278	08/21/2023		<2.0	<2.0	<2.0																	
BED1	278	06/01/2023		<2.0	<2.0	<2.0																	
BED1	278	03/16/2023		<2.0	<2.0	<2.0																	
BED1	278	12/07/2022		<2.0	<2.0	<2.0																	
PT	278	09/28/2022		71	2.0	<2.0																	
BED1	278	09/28/2022		<2.0	<2.0	<2.0																	
BED1	278	06/22/2022		<2.0	<2.0	<2.0																	
BED1-DUP	278	06/22/2022		<2.0	<2.0	<2.0																	
BED1	278	03/16/2022		<2.0	<2.0	<2.0																	
BED1-DUP	278	03/16/2022		<2.0	<2.0	<2.0																	
BED1	278	12/01/2021		<2.0	<2.0	<2.0																	
BED1-DUP	278	12/01/2021		<2.0	<2.0	<2.0																	
PT	278	09/22/2021		64	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	278	09/22/2021		<2.0	<2.0	<2.0																	
BED1-DUP	278	09/22/2021		<2.0	<2.0	<2.0																	
BED1	278	06/23/2021		<2.0	<2.0	<2.0																	
BED1-DUP	278	06/23/2021		<2.0	<2.0	<2.0																	
BED1	278	03/05/2021		<2.0	<2.0	<2.0																	
BED1-DUP	278	03/05/2021		<2.0	<2.0	<2.0																	
BED1	278	12/15/2020		<2.0	<2.0	<2.0																	
PT	278	08/03/2020		100	<2	<2																	
BED1	278	08/03/2020		<2	<2	<2																	
BED1-DUP	278	08/03/2020		<2	<2	<2																	
BED1	278	03/13/2020		<2.0	<2.0	<2.0																	
BED1	278	11/19/2019		<2.0	<2.0	<2.0																	
PT	278	09/04/2019		76	2	<2.0																	
BED1	278	09/04/2019		<2.0	<2.0	<2.0																	
BED1	278	06/04/2019		<2.0	<2.0	<2.0																	
BED1	278	03/29/2019		<2.0	<2.0	<2.0																	
BED1	278	11/28/2018		<2.0	<2.0	<2.0																	
PT	278	08/03/2018		81	<2.0	<2.0																<4.0	
BED1	278	08/03/2018		<2.0	<2.0	<2.0																	
	278	01/03/2018	GAC installed 05/30/2018.	37	<2.0	<2.0	<20	<20	<2.0	<2.0	48	24	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	278	01/03/2018	GAC installed 05/30/2018.	37	<2.0	<2.0	<20	<20	<2.0	<2.0	45	25	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	279	10/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	279	07/11/2024		16	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	12	6.6	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	279	07/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	279	07/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	279	04/16/2024		<2.0	<2.0	<2.0																	
BED1-DUP	279	04/16/2024		<2.0	<2.0	<2.0																	
BED1	279	01/12/2024		<2.0	<2.0	<2.0																	
BED1	279	10/11/2023		<2.0	<2.0	<2.0																	
BED1-DUP	279	10/11/2023		<2.0	<2.0	<2.0																	
PT	279	07/28/2023		12	<2.0	<2.0																	
BED1	279	07/28/2023		<2.0	<2.0	<2.0																	
BED1-DUP	279	07/28/2023		<2.0	<2.0	<2.0																	
BED1	279	04/06/2023		<2.0	<2.0	<2.0																	
BED1-DUP	279	04/06/2023		<2.0	<2.0	<2.0																	
BED1	279	01/18/2023		<2.0	<2.0	<2.0																	
BED1	279	10/18/2022		<2.0	<2.0	<2.0																	
PT	279	07/25/2022		9.9	<2.0	<2.0																	
BED1	279	07/25/2022		<2.0	<2.0	<2.0																	
POST	279	03/14/2022	GAC installed 04/26/2022.	8.8	<2.0	<2.0																	
PRE	279	03/14/2022	GAC installed 04/26/2022.	52	2.1 J	7.7																	
	279	07/22/2019		7.7	<2.0	<2.0	<20	<20	<2.0	<2.0	13	5.3	<2.0	<2.0	<2.0	<2.0	<2.0						
	279	01/08/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	280	11/07/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	280	08/07/2024		54	9.2	7.8	<2.0	<2.0	<2.0	2.0	36	25	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	280	08/07/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	280	04/19/2024		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1-DUP	280	04/19/2024		<2.0	<2.0	<2.0																	
BED1	280	01/12/2024		<2.0	<2.0	<2.0																	
BED1	280	10/04/2023	Carbon Changeout 10/04/2023 - 5yr.	<2.0	<2.0	<2.0																	
PT	280	07/14/2023		56	9.1	6.9																	
BED1	280	07/14/2023		<2.0	<2.0	<2.0																	
BED1	280	04/19/2023		<2.0	<2.0	<2.0																	
BED1-DUP	280	04/19/2023		<2.0	<2.0	<2.0																	
BED1	280	01/31/2023		<2.0	<2.0	<2.0																	
BED1	280	10/21/2022		<2.0	<2.0	<2.0																	
BED1-DUP	280	10/21/2022		<2.0	<2.0	<2.0																	
PT	280	08/16/2022		60	9.0	6.3																	
BED1	280	08/16/2022		<2.0	<2.0	<2.0																	
BED1-DUP	280	08/16/2022		<2.0	<2.0	<2.0																	
BED1	280	04/27/2022		<2.0	<2.0	<2.0																	
BED1	280	01/26/2022		<2.0	<2.0	<2.0																	
BED1	280	10/26/2021		<2.0	<2.0	<2.0																	
PT	280	08/02/2021		64	12	7.6																	
BED1	280	08/02/2021		<2.0	<2.0	<2.0																	
BED1	280	04/30/2021		<2.0	<2.0	<2.0																	
BED1-DUP	280	04/30/2021		<2.0	<2.0	<2.0																	
BED1	280	02/10/2021		<2.0	<2.0	<2.0																	
BED1-DUP	280	02/10/2021		<2.0	<2.0	<2.0																	
BED1	280	10/29/2020		<2.0	<2.0	<2.0																	
PT	280	09/01/2020		54	10	5.4																	
BED1	280	09/01/2020		<2.0	<2.0	<2.0																	
BED1	280	06/17/2020		<2.0	<2.0	<2.0																	
BED1	280	02/07/2020		<2.0	<2.0	<2.0																	
PT	280	09/13/2019		67	9.7	5.1																	
BED1	280	09/13/2019		<2.0	<2.0	<2.0																	
BED1	280	05/24/2019		<2.0	<2.0	<2.0																	
BED1-DUP	280	05/24/2019		<2.0	<2.0	<2.0																	
BED1	280	03/08/2019		<2.0	<2.0	<2.0																	
BED1	280	10/26/2018		<2.0	<2.0	<2.0																	
PT	280	07/16/2018		60	11	4.6																<4.0	
BED1	280	07/16/2018		<2.0	<2.0	<2.0																	
BED1-DUP	280	07/16/2018		<2.0	<2.0	<2.0																	
	280	01/08/2018	GAC installed 04/17/2018.	49	9.1	4	<20	<20	<2.0	3.6	43	23	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	281	12/31/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	281	12/31/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	281	07/24/2024		86	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	41	28	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	281	07/24/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	281	02/16/2024		<2.0	<2.0	<2.0																	
BED1	281	10/10/2023		<2.0	<2.0	<2.0																	
PT	281	07/05/2023		150	<2.0	<2.0																	
BED1	281	07/05/2023		<2.0	<2.0	<2.0																	
BED1	281	11/15/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	281	09/07/2022		82	<2.0	<2.0																	
BED1	281	09/07/2022		<2.0	<2.0	<2.0																	
BED1	281	05/31/2022		<2.0	<2.0	<2.0																	
BED1	281	03/09/2022		<2.0	<2.0	<2.0																	
BED1-DUP	281	03/09/2022		<2.0	<2.0	<2.0																	
BED1	281	12/01/2021		<2.0	<2.0	<2.0																	
BED1	281	06/30/2021		<2.0	<2.0	<2.0																	
BED1-DUP	281	06/30/2021		<2.0	<2.0	<2.0																	
BED1	281	02/17/2021		<2.0	<2.0	<2.0																	
PT	281	09/08/2020		80	<2.0	<2.0																	
BED1	281	09/08/2020		<2.0	<2.0	<2.0																	
BED1	281	06/23/2020		<2.0	<2.0	<2.0																	
BED1	281	02/18/2020		<2.0	<2.0	<2.0																	
PT	281	09/19/2019		75	<2.0	<2.0																	
BED1	281	09/19/2019		<2.0	<2.0	<2.0																	
	281	01/09/2018	GAC installed 05/14/2019.	70	<2.0	<2.0	<20	<20	<2.0	<2.0	48	27	<2.0	<2.0	<2.0	<2.0	<2.0						
	282	07/08/2024		2.7	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	3.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	282	07/08/2024		3.6	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	3.9	2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	282	06/20/2022		2.1	<2.0	<2.0																	
	282	04/21/2021		2.3	<2.0	<2.0																	
	282	08/22/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	3.2	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	282	01/26/2018		2.4	<2.0	<2.0	<20	<20	<2.0	<2.0	2.6	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	283	04/03/2023		3.4	<2.0	<2.0																	
DUP	283	04/03/2023		3.5	<2.0	<2.0																	
	283	06/08/2021		3.3	<2.0	<2.0																	
	283	02/02/2018		2.5	<2.0	<2.0	<20	<20	<2.0	<2.0	2.2	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	284	12/12/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	284	09/10/2024		66	4.8	2.8	<2.0	<2.0	2.2	<2.0	61	40	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	284	09/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	284	06/21/2024		<2.0	<2.0	<2.0																	
BED1	284	02/29/2024		<2.0	<2.0	<2.0																	
BED1	284	11/30/2023		<2.0	<2.0	<2.0																	
PT	284	09/11/2023		82	6.9 J	3.1																	
BED1	284	09/11/2023		<2.0	<2.0	<2.0																	
BED1	284	06/07/2023	Carbon Changeout 06/07/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	284	02/07/2023		<2.0	<2.0	<2.0																	
BED1	284	11/09/2022		<2.0	<2.0	<2.0																	
PT	284	08/31/2022		65	5.2	2.5																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	284	08/31/2022		<2.0	<2.0	<2.0																	
BED1	284	05/23/2022		<2.0	<2.0	<2.0																	
BED1	284	02/16/2022		<2.0	<2.0	<2.0																	
BED1	284	11/16/2021		<2.0	<2.0	<2.0																	
PT	284	09/08/2021		65	5.2	3.7																	
BED1	284	09/08/2021		<2.0	<2.0	<2.0																	
BED1	284	06/03/2021		<2.0	<2.0	<2.0																	
BED1	284	02/16/2021		<2.0	<2.0	<2.0																	
BED1	284	12/03/2020		<2.0	<2.0	<2.0																	
PT	284	09/16/2020		67	6.5	3.8																	
BED1	284	09/16/2020		<2.0	<2.0	<2.0																	
BED1	284	06/24/2020		<2.0	<2.0	<2.0																	
BED1	284	03/04/2020		<2.0	<2.0	<2.0																	
BED1	284	12/12/2019		<2.0	<2.0	<2.0																	
PT	284	09/30/2019		64	3.4	3.5																	
BED1	284	09/30/2019		<2.0	<2.0	<2.0																	
BED1	284	05/01/2019		<2.0	<2.0	<2.0																	
BED1	284	03/08/2019		<2.0	<2.0	<2.0																	
BED1	284	11/05/2018		<2.0	<2.0	<2.0																	
PT	284	08/01/2018		74	4.8 B	3.2																<4.0	
BED1	284	08/01/2018		<2.0	<2.0	<2.0																	
BED1	284	04/20/2018		<2.0	<2.0	<2.0																	
	284	02/09/2018	GAC installed 03/23/2018.	190 J	5.4	2.7	<20	<20	<2.0	3.6	69	38	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	285	12/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	285	09/25/2024		52	3.6	5.0	<2.0	<2.0	3.1	<2.0	35	20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	285	09/25/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	285	05/21/2024		<2.0	<2.0	<2.0																	
BED1	285	03/12/2024		<2.0	<2.0	<2.0																	
BED1	285	11/15/2023	Carbon Changeout 11/15/2023 - 5yr.	<2.0	<2.0	<2.0																	
PT	285	07/14/2023		40	3.2	2.7																	
BED1	285	07/14/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	285	04/11/2023		<2.0	<2.0	<2.0																	
BED1	285	01/12/2023		<2.0	<2.0	<2.0																	
BED1	285	10/06/2022		<2.0	<2.0	<2.0																	
PT	285	07/11/2022		46	3.4	2.5																	
BED1	285	07/11/2022		<2.0	<2.0	<2.0																	
BED1	285	04/07/2022		<2.0	<2.0	<2.0																	
BED1	285	01/06/2022		<2.0	<2.0	<2.0																	
BED1	285	10/08/2021		<2.0	<2.0	<2.0																	
PT	285	07/14/2021		53	4.1	3.5																	
BED1	285	07/14/2021		<2.0	<2.0	<2.0																	
BED1	285	04/13/2021		<2.0	<2.0	<2.0																	
BED1-DUP	285	04/13/2021		<2.0	<2.0	<2.0																	
BED1	285	11/02/2020		<2.0	<2.0	<2.0																	
PT	285	08/31/2020		48	3.7	3.4																	
BED1	285	08/31/2020		<2.0	<2.0	<2.0																	
BED1-DUP	285	08/31/2020		<2.0	<2.0	<2.0																	
BED1	285	06/18/2020		<2.0	<2.0	<2.0																	
BED1	285	03/05/2020		<2.0	<2.0	<2.0																	
BED1	285	11/08/2019		<2.0	<2.0	<2.0																	
PT	285	08/27/2019		38	2.6	2.1																	
BED1	285	08/27/2019		<2.0	<2.0	<2.0																	
BED1	285	05/09/2019		<2.0	<2.0	<2.0																	
BED1	285	03/11/2019		<2.0	4.4	<2.0																	
BED1	285	11/14/2018		<2.0	<2.0	<2.0																	
PT	285	08/23/2018		37	3.4	2.7																<4.0	
BED1	285	08/23/2018		<2.0	<2.0	<2.0																	
	285	02/16/2018	GAC installed 04/18/2018.	30	3	<2.0	<20	<20	<2.0	2.1	29	13	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	285	02/16/2018	GAC installed 04/18/2018.	31	3	<2.0	<20	<20	<2.0	2	28	14	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	286	10/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	286	05/15/2024		<2.0	<2.0	<2.0																	
BED1-DUP	286	05/15/2024		<2.0	<2.0	<2.0																	
BED1	286	03/06/2024		<2.0	<2.0	<2.0																	
BED1	286	12/12/2023	Carbon Changeout 12/12/2023 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
PT	286	09/11/2023		67	4.1 J	12																	
BED1	286	09/11/2023		4.1	<2.0	<2.0																	
BED1-DUP	286	09/11/2023		3.7	<2.0	<2.0																	
BED2	286	09/11/2023		<2.0	<2.0	<2.0																	
BED1	286	06/21/2023		<2.0	<2.0	<2.0																	
BED1-DUP	286	06/21/2023		<2.0	<2.0	<2.0																	
BED1	286	03/13/2023		<2.0	<2.0	<2.0																	
BED1-DUP	286	03/13/2023		<2.0	<2.0	<2.0																	
BED1	286	12/19/2022		<2.0	<2.0	<2.0																	
BED1-DUP	286	12/19/2022		<2.0	<2.0	<2.0																	
PT	286	07/25/2022		77	3.7	12																	
BED1	286	07/25/2022		<2.0	<2.0	<2.0																	
BED1	286	03/23/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	286	12/07/2021		<2.0	<2.0	<2.0																	
BED1-DUP	286	12/07/2021		<2.0	<2.0	<2.0																	
PT	286	09/01/2021		92	5.1 J	15																	
BED1	286	09/01/2021		<2.0	<2.0	<2.0																	
BED1-DUP	286	09/01/2021		<2.0	<2.0	<2.0																	
BED1	286	06/28/2021		<2.0	<2.0	<2.0																	
BED1	286	10/05/2020		<2.0	<2.0	<2.0																	
BED1	286	06/30/2020		<2.0	<2.0	<2.0																	
PT	286	09/20/2019		72	3.7	11																	
BED1	286	09/20/2019		<2.0	<2.0	<2.0																	
BED1-DUP	286	09/20/2019		<2.0	<2.0	<2.0																	
BED1	286	03/29/2019		<2.0	<2.0	<2.0																	
PT	286	12/14/2018		78	4.1	9.6																<4.0	
BED1	286	12/14/2018		<2.0	<2.0	<2.0																	
	286	02/16/2018	GAC installed 06/15/2018.	74	3.8	8.6	<20	<20	3.8	<2.0	57	26	<2.0	<2.0	<2.0	<2.0	<2.0						
	287	06/05/2023		<2.0	<2.0	<2.0																	
	287	04/19/2021		<2.0	<2.0	<2.0																	
	287	02/23/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	288	11/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	288	08/30/2024		57	17	9.1	<2.0	<2.0	6.6	2.3	52	28	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	288	08/30/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	288	08/30/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	288	06/18/2024		<2.0	<2.0	<2.0																	
BED1	288	03/11/2024		<2.0	<2.0	<2.0																	
BED1	288	11/27/2023		<2.0	<2.0	<2.0																	
BED1-DUP	288	11/27/2023		<2.0	<2.0	<2.0																	
PT	288	08/29/2023	Carbon Changeout 08/29/2023 - 5yr.	39	13	8.5																	
BED1	288	08/29/2023	Carbon Changeout 08/29/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	288	05/02/2023		<2.0	<2.0	<2.0																	
BED1	288	01/31/2023		<2.0	<2.0	<2.0																	
BED1	288	10/25/2022		<2.0	<2.0	<2.0																	
PT	288	08/02/2022		37 J	14 J	8.9 J																	
BED1	288	08/02/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	288	04/21/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	288	01/24/2022		<2.0	<2.0	<2.0																	
BED1	288	10/18/2021		<2.0	<2.0	<2.0																	
PT	288	08/02/2021		47	18	9.1																	
BED1	288	08/02/2021		<2.0	<2.0	<2.0																	
BED1	288	04/22/2021		<2.0	<2.0	<2.0																	
BED1-DUP	288	04/22/2021		<2.0	<2.0	<2.0																	
BED1	288	01/22/2021		<2.0	<2.0	<2.0																	
BED1	288	10/15/2020		<2.0	<2.0	<2.0																	
PT	288	08/12/2020		44	16	10																	
BED1	288	08/12/2020		<2.0	<2.0	<2.0																	
BED1	288	06/10/2020		<2.0	<2.0	<2.0																	
BED1-DUP	288	06/10/2020		<2.0	<2.0	<2.0																	
BED1	288	01/29/2020		<2.0	<2.0	<2.0																	
BED1	288	10/16/2019		<2.0	<2.0	<2.0																	
PT	288	07/26/2019		61	24	9.6																	
BED1	288	07/26/2019		<2.0	<2.0	<2.0																	
BED1	288	04/17/2019		<2.0	<2.0	<2.0																	
BED1	288	02/05/2019		<2.0	<2.0	<2.0																	
BED1	288	11/08/2018		<2.0	<2.0	<2.0																	
PT	288	08/02/2018		46	13	7.7																<4.0	
BED1	288	08/02/2018		<2.0	<2.0	<2.0																	
	288	03/09/2018	GAC installed 04/18/2018.	68	20	13	<20	<20	2.4	2.7	48	25	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	289	11/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	289	08/02/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	289	08/02/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	289	04/04/2024		<2.0	<2.0	<2.0																	
BED1	289	01/31/2024	Carbon Changeout 01/31/2024 - 5yr.	<2.0	<2.0	<2.0																	
BED1	289	10/09/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	289	07/26/2023		2.2	3.2	<2.0																	
BED1	289	07/26/2023		<2.0	<2.0	<2.0																	
BED1	289	04/05/2023		<2.0	<2.0	<2.0																	
BED1	289	01/04/2023		<2.0	<2.0	<2.0																	
BED1	289	10/03/2022		<2.0	<2.0	<2.0																	
PT	289	07/06/2022		<2.0	<2.0	<2.0																	
BED1	289	07/06/2022		<2.0	<2.0	<2.0																	
BED1	289	04/05/2022		<2.0	<2.0	<2.0																	
BED1	289	01/05/2022		<2.0	<2.0	<2.0																	
BED1	289	10/12/2021		<2.0	<2.0	<2.0																	
BED1-DUP	289	10/12/2021		<2.0	<2.0	<2.0																	
PT	289	07/21/2021		<2.0	<2.0	<2.0																	
BED1	289	07/21/2021		<2.0	<2.0	<2.0																	
BED1-DUP	289	07/21/2021		<2.0	<2.0	<2.0																	
BED1	289	04/28/2021		<2.0	<2.0	<2.0																	
BED1-DUP	289	04/28/2021		<2.0	<2.0	<2.0																	
BED1	289	02/05/2021		<2.0	<2.0	<2.0																	
BED1-DUP	289	02/05/2021		<2.0	<2.0	<2.0																	
BED1	289	10/22/2020		<2.0	<2.0	<2.0																	
PT	289	08/25/2020		<2.0	<2.0	<2.0																	
BED1	289	08/25/2020		<2.0	<2.0	<2.0																	
BED1-DUP	289	08/25/2020		<2.0	<2.0	<2.0																	
BED1	289	06/11/2020		<2.0	<2.0	<2.0																	
BED1	289	03/03/2020		<2.0	<2.0	<2.0																	
BED1	289	10/23/2019		<2.0	<2.0	<2.0																	
PT	289	08/02/2019		<2.0	<2.0	<2.0																	
BED1	289	08/02/2019		<2.0	<2.0	<2.0																	
BED1	289	04/26/2019		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1-DUP	289	04/26/2019		<2.0	<2.0	<2.0																	
BED1	289	02/21/2019		<2.0	<2.0	<2.0																	
BED1	289	11/27/2018		<2.0	<2.0	<2.0																	
PT	289	09/28/2018		5.0	10	4.2																<4.0	
BED1	289	09/28/2018		<2.0	<2.0	<2.0																	
	289	03/09/2018	GAC installed 06/22/2018.	20	23	14	<20	<20	6.1	2	13	8.9	4.4	<2.0	<2.0	<2.0	<2.0						
BED1	290	10/02/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	290	07/03/2024		47	4.6	7.9	<2.0	<2.0	<2.0	<2.0	35	19	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	290	07/03/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	290	04/02/2024		<2.0	<2.0	<2.0																	
BED1	290	02/15/2024	Carbon Changeout 02/15/2024 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	290	10/13/2023		8.3	<2.0	<2.0																	
BED2	290	10/13/2023		<2.0	<2.0	<2.0																	
PT	290	08/02/2023		43	4.7	7.1																	
BED1	290	08/02/2023		7.1	<2.0	<2.0																	
BED2	290	08/02/2023		<2.0	<2.0	<2.0																	
BED1	290	05/02/2023		4.5	<2.0	<2.0																	
BED2	290	05/02/2023		<2.0	<2.0	<2.0																	
BED1	290	02/07/2023		4.2	<2.0	<2.0																	
BED2	290	02/07/2023		<2.0	<2.0	<2.0																	
BED1	290	11/14/2022		3.5	<2.0	<2.0																	
BED2	290	11/14/2022		<2.0	<2.0	<2.0																	
PT	290	09/06/2022		54	5.3	6.9																	
BED1	290	09/06/2022		6.6	<2.0	<2.0																	
BED2	290	09/06/2022		<2.0	<2.0	<2.0																	
BED1	290	06/01/2022		6.4	<2.0	<2.0																	
BED2	290	06/01/2022		<2.0	<2.0	<2.0																	
BED1	290	02/23/2022		2.5	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED2	290	02/23/2022		<2.0	<2.0	<2.0																	
BED1	290	03/02/2021		2.7	<2.0	<2.0																	
BED2	290	03/02/2021		<2.0	<2.0	<2.0																	
BED1	290	10/21/2020		3.2	<2.0	<2.0																	
PT	290	08/17/2020		54	5.7	5.1																	
BED1	290	08/17/2020		4.7	<2.0	<2.0																	
BED1	290	06/26/2020		3.6	<2.0	<2.0																	
PT	290	09/13/2019		61	7.1	5.3																	
BED1	290	09/13/2019		<2.0	<2.0	<2.0																	
BED1	290	06/28/2019		<2.0	<2.0	<2.0																	
BED1	290	03/28/2019		<2.0	<2.0	<2.0																	
PT	290	12/13/2018		50	6.8	3.4																<4.0	
BED1	290	12/13/2018		<2.0	<2.0	<2.0																	
	290	03/09/2018	GAC installed 09/18/2018.	45	6.8	3.4	<20	<20	<2.0	<2.0	38	18	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	290	03/09/2018	GAC installed 09/18/2018.	47	6.6	3.4	<20	<20	<2.0	<2.0	36	20	<2.0	<2.0	<2.0	<2.0	<2.0						
	291	05/03/2021		<2.0	<2.0	<2.0																	
	291	03/12/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	292	04/25/2022		<2.0	<2.0	<2.0																	
	292	03/26/2021		<2.0	<2.0	<2.0																	
POST-DUP	292	03/19/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	292	03/19/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	292	03/19/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
POST	292	03/19/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	293	08/21/2023		<2.0	<2.0	<2.0																	
	293	05/21/2021		<2.0	<2.0	<2.0																	
	293	08/14/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0					9.9 J	
	293	03/26/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	294	03/26/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	295	12/03/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	295	09/19/2024		41	3.5	<2.0	<2.0	<2.0	<2.0	2.2	33	18	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	295	09/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	295	05/21/2024		<2.0	<2.0	<2.0																	
BED1	295	02/16/2024		<2.0	<2.0	<2.0																	
BED1	295	10/10/2023	Carbon Changeout 10/10/2023 - 5yr.	<2.0	<2.0	<2.0																	
PT	295	07/11/2023		37	2.6	<2.0																	
BED1	295	07/11/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	295	04/06/2023		<2.0	<2.0	<2.0																	
BED1	295	01/26/2023		<2.0	<2.0	<2.0																	
BED1-DUP	295	01/26/2023		<2.0	<2.0	<2.0																	
BED1	295	10/25/2022		<2.0	<2.0	<2.0																	
PT	295	08/04/2022		40	2.9	<2.0																	
BED1	295	08/04/2022		<2.0	<2.0	<2.0																	
BED1	295	04/19/2022		<2.0	<2.0	<2.0																	
BED1	295	01/24/2022		<2.0	<2.0	<2.0																	
BED1	295	10/25/2021		<2.0	<2.0	<2.0																	
PT	295	08/03/2021		37	3.1	<2.0																	
BED1	295	08/03/2021		<2.0	<2.0	<2.0																	
BED1-DUP	295	08/03/2021		<2.0	<2.0	<2.0																	
BED1	295	04/28/2021		<2.0	<2.0	<2.0																	
BED1	295	02/03/2021		<2.0	<2.0	<2.0																	
PT	295	09/14/2020		31	2.9 J	<2.0																	
BED1	295	09/14/2020		<2.0	<2.0	<2.0																	
BED1	295	06/24/2020		<2.0	<2.0	<2.0																	
BED1	295	12/19/2019		<2.0	<2.0	<2.0																	
PT	295	09/13/2019		28	2.7	<2.0																	
BED1	295	09/13/2019		<2.0	<2.0	<2.0																	
BED1	295	05/17/2019		<2.0	<2.0	<2.0																	
BED1-DUP	295	05/17/2019		<2.0	<2.0	<2.0																	
BED1	295	03/22/2019		<2.0	<2.0	<2.0																	
BED1	295	12/14/2018		<2.0	<2.0	<2.0																	
PT	295	09/28/2018		21	2.6	<2.0																<4.0	
BED1	295	09/28/2018		<2.0	<2.0	<2.0																	
	295	03/26/2018	GAC installed 06/15/2018.	24	2.9	<2.0	<20	<20	<2.0	2.8	24	12	<2.0	<2.0	<2.0	<2.0	<2.0						
	296	04/18/2024		<2.0	<2.0	<2.0																	
DUP	296	04/18/2024		<2.0	<2.0	<2.0																	
	296	04/27/2022		<2.0	<2.0	<2.0																	
DUP	296	04/27/2022		<2.0	<2.0	<2.0																	
	296	03/25/2021		<2.0	<2.0	<2.0																	
	296	03/28/2018	Replacement well. (Original well Regulatory Location ID #191).	<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	297	11/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	297	07/11/2024		4.1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	6.1	3.1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	297	07/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	297	04/16/2024		<2.0	<2.0	<2.0																	
BED1	297	01/25/2024		<2.0	<2.0	<2.0																	
BED1	297	10/18/2023	Carbon Changeout 10/18/2023 - 5yr.	<2.0	<2.0	<2.0																	
PT	297	07/28/2023		5.3	<2.0	<2.0																	
BED1	297	07/28/2023		<2.0	<2.0	<2.0																	
BED1	297	04/18/2023		<2.0	<2.0	<2.0																	
BED1	297	01/16/2023		<2.0	<2.0	<2.0																	
BED1	297	10/11/2022		<2.0	<2.0	<2.0																	
PT	297	07/19/2022		29	<2.0	6.5																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	297	07/19/2022		<2.0	<2.0	<2.0																	
BED1	297	04/18/2022		<2.0	<2.0	<2.0																	
BED1	297	01/26/2022		<2.0	<2.0	<2.0																	
BED1	297	11/01/2021		<2.0	<2.0	<2.0																	
PT	297	08/19/2021		4.0	<2.0	<2.0																	
BED1	297	08/19/2021		<2.0	<2.0	<2.0																	
BED1	297	04/13/2021		<2.0	<2.0	<2.0																	
BED1	297	01/21/2021		<2.0	<2.0	<2.0																	
BED1-DUP	297	01/21/2021		<2.0	<2.0	<2.0																	
BED1	297	10/13/2020		<2.0	<2.0	<2.0																	
PT	297	08/10/2020		3.8	<2.0	<2.0																	
PT	297	08/10/2020	Split sampling for method comparison.	3.1	<2.0	<2.0																	
BED1	297	08/10/2020		<2.0	<2.0	<2.0																	
BED1	297	08/10/2020	Split sampling for method comparison.	<2.0	<2.0	<2.0																	
BED1-DUP	297	08/10/2020		<2.0	<2.0	<2.0																	
BED1	297	06/08/2020		<2.0	<2.0	<2.0																	
BED1	297	01/27/2020		<2.0	<2.0	<2.0																	
BED1	297	10/11/2019		<2.0	<2.0	<2.0																	
PT	297	07/22/2019		3.8	<2.0	<2.0																	
BED1	297	07/22/2019		<2.0	<2.0	<2.0																	
BED1	297	04/16/2019		<2.0	<2.0	<2.0																	
BED1	297	01/30/2019		<2.0	<2.0	<2.0																	
BED1	297	11/07/2018		<2.0	<2.0	<2.0																	
PT	297	08/03/2018		4.9	<2.0	<2.0																<4.0	
BED1	297	08/03/2018		<2.0	<2.0	<2.0																	
	297	04/19/2018	NJDEP sampled, added their data to EIM, exceeds criteria, GAC installed by Chemours 05/23/2018.	39	4.2	7.7																	
	298	04/22/2024		<2.0	<2.0	<2.0																	
	298	05/02/2022		<2.0	<2.0	<2.0																	
	298	03/25/2021		<2.0	<2.0	<2.0																	
	298	04/23/2018		<2.0	2	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	299	09/16/2024		7.6 J	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	8.5 J	3.3 J	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ			<2.0 UJ	<2.0 UJ
	299	05/07/2021		3.8	<2.0	<2.0																	
	299	04/23/2018		3	<2.0	<2.0	<20	<20	<2.0	<2.0	6.9	2.1	<2.0	<2.0	<2.0	<2.0	<2.0						
	300	06/12/2023		<2.0	2.0	<2.0																	
	300	03/26/2021		<2.0	<2.0	<2.0																	
	300	04/23/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	301	10/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	301	07/10/2024		42	6.9	2.5	<2.0	<2.0	<2.0	2.6	20	13	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	301	07/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	301	04/16/2024		<2.0	<2.0	<2.0																	
BED1	301	01/17/2024	Carbon Changeout 01/17/2024 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	301	10/20/2023		<2.0	<2.0	<2.0																	
PT	301	07/19/2023		33	5.8	4.9																	
BED1	301	07/19/2023		<2.0	<2.0	<2.0																	
BED1	301	04/20/2023		<2.0	<2.0	<2.0																	
BED1	301	01/25/2023		<2.0	<2.0	<2.0																	
BED1	301	10/31/2022		<2.0	<2.0	<2.0																	
PT	301	08/18/2022		52	4.1	4.3																	
BED1	301	08/18/2022		<2.0	<2.0	<2.0																	
BED1	301	05/23/2022		<2.0	<2.0	<2.0																	
BED1	301	02/22/2022		<2.0	<2.0	<2.0																	
BED1	301	11/29/2021		<2.0	<2.0	<2.0																	
PT	301	08/30/2021		59	4.9 J	3.5																	
BED1	301	08/30/2021		<2.0	<2.0	<2.0																	
BED1	301	06/15/2021		<2.0	<2.0	<2.0																	
BED1	301	01/20/2021		<2.0	<2.0	<2.0																	
BED1	301	10/07/2020		<2.0	<2.0	<2.0																	
PT	301	07/23/2020		44	3.7	5.0																	
BED1	301	07/23/2020		<2.0	<2.0	<2.0																	
BED1	301	06/02/2020		<2.0	<2.0	<2.0																	
BED1	301	01/16/2020		<2.0	<2.0	<2.0																	
BED1	301	10/01/2019		<2.0	<2.0	<2.0																	
PT	301	07/08/2019		46	3.2	2.9																	
BED1	301	07/08/2019		<2.0	<2.0	<2.0																	
BED1	301	04/03/2019		<2.0	<2.0	<2.0																	
BED1	301	01/09/2019		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
	301	04/23/2018	GAC installed 10/17/2018.	51	<2.0	3.8	<20	<20	<2.0	<2.0	51	34	<2.0	<2.0	<2.0	<2.0	<2.0						
PT	302	08/20/2019	No well decommissioning report, but the well is no longer usable according to homeowner. Replacement well installed (Regulatory Location ID #416). Not qualified so GAC removed 12/05/2019.	34	6.1	2.8																	
BED1	302	08/20/2019	No well decommissioning report, but the well is no longer usable according to homeowner. Replacement well installed (Regulatory Location ID #416). Not qualified so GAC removed 12/05/2019.	<2.0	<2.0	<2.0																	
BED1	302	05/21/2019		<2.0	<2.0	<2.0																	
BED1	302	02/15/2019		<2.0	<2.0	<2.0																	
BED1	302	11/27/2018		<2.0	<2.0	<2.0																	
PT	302	09/28/2018		33	3.1	2.2																<4.0	
BED1	302	09/28/2018		<2.0	3.4	<2.0																	
	302	04/25/2018	GAC installed 06/28/2018.	40	3.2	<2.0	<20	<20	2.5	2	35	20	<2.0	<2.0	<2.0	<2.0	<2.0						
PT	303	08/17/2023		23	2.0	5.4																	
BED1	303	08/17/2023	Home is going to be demolished. GAC removed 12/14/2023 at owner's request.	<2.0	<2.0	<2.0																	
BED1	303	05/30/2023		<2.0	<2.0	<2.0																	
BED1	303	03/14/2023		<2.0	<2.0	<2.0																	
BED1	303	11/14/2022		5.0	<2.0	<2.0																	
BED2	303	11/14/2022		<2.0	<2.0	<2.0																	
PT	303	08/30/2022		23	<2.0	6.8																	
BED1	303	08/30/2022		<2.0	<2.0	<2.0																	
BED1	303	05/26/2022		<2.0	<2.0	<2.0																	
BED1	303	03/03/2022		<2.0	<2.0	<2.0																	
BED1	303	12/01/2021		<2.0	<2.0	<2.0																	
PT	303	08/19/2021		27	<2.0	4.2																	
BED1	303	08/19/2021		<2.0	<2.0	<2.0																	
BED1	303	05/14/2021		<2.0	<2.0	<2.0																	
BED1	303	02/05/2021		<2.0	<2.0	<2.0																	
BED1	303	10/27/2020		<2.0	<2.0	<2.0																	
PT	303	08/26/2020		27	2.3	4.2																	
BED1	303	08/26/2020		<2.0	<2.0	<2.0																	
BED1	303	06/16/2020		3.4	<2.0	<2.0																	
BED1	303	02/10/2020		<2.0	<2.0	<2.0																	
BED1	303	11/08/2019		<2.0	<2.0	<2.0																	
PT	303	08/26/2019		24	<2.0	3.6																	
BED1	303	08/26/2019		<2.0	<2.0	<2.0																	
BED1	303	04/17/2019		<2.0	<2.0	<2.0																	
PT	303	02/04/2019		18	<2.0	3.6																<4.0	
BED1	303	02/04/2019		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	303	11/07/2018		<2.0	<2.0	<2.0																	
	303	04/25/2018	GAC installed 09/05/2018.	24	3.5	4.9	<20	<20	2.7	<2.0	14	8.8	<2.0	<2.0	<2.0	<2.0	<2.0						
	304	06/14/2024		11	<2.0	<2.0																	
DUP	304	06/14/2024		10	<2.0	<2.0																	
	304	05/25/2022		8.1	<2.0	<2.0																	
	304	04/26/2021		8.8	<2.0	<2.0																	
	304	04/30/2018		5.7	<2.0	<2.0	<20	<20	<2.0	<2.0	4.6	2.6	<2.0	<2.0	<2.0	<2.0	<2.0						
	305	04/30/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	306	03/13/2023		<2.0	<2.0	<2.0																	
	306	02/28/2022		<2.0	<2.0	<2.0																	
	306	04/30/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
POST	307	04/17/2024		<2.0	<2.0	<2.0																	
PRE	307	04/17/2024		<2.0	<2.0	<2.0																	
POST	307	04/25/2022		<2.0	<2.0	<2.0																	
PRE	307	04/25/2022		2.2	4.6	<2.0																	
	307	03/26/2021		2.2	<2.0	<2.0																	
	307	04/30/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	308	05/04/2018		6.4	<2.0	<2.0	<20	<20	<2.0	<2.0	5.3	2.6	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	309	11/13/2023	GAC removed 02/06/2024 at owner's request. Permanent bottled water.	<2.0	<2.0	<2.0																	
PT	309	08/17/2023		60	5.6	16																	
BED1	309	08/17/2023		<2.0	<2.0	<2.0																	
BED1	309	05/31/2023		<2.0	<2.0	<2.0																	
BED1-DUP	309	05/31/2023		<2.0	<2.0	<2.0																	
BED1	309	03/14/2023		<2.0	<2.0	<2.0																	
BED1	309	11/22/2022		<2.0	<2.0	<2.0																	
PT	309	09/13/2022		68	3.8	13																	
BED1	309	09/13/2022		<2.0	<2.0	<2.0																	
BED1	309	05/25/2022		<2.0	<2.0	<2.0																	
BED1	309	02/23/2022		<2.0	<2.0	<2.0																	
BED1	309	11/30/2021		<2.0	<2.0	<2.0																	
PT	309	09/07/2021		66	2.2	6.6																	
BED1	309	09/07/2021		<2.0	<2.0	<2.0																	
BED1	309	06/21/2021		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	309	02/25/2021		<2.0	<2.0	<2.0																	
BED1	309	10/08/2020		<2.0	<2.0	<2.0																	
PT	309	07/28/2020		69	2.0	7.1																	
BED1	309	07/28/2020		<2.0	<2.0	<2.0																	
BED1	309	06/05/2020		<2.0	<2.0	<2.0																	
BED1	309	01/31/2020		<2.0	<2.0	<2.0																	
BED1	309	10/15/2019		<2.0	<2.0	<2.0																	
PT	309	07/19/2019		57	<2.0	3.2																	
BED1	309	07/19/2019		<2.0	<2.0	<2.0																	
BED1	309	04/08/2019		<2.0	<2.0	<2.0																	
PT	309	01/23/2019		66	<2.0	3.0																<4.0	
BED1	309	01/23/2019		<2.0	<2.0	<2.0																	
BED1	309	10/30/2018		<2.0	<2.0	<2.0																	
	309	05/04/2018	GAC installed 09/27/2018.	69	<2.0	3.1	<20	<20	3.2	2.4	52	30	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	310	12/02/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	310	08/29/2024		46	20	13	<2.0	<2.0	9.4	2.8	26	17	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	310	08/29/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	310	04/17/2024		4.3	<2.0	<2.0																	
BED2	310	04/17/2024		<2.0	<2.0	<2.0																	
BED1	310	01/25/2024	Carbon Changeout 01/25/2024 - 5yr.	<2.0	<2.0	<2.0																	
BED1	310	10/04/2023		<2.0	<2.0	<2.0																	
PT	310	07/21/2023		56	18	10																	
BED1	310	07/21/2023		<2.0	<2.0	<2.0																	
BED1	310	04/19/2023		<2.0	<2.0	<2.0																	
BED1	310	01/26/2023		<2.0	<2.0	<2.0																	
BED1	310	10/28/2022		<2.0	<2.0	<2.0																	
PT	310	08/17/2022		59	22	11																	
BED1	310	08/17/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	310	05/18/2022		<2.0	<2.0	<2.0																	
BED1	310	02/07/2022		<2.0	<2.0	<2.0																	
PT	310	10/21/2021		45	14	8.5																	
BED1	310	10/21/2021		<2.0	<2.0	<2.0																	
BED1	310	05/14/2021		<2.0	<2.0	<2.0																	
BED1	310	02/16/2021		<2.0	<2.0	<2.0																	
BED1	310	12/10/2020		<2.0	<2.0	<2.0																	
PT	310	09/14/2020		24	7.1 J	4.2																	
BED1	310	09/14/2020		<2.0	<2.0	<2.0																	
BED1-DUP	310	09/14/2020		<2.0	<2.0	<2.0																	
BED1	310	06/29/2020		<2.0	<2.0	<2.0																	
BED1	310	03/04/2020		<2.0	<2.0	<2.0																	
BED1	310	05/24/2019		<2.0	<2.0	<2.0																	
PT	310	03/28/2019		27	8.9	4.4																<4.0	
BED1	310	03/28/2019		<2.0	2.6	<2.0																	
	310	05/04/2018	GAC installed 09/04/2018.	39	10	6.2	<20	<20	5.5	5.7	22	13	<2.0	<2.0	<2.0	<2.0	<2.0						
	311	07/08/2024		4.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	6.1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	311	06/01/2022		5.2	<2.0	<2.0																	
DUP	311	06/01/2022		5.3	<2.0	<2.0																	
	311	04/19/2021		3.9	<2.0	<2.0																	
	311	05/09/2018		2.1	<2.0	<2.0	<20	<20	<2.0	<2.0	4.8	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	312	05/09/2022		<2.0	<2.0	<2.0																	
	312	03/26/2021		<2.0	<2.0	<2.0																	
	312	05/14/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
POST	313	09/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	313	09/09/2024		7.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	9.6	5.6	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	313	07/11/2022		<2.0	<2.0	<2.0																	
PRE	313	07/11/2022		3.9	<2.0	<2.0																	
	313	04/30/2021		<2.0	<2.0	<2.0																	
	313	05/14/2018		3.3	<2.0	<2.0	<20	<20	<2.0	<2.0	11	4.9	<2.0	<2.0	<2.0	<2.0	<2.0						
	314	04/07/2021		<2.0	<2.0	<2.0																	
	314	05/14/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	315	06/11/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	2.1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	316	08/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	316	07/19/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
DUP	316	07/19/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	317	06/12/2023		3.9	<2.0	<2.0																	
DUP	317	06/12/2023		3.7	<2.0	<2.0																	
	317	04/26/2021		2.2	<2.0	<2.0																	
	317	08/06/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	2.9	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	318	05/09/2022		<2.0	<2.0	<2.0																	
	318	04/02/2021		<2.0	<2.0	<2.0																	
DUP	318	04/02/2021		<2.0	<2.0	<2.0																	
	318	08/10/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
POST	319	07/01/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	319	07/01/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	319	05/23/2022		<2.0	<2.0	<2.0																	
PRE	319	05/23/2022		<2.0	<2.0	<2.0																	
	319	04/02/2021		8.7	<2.0	3.1																	
PRE	319	04/02/2021		9.5	<2.0	3.5																	
	319	08/20/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	320	10/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	320	07/23/2024		69	5.1	6.1	<2.0	<2.0	2.6	<2.0	48	38	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	320	07/23/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	320	04/19/2024		<2.0	<2.0	<2.0																	
BED1	320	01/16/2024	Carbon Changeout 01/16/2024 - 5yr.	<2.0	<2.0 UJ	<2.0																	
BED1-DUP	320	01/16/2024	Carbon Changeout 01/16/2024 - 5yr.	<2.0	<2.0	<2.0																	
BED1	320	10/12/2023		<2.0	<2.0	<2.0																	
PT	320	07/17/2023		60	3.9	3.3																	
BED1	320	07/17/2023		<2.0	<2.0	<2.0																	
BED1	320	04/13/2023		<2.0	<2.0	<2.0																	
BED1	320	01/12/2023		<2.0	<2.0	<2.0																	
BED1	320	10/05/2022		<2.0	<2.0	<2.0																	
PT	320	07/11/2022		56	3.1	3.1																	
BED1	320	07/11/2022		<2.0	<2.0	<2.0																	
BED1	320	04/12/2022		<2.0	<2.0	<2.0																	
BED1-DUP	320	04/12/2022		<2.0	<2.0	<2.0																	
BED1	320	01/19/2022		<2.0	<2.0	<2.0																	
BED1-DUP	320	01/19/2022		<2.0	<2.0	<2.0																	
BED1	320	10/08/2021		<2.0	<2.0	<2.0																	
PT	320	07/14/2021		68	4.0	4.9																	
BED1	320	07/14/2021		<2.0	<2.0	<2.0																	
BED1	320	04/01/2021		<2.0	<2.0	<2.0																	
BED1	320	01/11/2021		<2.0	<2.0	<2.0																	
BED1	320	10/01/2020		<2.0	<2.0	<2.0																	
PT	320	07/23/2020		57	2.4	2.6																	
BED1	320	07/23/2020		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	320	06/02/2020		<2.0	<2.0	<2.0																	
BED1	320	01/16/2020		<2.0	<2.0	<2.0																	
BED1	320	10/02/2019		<2.0	<2.0	<2.0																	
PT	320	07/01/2019		62	3.7	4.0																	
BED1	320	07/01/2019		<2.0	<2.0	<2.0																	
BED1	320	04/02/2019		<2.0	<2.0	<2.0																	
BED1	320	01/07/2019		<2.0	<2.0	<2.0																	
	320	08/20/2018	GAC installed 10/16/2018.	75	3	2.4	<20	<20	<2.0	<2.0	49	37	<2.0	<2.0	<2.0	<2.0	<2.0						
	321	07/22/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	321	06/27/2022		<2.0	<2.0	<2.0																	
	321	05/10/2021		<2.0	<2.0	<2.0																	
	321	08/21/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	322	05/09/2022		<2.0	<2.0	<2.0																	
	322	09/11/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	323	09/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	323	06/27/2022		<2.0	<2.0	<2.0																	
	323	05/03/2021		<2.0	<2.0	<2.0																	
	323	09/12/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	324	12/18/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	324	08/29/2024		80	5.6	<2.0	<2.0	<2.0	2.0	2.1	42	24	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	324	08/29/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	324	05/07/2024	Carbon Changeout 05/07/2024 - 5yr.	<2.0	<2.0	<2.0																	
BED1	324	03/14/2024		<2.0	<2.0	<2.0																	
BED1	324	12/18/2023		<2.0	<2.0	<2.0																	
PT	324	08/23/2023		87	5.7	<2.0																	
BED1	324	08/23/2023		<2.0	<2.0	<2.0																	
BED1	324	05/02/2023		<2.0	<2.0	<2.0																	
BED1	324	01/11/2023		<2.0	<2.0	<2.0																	
BED1	324	10/10/2022		<2.0	<2.0	<2.0																	
PT	324	07/14/2022		78	4.6	<2.0																	
BED1	324	07/14/2022		<2.0	<2.0	<2.0																	
BED1	324	04/05/2022		<2.0	<2.0	<2.0																	
BED1	324	01/05/2022		<2.0	<2.0	<2.0																	
BED1	324	10/07/2021		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	324	07/13/2021		61	3.1	<2.0																	
BED1	324	07/13/2021		<2.0	<2.0	<2.0																	
BED1	324	04/01/2021		<2.0	<2.0	<2.0																	
BED1	324	01/11/2021		<2.0	<2.0	<2.0																	
BED1	324	10/05/2020		<2.0	<2.0	<2.0																	
PT	324	07/28/2020		90	2.6	<2.0																	
BED1	324	07/28/2020		<2.0	<2.0	<2.0																	
BED1-DUP	324	07/28/2020		<2.0	<2.0	<2.0																	
BED1	324	06/02/2020		<2.0	<2.0	<2.0																	
BED1	324	01/17/2020		<2.0	<2.0	<2.0																	
BED1	324	10/01/2019		<2.0	<2.0	<2.0																	
PT	324	07/08/2019		83	<2.0	<2.0																	
BED1	324	07/08/2019		<2.0	<2.0	<2.0																	
BED1	324	04/05/2019		<2.0	<2.0	<2.0																	
BED1	324	01/09/2019		<2.0	<2.0	<2.0																	
	324	09/12/2018	GAC installed 11/06/2018.	81	<2.0	<2.0	<20	<20	<2.0	2.4	59	30	<2.0	<2.0	<2.0	<2.0	<2.0						
	325	09/12/2018	Permanent bottled water.	81	<2.0	<2.0	<20	<20	<2.0	2.6	58	26	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	325	09/12/2018	Permanent bottled water.	81	<2.0	<2.0	<20	<20	<2.0	2.9	56	25	<2.0	<2.0	<2.0	<2.0	<2.0						
	326	07/05/2022		<2.0	<2.0	<2.0																	
	326	03/25/2021		<2.0	<2.0	<2.0																	
	326	09/26/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	327	11/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	327	08/15/2024		15	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	15	7.2	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	327	08/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	327	05/02/2024	Carbon Changeout 05/02/2024 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	327	02/06/2024		<2.0	<2.0	<2.0																	
BED1	327	11/20/2023		<2.0	<2.0	<2.0																	
PT	327	08/21/2023		28	<2.0	<2.0																	
BED1	327	08/21/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	327	05/31/2023		<2.0	<2.0	<2.0																	
BED1	327	11/17/2022		<2.0	<2.0	<2.0																	
PT	327	07/21/2022		12	2.2	<2.0																	
BED1	327	07/21/2022		<2.0	<2.0	<2.0																	
BED1	327	05/10/2022		<2.0	<2.0	<2.0																	
BED1	327	03/01/2022		<2.0	<2.0	<2.0																	
BED1	327	12/09/2021		<2.0	<2.0	<2.0																	
PT	327	09/15/2021		12	3.6	<2.0																	
BED1	327	09/15/2021		<2.0	<2.0	<2.0																	
BED1	327	05/27/2021		<2.0	<2.0	<2.0																	
BED1	327	03/11/2021		<2.0	<2.0	<2.0																	
BED1	327	11/02/2020		<2.0	<2.0	<2.0																	
PT	327	08/31/2020		6.1	<2.0	<2.0																	
BED1	327	08/31/2020		<2.0	<2.0	<2.0																	
BED1	327	06/30/2020		<2.0	<2.0	<2.0																	
BED1	327	02/19/2020		<2.0	<2.0	<2.0																	
BED1	327	11/13/2019		<2.0	<2.0	<2.0																	
PT	327	09/10/2019		10	2.0	<2.0																	
BED1	327	09/10/2019		<2.0	<2.0	<2.0																	
BED1	327	05/15/2019		<2.0	<2.0	<2.0																	
BED1	327	01/07/2019		<2.0	<2.0	<2.0																	
	327	09/26/2018	GAC installed 12/18/2018.	15	<2.0	<2.0	<20	<20	<2.0	<2.0	19	8.8	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	328	10/02/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	328	07/03/2024		28	<2.0	11	<2.0	<2.0	<2.0	<2.0	18	8.6	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	328	07/03/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	328	04/02/2024		<2.0	<2.0	<2.0																	
BED1	328	01/04/2024		<2.0	<2.0	<2.0																	
BED1	328	12/07/2023		<2.0	<2.0	<2.0																	
PT	328	08/31/2023		27	<2.0	9.4																	
BED1	328	08/31/2023		<2.0	<2.0	<2.0																	
BED1	328	05/01/2023		<2.0	<2.0	<2.0																	
BED1	328	03/15/2023		<2.0	<2.0	<2.0																	
BED1	328	11/21/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	328	07/07/2022		31	<2.0	6.1																	
BED1	328	07/07/2022		<2.0	<2.0	<2.0																	
BED1	328	04/14/2022		<2.0	<2.0	<2.0																	
BED1	328	01/26/2022		<2.0	<2.0	<2.0																	
BED1	328	11/01/2021		<2.0	<2.0	<2.0																	
PT	328	08/18/2021		43	2.0	9.4																	
BED1	328	08/18/2021		<2.0	<2.0	<2.0																	
BED1	328	06/04/2021		<2.0	<2.0	<2.0																	
BED1	328	03/17/2021		<2.0	<2.0	<2.0																	
BED1	328	10/19/2020		<2.0	<2.0	<2.0																	
PT	328	08/03/2020		26	<2	4.6																	
BED1	328	08/03/2020		<2	<2	<2																	
BED1	328	06/03/2020		<2.0	<2.0	<2.0																	
BED1	328	01/23/2020		<2.0	<2.0	<2.0																	
BED1	328	10/04/2019		<2.0	<2.0	<2.0																	
	328	10/03/2018	GAC installed 08/08/2019.	45	<2.0	4.9	<20	<20	<2.0	<2.0	24	12	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	328	10/03/2018	GAC installed 08/08/2019.	46	<2.0	4.7	<20	<20	<2.0	<2.0	24	11	<2.0	<2.0	<2.0	<2.0	<2.0						
	329	10/11/2018	Treatment incomplete/in progress - bottled water.	310	15	55	<20	<20	<2.0	7.4	540	140	47	<2.0	<2.0	<2.0	<2.0						
BED1	330	10/23/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	16	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	330	07/24/2024		560	21 J	95	<2.0	<2.0	2.6 J	8.6 J	510	240	64 J	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			13 J	<2.0
BED1	330	07/24/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	3.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	330	04/10/2024		<2.0	<2.0	<2.0																	
BED1	330	01/03/2024		<2.0	<2.0	<2.0																	
BED1	330	10/17/2023		<2.0	<2.0	<2.0																	
PT	330	07/10/2023		390	16 J	63																	
BED1	330	07/10/2023		<2.0	<2.0	<2.0																	
BED1	330	04/03/2023		<2.0	<2.0	<2.0																	
BED1	330	01/10/2023		<2.0	<2.0	<2.0																	
PT	330	10/24/2022		310	18 J	54																	
BED1	330	10/24/2022		<2.0	<2.0	<2.0																	
BED1	330	06/09/2022		3.5	<2.0	<2.0																	
BED2	330	06/09/2022		<2.0	<2.0	<2.0																	
BED1	330	03/14/2022		<2.0	<2.0	<2.0																	
BED1	330	12/06/2021		<2.0	<2.0 UJ	<2.0																	
PT	330	08/04/2021		460	27	83																	
BED1	330	08/04/2021		<2.0	<2.0	<2.0																	
BED1-DUP	330	08/04/2021		<2.0	<2.0	<2.0																	
BED1	330	05/12/2021		<2.0	<2.0 UJ	<2.0																	
PT	330	09/06/2019		500 J	24 J	91 J																	
BED1	330	09/06/2019		3.0	<2.0	<2.0																	
BED1	330	06/25/2019		15	<2.0	<2.0																	
BED2	330	06/25/2019		<2.0	<2.0	<2.0																	
	330	10/11/2018	GAC installed 12/12/2018.	410	21	78	<20	<20	<2.0	8.9	650	180	57	<2.0	<2.0	<2.0	<2.0						
	331	10/25/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	3.9	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	332	08/26/2024		5.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	6.7	2.8	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	332	05/23/2022		3.7	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
	332	04/19/2021		8.2	<2.0	<2.0																	
	332	11/07/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
POST	333	08/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	333	08/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	333	07/19/2022		<2.0	<2.0	<2.0																	
PRE	333	07/19/2022		<2.0	<2.0	<2.0																	
	333	04/30/2021		<2.0	<2.0	<2.0																	
PRE	333	04/30/2021		<2.0	<2.0	<2.0																	
	333	11/15/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	334	02/27/2023		<2.0	<2.0	<2.0																	
	334	04/21/2021		<2.0	<2.0	<2.0																	
	334	11/27/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
POST	335	06/03/2024		<2.0	<2.0	<2.0																	
PRE	335	06/03/2024		<2.0	<2.0	<2.0																	
POST	335	05/25/2022		<2.0	<2.0	<2.0																	
PRE	335	05/25/2022		<2.0	<2.0	<2.0																	
	335	04/26/2021		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
POST	335	11/29/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
PRE	335	11/29/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
POST	336	11/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	336	11/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	336	04/04/2022		<2.0	<2.0	<2.0																	
PRE	336	04/04/2022		<2.0	<2.0	<2.0																	
	336	12/03/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	337	10/24/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	337	07/30/2024		27	14	14	<2.0	<2.0	<2.0	<2.0	23	13	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	337	07/30/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	337	05/22/2024	Carbon Changeout 05/22/2024 - 5yr.	<2.0	<2.0	<2.0																	
BED1	337	01/10/2024		<2.0	<2.0	<2.0																	
BED1	337	10/12/2023		<2.0	<2.0	<2.0																	
PT	337	07/24/2023		41	15	17																	
BED1	337	07/24/2023		<2.0	<2.0	<2.0																	
BED1	337	04/26/2023		<2.0	<2.0	<2.0																	
BED1	337	02/13/2023		<2.0	<2.0	<2.0																	
BED1	337	11/29/2022		<2.0	<2.0	<2.0																	
PT	337	09/20/2022		33	13	13																	
BED1	337	09/20/2022		<2.0	<2.0	<2.0																	
BED1	337	05/11/2022		<2.0	<2.0	<2.0																	
BED1	337	02/09/2022		<2.0	<2.0	<2.0																	
BED1	337	11/09/2021		<2.0	<2.0	<2.0																	
BED1-DUP	337	11/09/2021		<2.0	<2.0	<2.0																	
PT	337	08/30/2021		48	20 J	24																	
BED1	337	08/30/2021		<2.0	<2.0	<2.0																	
BED1	337	05/11/2021		<2.0	<2.0	<2.0																	
BED1	337	02/03/2021		<2.0	<2.0	<2.0																	
BED1-DUP	337	02/03/2021		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	337	10/22/2020		<2.0	<2.0	<2.0																	
PT	337	08/19/2020		35	11	16																	
BED1	337	08/19/2020		<2.0	<2.0	<2.0																	
BED1	337	06/11/2020		<2.0	<2.0	<2.0																	
BED1	337	01/16/2020		<2.0	<2.0	<2.0																	
BED1	337	10/01/2019		<2.0	<2.0	<2.0																	
PT	337	07/01/2019		37	9.7	11																	
BED1	337	07/01/2019		<2.0	<2.0	<2.0																	
BED1	337	04/02/2019		<2.0	<2.0	<2.0																	
	337	12/03/2018	GAC installed 02/19/2019.	37	9.1	8.9	<20	<20	<2.0	<2.0	23	12	<2.0	<2.0	<2.0	<2.0	<2.0						
	337	12/03/2018	GAC installed 02/19/2019.	39	9.3	8.7	<20	<20	<2.0	<2.0	24	13	<2.0	<2.0	<2.0	<2.0	<2.0						
	338	05/10/2021		<2.0	<2.0	<2.0																	
	338	12/04/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	339	12/04/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
POST	340	08/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	340	08/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	340	12/04/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
PRE	340	12/04/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	341	07/01/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	341	05/23/2022		<2.0	<2.0	<2.0																	
	341	04/23/2021		<2.0	<2.0	<2.0																	
	341	12/05/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	342	07/08/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	342	06/13/2022		<2.0	<2.0	<2.0																	
	342	05/12/2021		<2.0	<2.0	<2.0																	
	342	12/05/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	343	11/12/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	343	08/19/2024		18	<2.0	2.5	<2.0	<2.0	<2.0	<2.0	10	8.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	343	08/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	343	05/31/2024		<2.0	<2.0	<2.0																	
BED1	343	02/28/2024		<2.0	<2.0	<2.0																	
BED1	343	11/15/2023		<2.0	<2.0	<2.0																	
PT	343	08/29/2023		11	<2.0	<2.0																	
BED1	343	08/29/2023		<2.0	<2.0	<2.0																	
BED1	343	05/18/2023		<2.0	<2.0	<2.0																	
BED1	343	02/13/2023		<2.0	<2.0	<2.0																	
BED1	343	10/31/2022		<2.0	<2.0	<2.0																	
PT	343	08/22/2022		12	<2.0	<2.0																	
BED1	343	08/22/2022		<2.0	<2.0	<2.0																	
BED1	343	05/19/2022		<2.0	<2.0	<2.0																	
BED1	343	02/17/2022		<2.0	<2.0	<2.0																	
BED1	343	10/21/2021		<2.0	<2.0	<2.0																	
	343	05/03/2021	GAC installed 07/06/2021.	14	<2.0	<2.0																	
POST	343	12/05/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
PRE	343	12/05/2018		11	<2.0	<2.0	<20	<20	<2.0	<2.0	8.1	5.2	<2.0	<2.0	<2.0	<2.0	<2.0						
POST	344	02/27/2023		<2.0	<2.0	<2.0																	
PRE	344	02/27/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
POST	344	01/31/2022		<2.0	<2.0	<2.0																	
PRE	344	01/31/2022		<2.0	<2.0	<2.0																	
POST	344	12/05/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
PRE	344	12/05/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	345	12/05/2018	Declined treatment offer.	27	13	9.6	<20	<20	10	7.7	19	10	<2.0	<2.0	<2.0	<2.0	<2.0						
	346	07/08/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	346	06/01/2022		<2.0	<2.0	<2.0																	
	346	04/26/2021		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
	346	12/06/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	347	08/19/2024	GAC installed 10/29/2024	24	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	15	8.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	347	06/13/2022		2.7	<2.0	<2.0																	
	347	05/03/2021		5.0	<2.0	<2.0																	
	347	12/06/2018		12	<2.0	<2.0	<20	<20	<2.0	<2.0	22	7.7	<2.0	<2.0	<2.0	<2.0	<2.0						
	348	03/27/2023		<2.0	<2.0	<2.0																	
	348	06/20/2022		<2.0	<2.0	<2.0																	
DUP	348	06/20/2022		<2.0	<2.0	<2.0																	
	348	12/06/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	349	12/06/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	350	08/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	350	07/19/2022		<2.0	<2.0	<2.0																	
	350	05/13/2021		<2.0	<2.0	<2.0																	
	350	12/07/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	351	08/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	351	07/19/2022		<2.0	<2.0	<2.0																	
	351	05/13/2021		<2.0	<2.0	<2.0																	
	351	12/07/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	352	12/07/2018	Barn well not a potable well, treatment not offered.	21	49	<2.0	<20	<20	<2.0	4.1	41	13	<2.0	<2.0	<2.0	<2.0	<2.0						
	353	05/01/2023		<2.0	<2.0	<2.0																	
	353	05/07/2021		<2.0	<2.0	<2.0																	
	353	12/10/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	354	08/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	354	07/19/2022		<2.0	<2.0	<2.0																	
DUP	354	07/19/2022		<2.0	<2.0	<2.0																	
	354	05/21/2021		<2.0	<2.0	<2.0																	
	354	12/10/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
POST	355	07/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	355	07/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	355	06/06/2022		<2.0	<2.0	<2.0																	
PRE	355	06/06/2022		<2.0	<2.0	<2.0																	
POST	355	04/26/2021		<2.0	<2.0	<2.0																	
PRE	355	04/26/2021		<2.0	<2.0	<2.0																	
POST	355	12/10/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
PRE	355	12/10/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	356	11/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	356	09/17/2024		31	<2.0	2.0	<2.0	<2.0	<2.0	<2.0	53	20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	356	09/17/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	356	06/25/2024		<2.0	<2.0	<2.0																	
BED1	356	02/19/2024		<2.0	<2.0	<2.0																	
BED1	356	10/23/2023		<2.0	<2.0	<2.0																	
PT	356	07/18/2023		15	<2.0	<2.0																	
BED1	356	07/18/2023		<2.0	<2.0	<2.0																	
BED1	356	04/17/2023		<2.0	<2.0	<2.0																	
BED1	356	01/17/2023		<2.0	<2.0	<2.0																	
BED1	356	10/18/2022		<2.0	<2.0	<2.0																	
	356	05/25/2022	GAC installed 08/16/2022.	14	<2.0	<2.0																	
DUP	356	05/25/2022	GAC installed 08/16/2022.	14	<2.0	<2.0																	
	356	04/21/2021		5.3	<2.0	<2.0																	
	356	12/11/2018		4	<2.0	<2.0	<20	<20	<2.0	<2.0	3.4	2.2	<2.0	<2.0	<2.0	<2.0	<2.0						
	357	12/30/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	357	12/30/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	357	07/28/2022		<2.0	<2.0	<2.0																	
PRE	357	07/28/2022		<2.0	<2.0	<2.0																	
	357	04/21/2021		<2.0	<2.0	<2.0																	
	357	12/11/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	358	10/28/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	358	07/30/2024		51	3.1	6.4	<2.0	<2.0	<2.0	<2.0	46	20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	358	07/30/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	358	05/08/2024	Carbon Changeout 05/08/2024 - 5yr.	<2.0	<2.0	<2.0																	
BED1	358	01/25/2024		<2.0	<2.0	<2.0																	
BED1	358	10/23/2023		<2.0	<2.0	<2.0																	
PT	358	07/24/2023		31 J	3.3 J	2.9 J																	
BED1	358	07/24/2023		<2.0	<2.0	<2.0																	
BED1	358	04/25/2023		<2.0	<2.0	<2.0																	
BED1	358	02/02/2023		<2.0	<2.0	<2.0																	
PT	358	10/14/2022		37	3.8	4.2																	
BED1	358	10/14/2022		<2.0	<2.0	<2.0																	
BED1	358	05/25/2021		<2.0	<2.0	<2.0																	
BED1	358	02/01/2021		<2.0	<2.0	<2.0																	
BED1	358	10/22/2020		<2.0	<2.0	<2.0																	
PT	358	08/19/2020		29	4.4	2.6																	
BED1	358	08/19/2020		<2.0	<2.0	<2.0																	
BED1	358	06/12/2020		<2.0	<2.0	<2.0																	
BED1	358	01/17/2020		<2.0	<2.0	<2.0																	
BED1	358	10/03/2019		<2.0	<2.0	<2.0																	
PT	358	07/08/2019		40	3.3	3.4																	
BED1	358	07/08/2019		<2.0	<2.0	<2.0																	
BED1	358	04/02/2019		<2.0	<2.0	<2.0																	
	358	12/11/2018	GAC installed 03/13/2019.	18	2.7	<2.0	<20	<20	<2.0	<2.0	18	7.1	<2.0	<2.0	<2.0	<2.0	<2.0						

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	359	01/28/2021	GAC removed 11/30/2021 at owner's request. Home demolished for warehouse development. Well decommissioned according to NJ Data Miner.	10	<2.0	<2.0																	
BED2	359	01/28/2021	GAC removed 11/30/2021 at owner's request. Home demolished for warehouse development. Well decommissioned according to NJ Data Miner.	<2.0	<2.0	<2.0																	
BED1	359	10/15/2020		19	<2.0	<2.0																	
BED2	359	10/15/2020		<2.0	<2.0	<2.0																	
PT	359	08/12/2020		89	<2.0	3.8																	
BED1	359	08/12/2020		3.2	<2.0	<2.0																	
BED1	359	06/04/2020		6.8	<2.0	<2.0																	
BED1	359	01/23/2020		4.9	<2.0	<2.0																	
BED1	359	10/07/2019		<2.0	<2.0	<2.0																	
PT	359	07/02/2019		83	<2.0	2.0																	
BED1	359	07/02/2019		<2.0	<2.0	<2.0																	
BED1	359	04/02/2019		<2.0	<2.0	<2.0																	
	359	12/11/2018	GAC installed 03/29/2019.	67	<2.0	<2.0	<20	<20	<2.0	<2.0	71	42	<2.0	<2.0	<2.0	<2.0	<2.0						
	360	12/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	360	12/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	360	09/26/2022		<2.0	<2.0	<2.0																	
	360	05/25/2021		<2.0	<2.0	<2.0																	
	360	12/13/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	361	10/22/2024	Carbon Changeout 10/22/2024 - 5yr.	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	361	09/19/2024		50	110	42	<2.0	<2.0	3.7	<2.0	40	23	23	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	361	09/19/2024		<2.0	2.1	<2.0	<2.0	<2.0	<2.0	<2.0	4.1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED2	361	09/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	361	06/20/2024		<2.0	<2.0	<2.0																	
BED1	361	02/28/2024		<2.0	<2.0	<2.0																	
BED1	361	11/29/2023		<2.0	<2.0	<2.0																	
PT	361	09/13/2023		46	47	39																	
BED1	361	09/13/2023		<2.0	<2.0	<2.0																	
BED1	361	06/15/2023		<2.0	<2.0	<2.0																	
BED1	361	03/20/2023		<2.0	<2.0	<2.0																	
BED1	361	11/08/2022		<2.0	<2.0	<2.0																	
PT	361	09/07/2022		47	35	35																	
BED1	361	09/07/2022		<2.0	<2.0	<2.0																	
BED1	361	06/14/2022		<2.0	<2.0	<2.0																	
BED1	361	11/30/2021		<2.0	<2.0	<2.0																	
PT	361	09/01/2021		100	37	44																	
BED1	361	09/01/2021		<2.0	<2.0	<2.0																	
BED1	361	06/11/2021		<2.0	<2.0	<2.0																	
BED1	361	02/01/2021		<2.0	<2.0	<2.0																	
BED1	361	10/07/2020		<2.0	<2.0	<2.0																	
PT	361	08/04/2020		62 J	31 J	22 J																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	361	08/04/2020		<2	<2	<2																	
BED1	361	01/20/2020		<2.0	<2.0	<2.0																	
BED1	361	10/07/2019		<2.0	<2.0	<2.0																	
	361	12/13/2018	GAC installed 08/05/2019.	80	47	38	<20	<20	3	2.5	44	25	3.4	<2.0	<2.0	<2.0	<2.0						
	362	07/08/2024		3.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	2.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	362	05/10/2021		4.8	<2.0	<2.0																	
	362	12/14/2018		5.5	2.2	<2.0	<20	<20	<2.0	<2.0	3.5	2.2	<2.0	<2.0	<2.0	<2.0	<2.0						
	363	09/12/2022		<2.0	<2.0	<2.0																	
	363	08/02/2021		<2.0	<2.0	<2.0																	
	363	12/14/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	363	12/14/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	364	08/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	364	12/14/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
POST	365	11/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	365	11/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	365	12/20/2018		<2.0	<2.0	6.9	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	2	<2.0	<2.0	<2.0						
PRE	365	12/20/2018		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	366	03/23/2023		<2.0	<2.0	<2.0																	
DUP	366	03/23/2023		<2.0	<2.0	<2.0																	
	366	03/28/2022		<2.0	<2.0	<2.0																	
	366	01/03/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	367	05/08/2023		<2.0	<2.0	<2.0																	
	367	04/23/2021		<2.0	<2.0	<2.0																	
DUP	367	04/23/2021		<2.0	<2.0	<2.0																	
	367	01/07/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	368	07/08/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	368	04/11/2022		<2.0	<2.0 UJ	<2.0																	
	368	01/09/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	369	10/30/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	369	07/24/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	369	07/24/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	369	04/10/2024		<2.0	<2.0	<2.0																	
BED1	369	01/24/2024		<2.0	<2.0	<2.0																	
BED1	369	10/03/2023		<2.0	<2.0	<2.0																	
PT	369	07/05/2023		4.1	4.7	2.5																	
BED1	369	07/05/2023		<2.0	<2.0	<2.0																	
BED1	369	04/03/2023		<2.0	<2.0	<2.0																	
BED1	369	01/04/2023		<2.0	<2.0	<2.0																	
BED1	369	10/06/2022		<2.0	<2.0	<2.0																	
PT	369	07/06/2022		<2.0	<2.0	<2.0																	
BED1	369	07/06/2022		<2.0	<2.0	<2.0																	
BED1	369	04/05/2022		<2.0	<2.0	<2.0																	
BED1	369	01/03/2022		<2.0	<2.0	<2.0																	
BED1	369	10/01/2021		<2.0	<2.0	<2.0																	
BED1-DUP	369	10/01/2021		<2.0	<2.0	<2.0																	
PT	369	07/06/2021		3.8 J	2.6	<2.0 UJ																	
BED1	369	07/06/2021		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	369	04/05/2021		<2.0	<2.0	<2.0																	
BED1	369	01/21/2021		<2.0	<2.0	<2.0																	
BED1	369	10/05/2020		<2.0	<2.0	<2.0																	
PT	369	07/28/2020		<2.0	<2.0	<2.0																	
BED1	369	07/28/2020		<2.0	<2.0	<2.0																	
BED1	369	06/03/2020		<2.0	<2.0	<2.0																	
BED1	369	01/20/2020		<2.0	<2.0	<2.0																	
BED1	369	10/01/2019		<2.0	<2.0	<2.0																	
PT	369	07/01/2019		<2.0	<2.0	<2.0																	
BED1	369	07/01/2019		<2.0	<2.0	<2.0																	
	369	01/11/2019	GAC installed 05/22/2019.	60	28	18	<20	<20	6.2	3.6	58	25	<2.0	<2.0	<2.0	<2.0	<2.0						
	370	01/15/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
PRE	370	01/15/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	371	01/15/2019	Declined treatment offer.	21	2.1	4.3	<20	<20	<2.0	<2.0	11	6.8	<2.0	<2.0	<2.0	<2.0	<2.0						
	372	04/10/2023		<2.0	<2.0	<2.0																	
	372	03/21/2022		<2.0	<2.0	<2.0																	
	372	01/15/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	372	01/15/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	373	12/20/2022		<2.0	<2.0	<2.0																	
DUP	373	12/20/2022		<2.0	<2.0	<2.0																	
	373	01/18/2019		<2.0	4.4	<2.0	<20	<20	<2.0	<2.0	12	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	374	09/19/2023		<2.0	<2.0	<2.0																	
DUP	374	09/19/2023		<2.0	<2.0	<2.0																	
	374	03/28/2022		<2.0	<2.0	<2.0																	
	374	01/29/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	375	08/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	375	07/11/2022		<2.0	<2.0	<2.0																	
	375	05/13/2021		<2.0	<2.0	<2.0																	
	375	02/01/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	376	02/04/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	377	02/04/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	377	02/04/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	378	11/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	378	08/13/2024		45	12	34	<2.0	<2.0	<2.0	<2.0	40	22	2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	378	08/13/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	378	04/30/2024	Carbon Changeout 04/30/2024 - 5yr.	<2.0	<2.0	<2.0																	
BED1-DUP	378	04/30/2024	Carbon Changeout 04/30/2024 - 5yr.	<2.0	<2.0	<2.0																	
BED1	378	03/27/2024		<2.0	<2.0	<2.0																	
BED1-DUP	378	03/27/2024		<2.0	<2.0	<2.0																	
BED1	378	11/29/2023		<2.0	<2.0	<2.0																	
PT	378	09/06/2023		100	18	39																	
BED1	378	09/06/2023		<2.0	<2.0	<2.0																	
BED1	378	05/25/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1-DUP	378	05/25/2023		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	378	02/16/2023		<2.0	<2.0	<2.0																	
BED1	378	10/24/2022		<2.0	<2.0	<2.0																	
PT	378	07/25/2022		64	11	37																	
BED1	378	07/25/2022		<2.0	<2.0	<2.0																	
BED1	378	04/20/2022		<2.0	<2.0	<2.0																	
BED1	378	01/03/2022		<2.0	<2.0	<2.0																	
BED1	378	10/04/2021		<2.0	<2.0	<2.0																	
PT	378	07/07/2021		60	8.3	33																	
BED1	378	07/07/2021		<2.0	<2.0	<2.0																	
BED1	378	04/07/2021		<2.0	<2.0	<2.0																	
BED1-DUP	378	04/07/2021		<2.0	<2.0	<2.0																	
BED1	378	01/12/2021		<2.0	<2.0	<2.0																	
BED1	378	10/05/2020		<2.0	<2.0	<2.0																	
PT	378	07/28/2020		46	6.5	18																	
BED1	378	07/28/2020		<2.0	<2.0	<2.0																	
BED1	378	06/03/2020		<2.0	<2.0	<2.0																	
BED1	378	02/11/2020		<2.0	<2.0	<2.0																	
BED1	378	11/08/2019		<2.0	<2.0	<2.0																	
PT	378	09/03/2019		81	16	44																	
BED1	378	09/03/2019		<2.0	<2.0	<2.0																	
	378	02/07/2019	GAC installed 04/26/2019.	220	13	57	<20	<20	8.5	3.5	190	110	2.8	<2.0	<2.0	<2.0	<2.0						
BED1	379	11/20/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	379	08/08/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	379	08/08/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	379	05/21/2024	Carbon Changeout 05/21/2024 - 5yr.	<2.0	<2.0	<2.0																	
BED1	379	01/18/2024		<2.0	<2.0	<2.0																	
BED1	379	10/17/2023		<2.0	<2.0	<2.0																	
PT	379	08/01/2023		<2.0	<2.0	<2.0																	
BED1	379	08/01/2023		<2.0	<2.0	<2.0																	
BED1	379	04/25/2023		<2.0	<2.0	<2.0																	
BED1	379	01/31/2023		<2.0	<2.0	<2.0																	
BED1	379	10/24/2022		<2.0	<2.0	<2.0																	
PT	379	08/03/2022		2.2	<2.0	<2.0																	
BED1	379	08/03/2022		<2.0	<2.0	<2.0																	
BED1	379	04/19/2022		<2.0	<2.0	<2.0																	
BED1	379	01/19/2022		<2.0	<2.0	<2.0																	
BED1	379	10/15/2021		<2.0	<2.0	<2.0																	
PT	379	07/20/2021		6.4	<2.0	<2.0																	
BED1	379	07/20/2021		<2.0	<2.0	<2.0																	
BED1	379	04/23/2021		<2.0	<2.0	<2.0																	
BED1	379	02/01/2021		<2.0	<2.0	<2.0																	
BED1	379	10/20/2020		<2.0	<2.0	<2.0																	
PT	379	08/19/2020		9.9	<2.0	<2.0																	
BED1	379	08/19/2020		<2.0	<2.0	<2.0																	
BED1	379	06/12/2020		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	379	03/04/2020		<2.0	<2.0	<2.0																	
PT	379	07/03/2019		2.6	<2.0	<2.0																	
BED1	379	07/03/2019		<2.0	<2.0	<2.0																	
	379	02/07/2019	GAC installed 05/01/2019.	14	<2.0	3.1	<20	<20	<2.0	<2.0	10	6.5	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	380	10/30/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	380	10/30/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	380	08/13/2024		38	2.3	3.7	<2.0	<2.0	<2.0	<2.0	22	15	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	380	08/13/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	380	04/23/2024	Carbon Changeout 04/23/2024 - 5yr.	<2.0	<2.0	<2.0																	
BED1	380	02/07/2024		<2.0	<2.0	<2.0																	
BED1	380	11/08/2023		<2.0	<2.0	<2.0																	
PT	380	07/24/2023		36	2.0	2.1																	
BED1	380	07/24/2023		<2.0	<2.0	<2.0																	
BED1	380	04/26/2023		<2.0	<2.0	<2.0																	
BED1	380	02/13/2023		<2.0	<2.0	<2.0																	
BED1	380	11/07/2022		<2.0	<2.0	<2.0																	
PT	380	08/29/2022		45	2.6	<2.0																	
BED1	380	08/29/2022		<2.0	<2.0	<2.0																	
BED1	380	05/11/2022		<2.0	<2.0	<2.0																	
BED1	380	02/14/2022		<2.0	<2.0	<2.0																	
BED1	380	11/15/2021		<2.0	<2.0	<2.0																	
PT	380	09/02/2021		58	3.3 J	3.5																	
BED1	380	09/02/2021		<2.0	<2.0	<2.0																	
BED1	380	06/21/2021		<2.0	<2.0	<2.0																	
BED1	380	03/17/2021		<2.0	<2.0	<2.0																	
BED1	380	11/04/2020		<2.0	<2.0	<2.0																	
PT	380	08/26/2020		57	2.8	2.1																	
BED1	380	08/26/2020		<2.0	<2.0	<2.0																	
BED1	380	06/10/2020		<2.0	<2.0	<2.0																	
BED1	380	01/30/2020		<2.0	<2.0	<2.0																	
BED1	380	10/16/2019		<2.0	<2.0	<2.0																	
PT	380	07/22/2019		62	3.0	3.3																	
BED1	380	07/22/2019		<2.0	<2.0	<2.0																	
BED1	380	04/09/2019		<2.0	<2.0	<2.0																	
POST	380	02/07/2019	GAC installed 03/27/2019.	67	2.9	3.4	<20	<20	<2.0	<2.0	45	25	<2.0	<2.0	<2.0	<2.0	<2.0						
PRE	380	02/07/2019	GAC installed 03/27/2019.	72	2.9	3.6	<20	<20	<2.0	<2.0	48	26	<2.0	<2.0	<2.0	<2.0	<2.0						
	381	02/11/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	382	07/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	382	03/21/2022		<2.0	<2.0	<2.0																	
PRE	382	03/21/2022		<2.0	<2.0	<2.0																	
POST	382	02/11/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
PRE	382	02/11/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	383	08/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	383	07/05/2022		<2.0	<2.0	<2.0																	
	383	04/30/2021		<2.0	<2.0	<2.0																	
DUP	383	04/30/2021		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
POST	383	02/14/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
PRE	383	02/14/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	384	12/18/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	384	09/19/2024		3.9	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	13	2.4	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	384	09/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	384	06/05/2024		<2.0	<2.0	<2.0																	
BED1	384	03/19/2024		<2.0	<2.0	<2.0																	
BED1	384	11/28/2023		<2.0	<2.0	<2.0																	
BED1-DUP	384	11/28/2023		<2.0	<2.0	<2.0																	
PT	384	09/06/2023		46	3.2	6.2																	
BED1	384	09/06/2023		<2.0	<2.0	<2.0																	
BED1	384	06/08/2023		<2.0	<2.0	<2.0																	
BED1	384	03/08/2023		<2.0	<2.0	<2.0																	
BED1	384	12/22/2022		<2.0	<2.0	<2.0																	
PT	384	09/13/2022		47	2.1	5.8																	
BED1	384	09/13/2022		<2.0	<2.0	<2.0																	
BED1	384	04/19/2022		<2.0	<2.0	<2.0																	
	384	02/15/2019	GAC installed 01/06/2022.	61	4	5	<20	<20	3.3	<2.0	39	22	<2.0	<2.0	<2.0	<2.0	<2.0						
POST	385	09/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	385	09/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	385	11/30/2022		<2.0	<2.0	<2.0																	
PRE	385	11/30/2022		<2.0	<2.0	<2.0																	
POST	385	08/11/2021		<2.0	<2.0	<2.0																	
PRE	385	08/11/2021		<2.0	<2.0	<2.0																	
	385	02/15/2019	Replacement well. (Original well Regulatory Location ID #150).	<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	386	10/07/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	386	09/12/2022		<2.0	<2.0	<2.0																	
	386	08/04/2021		<2.0	<2.0	<2.0																	
	386	02/26/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	387	02/26/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	388	12/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	388	08/28/2024		56	4.8	11	<2.0	<2.0	<2.0	<2.0	32	19	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	388	08/28/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	388	06/20/2024	Carbon Changeout 06/20/2024 - 5yr.	<2.0	<2.0	<2.0																	
BED1	388	02/07/2024		<2.0	<2.0	<2.0																	
BED1	388	11/01/2023		<2.0	<2.0	<2.0																	
PT	388	08/21/2023		47	9.4	7.4																	
BED1	388	08/21/2023		<2.0	<2.0	<2.0																	
BED1	388	05/31/2023		<2.0	<2.0	<2.0																	
BED1	388	03/08/2023		<2.0	<2.0	<2.0																	
BED1	388	12/21/2022		<2.0	<2.0	<2.0																	
PT	388	09/14/2022		37	23	4.0																	
BED1	388	09/14/2022		<2.0	<2.0	<2.0																	
BED1	388	06/15/2022		<2.0	<2.0	<2.0																	
BED1	388	03/09/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	388	11/11/2021		<2.0	<2.0	<2.0																	
PT	388	07/21/2021		39	5.3	5.5																	
BED1	388	07/21/2021		<2.0	<2.0	<2.0																	
BED1	388	04/22/2021		<2.0	<2.0	<2.0																	
BED1	388	01/11/2021		<2.0	<2.0	<2.0																	
PT	388	08/26/2020		62	35	8.0																	
BED1	388	08/26/2020		<2.0	<2.0	<2.0																	
BED1	388	06/03/2020		<2.0	<2.0	<2.0																	
BED1	388	01/21/2020		<2.0	<2.0	<2.0																	
BED1	388	10/02/2019		<2.0	<2.0	<2.0																	
PT	388	07/03/2019		56	11	4.1																	
BED1	388	07/03/2019		<2.0	<2.0	<2.0																	
	388	02/26/2019	GAC installed 05/08/2019.	73	13	7.4	<20	<20	3.7	3.6	43	23	<2.0	<2.0	<2.0	<2.0	<2.0						
	389	09/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	389	05/02/2022		<2.0	<2.0	<2.0																	
	389	03/06/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	390	11/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	390	08/15/2024		93	<2.0	7.4	<2.0	<2.0	<2.0	<2.0	57	25	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	390	08/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	390	05/15/2024	Carbon Changeout 05/15/2024 - 5yr.	<2.0	<2.0	<2.0																	
BED1	390	02/01/2024		<2.0	<2.0	<2.0																	
BED1	390	11/06/2023		<2.0	<2.0	<2.0																	
PT	390	07/18/2023		78	<2.0	8.6																	
BED1	390	07/18/2023		<2.0	<2.0	<2.0																	
BED1	390	04/13/2023		<2.0	<2.0	<2.0																	
BED1	390	01/09/2023		<2.0	<2.0	<2.0																	
BED1	390	10/11/2022		<2.0	<2.0	<2.0																	
PT	390	07/20/2022		78	<2.0	7.4																	
BED1	390	07/20/2022		<2.0	<2.0	<2.0																	
BED1-DUP	390	07/20/2022		<2.0	<2.0	<2.0																	
BED1	390	04/12/2022		<2.0	<2.0	<2.0																	
BED1	390	01/19/2022		<2.0	<2.0	<2.0																	
BED1	390	10/19/2021		<2.0	<2.0	<2.0																	
PT	390	08/02/2021		100	<2.0	7.0																	
BED1	390	08/02/2021		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	390	05/05/2021		<2.0	<2.0	<2.0																	
BED1-DUP	390	05/05/2021		<2.0	<2.0	<2.0																	
BED1	390	02/11/2021		<2.0	<2.0	<2.0																	
BED1	390	11/09/2020		<2.0	<2.0	<2.0																	
PT	390	09/09/2020		82	<2.0	8.7																	
BED1	390	09/09/2020		<2.0	<2.0	<2.0																	
BED1	390	06/19/2020		<2.0	<2.0	<2.0																	
BED1	390	02/26/2020		<2.0	<2.0	<2.0																	
BED1	390	11/20/2019		<2.0	<2.0	<2.0																	
PT	390	09/19/2019		94	<2.0	6.6																	
BED1	390	09/19/2019		<2.0	<2.0	<2.0																	
	390	03/06/2019	GAC installed 04/23/2019.	130	2.3	17	<20	<20	<2.0	<2.0	72	31	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	391	12/18/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	391	09/03/2024		81	4.6	12	<2.0	<2.0	3.6	3.2	83	64	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	391	09/03/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	391	05/16/2024	Carbon Changeout 05/16/2024 - 5yr.	<2.0	<2.0	<2.0																	
BED1	391	03/11/2024		<2.0	<2.0	<2.0																	
BED1	391	12/05/2023		<2.0	<2.0	<2.0																	
PT	391	09/13/2023		49	5.8	13																	
BED1	391	09/13/2023		<2.0	<2.0	<2.0																	
BED1	391	06/20/2023		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	391	03/16/2023		<2.0	<2.0	<2.0																	
BED1	391	10/05/2022		<2.0 UJ	<2.0	<2.0 UJ																	
PT	391	07/06/2022		55	4.5 J	12																	
BED1	391	07/06/2022		<2.0	<2.0	<2.0																	
BED1	391	03/09/2022		<2.0	<2.0	<2.0																	
BED1	391	11/16/2021		<2.0	<2.0	<2.0																	
PT	391	09/09/2021		70	5.0	12																	
BED1	391	09/09/2021		<2.0	<2.0	<2.0																	
BED1	391	05/26/2021		<2.0	<2.0	<2.0																	
BED1	391	11/17/2020		<2.0	<2.0	<2.0																	
PT	391	09/22/2020		71	5.9	14																	
BED1	391	09/22/2020		<2.0	<2.0	<2.0																	
BED1	391	06/30/2020		<2.0	<2.0	<2.0																	
BED1	391	03/13/2020		<2.0	<2.0	<2.0																	
PT	391	07/01/2019		100	5.8	7.3																	
BED1	391	07/01/2019		<2.0	<2.0	<2.0																	
	391	03/08/2019	GAC installed 05/17/2019.	99	14	11	<20	<20	4.3	2.4	99	63	<2.0	<2.0	<2.0	<2.0	<2.0						

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
	392	03/20/2019	Treatment incomplete/in progress - declined bottled water.	100	20	22	<20	<20	4.4	8.5	110	52	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	393	10/22/2024	Carbon Changeout 10/22/2024 - 5yr.	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	393	07/31/2024		48	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	45	23	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	393	07/31/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	393	05/15/2024		<2.0	<2.0	<2.0																	
BED1	393	01/24/2024		<2.0	<2.0	<2.0																	
BED1	393	10/16/2023		<2.0	<2.0	<2.0																	
PT	393	07/31/2023		45	<2.0	<2.0																	
BED1	393	07/31/2023		<2.0	<2.0	<2.0																	
BED1	393	04/26/2023		<2.0	<2.0	<2.0																	
BED1	393	01/30/2023		<2.0	<2.0	<2.0																	
BED1	393	10/24/2022		<2.0	<2.0	<2.0																	
PT	393	08/15/2022		43	<2.0	<2.0																	
BED1	393	08/15/2022		<2.0	<2.0	<2.0																	
BED1	393	05/11/2022		<2.0	<2.0	<2.0																	
BED1	393	02/14/2022		<2.0	<2.0	<2.0																	
BED1	393	11/15/2021		<2.0	<2.0	<2.0																	
PT	393	09/01/2021		47	<2.0	<2.0																	
BED1	393	09/01/2021		<2.0	<2.0	<2.0																	
BED1	393	06/14/2021		<2.0	<2.0	<2.0																	
BED1	393	03/17/2021		<2.0	<2.0	<2.0																	
BED1	393	11/30/2020		<2.0	<2.0	<2.0																	
PT	393	09/14/2020		39	<2.0	<2.0																	
BED1	393	09/14/2020		<2.0	<2.0	<2.0																	
BED1	393	06/24/2020		<2.0	<2.0	<2.0																	
BED1	393	03/06/2020		<2.0	<2.0	<2.0																	
BED1	393	12/12/2019		<2.0	<2.0	<2.0																	
	393	04/16/2019	GAC installed 06/20/2019.	32	<2.0	<2.0	<20	<20	<2.0	<2.0	52	19	<2.0	<2.0	<2.0	<2.0	<2.0						
	394	04/17/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	395	05/01/2019	Declined treatment offer.	180	<2.0	16	<20	<20	<2.0	<2.0	130	91	<2.0	<2.0	<2.0	<2.0	<2.0						
	396	05/09/2019	Treatment incomplete/in progress - bottled water.	40	<2.0	<2.0	<20	<20	<2.0	<2.0	50	27	<2.0	<2.0	<2.0	<2.0	<2.0						
	397	05/09/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	398	10/17/2024	Carbon Changeout 10/17/2024 - 5yr.	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	398	09/04/2024		98	3.0	2.2	<2.0	<2.0	<2.0	<2.0	53	31	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	398	09/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	398	05/29/2024		<2.0	<2.0	<2.0																	
BED1	398	02/21/2024		<2.0	<2.0	<2.0																	
BED1	398	12/06/2023		<2.0	<2.0	<2.0																	
PT	398	09/11/2023		83	2.4 J	<2.0																	
BED1	398	09/11/2023		<2.0	<2.0	<2.0																	
BED1	398	06/12/2023		<2.0	<2.0	<2.0																	
BED1	398	03/20/2023		<2.0	<2.0	<2.0																	
BED1	398	10/31/2022		<2.0	<2.0	<2.0																	
PT	398	08/25/2022		74	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	398	08/25/2022		<2.0	<2.0	<2.0																	
BED1	398	04/13/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	398	01/24/2022		<2.0	<2.0	<2.0																	
BED1	398	10/25/2021		<2.0	<2.0	<2.0																	
PT	398	08/16/2021		84	2.6	<2.0																	
BED1	398	08/16/2021		<2.0	<2.0	<2.0																	
BED1	398	05/17/2021		<2.0	<2.0	<2.0																	
BED1-DUP	398	05/17/2021		<2.0	<2.0	<2.0																	
BED1	398	02/24/2021		<2.0	<2.0	<2.0																	
BED1	398	10/05/2020		<2.0	<2.0	<2.0																	
BED1-DUP	398	10/05/2020		<2.0	<2.0	<2.0																	
PT	398	07/23/2020		110	2.2	<2.0																	
BED1	398	07/23/2020		<2.0	<2.0	<2.0																	
BED1	398	06/02/2020		<2.0	<2.0	<2.0																	
BED1	398	01/16/2020		<2.0	<2.0	<2.0																	
BED1	398	10/02/2019		2.8	<2.0	<2.0																	
	398	05/16/2019	GAC installed 07/29/2019.	89	<2.0	<2.0	<20	<20	<2.0	<2.0	52	31	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	398	05/16/2019	GAC installed 07/29/2019.	87	<2.0	<2.0	<20	<20	<2.0	<2.0	54	31	<2.0	<2.0	<2.0	<2.0	<2.0						
	399	07/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	399	06/13/2022		<2.0	<2.0	<2.0																	
	399	04/27/2021		<2.0	<2.0	<2.0																	
	399	05/16/2019	Replacement well. (Original well Regulatory Location ID #191).	<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<5.5	<2.9	<2.0						
	400	06/19/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	401	06/02/2021		<2.0	<2.0	<2.0																	
	401	07/22/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
DUP	401	07/22/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	402	07/22/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	403	11/08/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	403	08/22/2024		310	18	21	<2.0	<2.0	3.2	8.1	210	130	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			19	<2.0
BED1	403	08/22/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	403	06/11/2024		<2.0	<2.0	<2.0																	
BED1	403	02/06/2024		<2.0	<2.0	<2.0																	
BED1	403	11/15/2023		<2.0	<2.0	<2.0																	
PT	403	08/02/2023		260	20	25																	
BED1	403	08/02/2023		<2.0	<2.0	<2.0																	
BED1	403	05/03/2023		<2.0	<2.0	<2.0																	
BED1-DUP	403	05/03/2023		<2.0	<2.0	<2.0																	
BED1	403	01/09/2023		<2.0	<2.0	<2.0																	
BED1	403	10/10/2022		<2.0	<2.0	<2.0																	
BED1-DUP	403	10/10/2022		<2.0	<2.0	<2.0																	
PT	403	08/02/2022		260 J	22 J	23 J																	
BED1	403	08/02/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1-DUP	403	08/02/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	403	04/25/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	403	02/01/2022		<2.0	<2.0	<2.0																	
BED1	403	11/04/2021		<2.0	<2.0	<2.0																	
PT	403	08/17/2021		280	25	24																	
BED1	403	08/17/2021		<2.0	<2.0	<2.0																	
BED1	403	05/19/2021		<2.0	<2.0	<2.0																	
BED1	403	02/25/2021		<2.0	<2.0	<2.0																	
BED1-DUP	403	02/25/2021		<2.0	<2.0	<2.0																	
BED1	403	10/13/2020		<2.0	<2.0	<2.0																	
PT	403	08/06/2020		330	82	35																	
BED1	403	08/06/2020		<2.0	<2.0	<2.0																	
BED1	403	06/09/2020		<2.0	<2.0	<2.0																	
BED1	403	01/17/2020		<2.0	<2.0	<2.0																	
BED1-DUP	403	01/17/2020		<2.0	<2.0	<2.0																	
	403	07/31/2019	GAC installed 10/25/2019.	240	21	18	<20	<20	3.1	8.0	170	110 J	<2.0	<2.0	<2.0	<2.0	<2.0						
BED1	404	10/21/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	404	07/19/2024		46	3.0	3.7	<2.0	<2.0	<2.0	<2.0	31	25	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	404	07/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	404	04/24/2024		<2.0	<2.0	<2.0																	
BED1	404	01/16/2024		<2.0	<2.0	<2.0																	
BED1	404	10/09/2023		<2.0	<2.0	<2.0																	
PT	404	07/26/2023		48	2.9	5.1																	
BED1	404	07/26/2023		<2.0	<2.0	<2.0																	
BED1	404	05/03/2023		<2.0	<2.0	<2.0																	
BED1	404	02/15/2023		<2.0	<2.0	<2.0																	
BED1	404	11/03/2022		<2.0	<2.0	<2.0																	
PT	404	08/29/2022		47	3.1	4.9																	
BED1	404	08/29/2022		<2.0	<2.0	<2.0																	
BED1	404	05/17/2022		<2.0	<2.0	<2.0																	
BED1	404	02/21/2022		<2.0	<2.0	<2.0																	
BED1	404	11/22/2021		<2.0	<2.0	<2.0																	
PT	404	09/16/2021		50	2.1	4.2																	
BED1	404	09/16/2021		<2.0	<2.0	<2.0																	
	404	08/08/2019	GAC installed 06/03/2021.	59	2.9	4.2	<20	<20	<2.0	2.3	44	29	<2.0	<2.0	<2.0	<2.0	<2.0					<4.0	
	405	07/08/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	405	06/13/2022		<2.0	<2.0	<2.0																	
	405	05/10/2021		<2.0	<2.0	<2.0																	
	405	08/20/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	406	09/24/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	406	07/05/2022		<2.0	<2.0	<2.0																	
	406	05/25/2021		<2.0	<2.0	<2.0																	
	406	08/26/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	407	03/27/2023		<2.0	<2.0	<2.0																	
DUP	407	03/27/2023		<2.0	<2.0	<2.0																	
	407	08/02/2021		<2.0	<2.0	<2.0																	
	407	09/04/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0					<4.0	
	408	06/05/2023		<2.0	<2.0	<2.0																	
	408	05/12/2021		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
	408	09/12/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	409	06/20/2022		<2.0	<2.0	<2.0																	
	409	04/27/2021		<2.0	<2.0	<2.0																	
	409	09/12/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	410	07/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	410	04/27/2021		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
	410	09/12/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	411	07/24/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	411	07/24/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	411	07/05/2022		<2.0	<2.0	<2.0																	
	411	04/30/2021		<2.0	<2.0	<2.0																	
	411	09/12/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	412	09/20/2019		5.9	<2.0	<2.0	<20	<20	<2.0	<2.0	25	6.8	<2.0	<2.0	<2.0	<2.0	<2.0						
	413	07/08/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	413	04/04/2022		<2.0	<2.0	<2.0																	
	413	09/20/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	414	06/05/2023		<2.0	<2.0	<2.0																	
	414	05/13/2021		<2.0	<2.0	<2.0																	
	414	09/20/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	7.1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	415	09/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	415	09/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	415	05/16/2022		<2.0	<2.0	<2.0																	
POST	415	09/20/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
PRE	415	09/20/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
POST-DUP	415	09/20/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	416	03/20/2024		<2.0	<2.0	<2.0																	
	416	05/08/2023		<2.0	<2.0	<2.0																	
	416	09/20/2019	Replacement well. (Original well Regulatory Location ID #302).	<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	417	04/10/2023		<2.0	<2.0	<2.0																	
	417	03/14/2022		<2.0	<2.0	<2.0																	
	417	10/01/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0						
	418	10/28/2019		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<4.0 UJ	<2.0
BED1	419	10/11/2024		24	<2.0	<2.0	<2.0	<2.0	3.2	<2.0	56	31	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			12	<2.0
BED2	419	10/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	49	3.2	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			14	<2.0
PT	419	07/10/2024		34	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	38	26	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			8.4	<2.0
BED1	419	07/10/2024		22	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	61	30	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			10	<2.0
BED2	419	07/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	47	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			15	<2.0
BED1	419	04/09/2024		19	<2.0	<2.0																	
BED2	419	04/09/2024		<2.0	<2.0	<2.0																	
BED1	419	01/03/2024		12 J	<2.0	<2.0																	
BED2	419	01/03/2024		<2.0	<2.0	<2.0																	
BED1	419	10/02/2023		7.8	<2.0	<2.0																	
BED2	419	10/02/2023		<2.0	<2.0	<2.0																	
PT	419	07/10/2023		33 J	<2.0	<2.0																	
BED1	419	07/10/2023		8.0	<2.0	<2.0																	
BED2	419	07/10/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	419	04/05/2023		7.5	<2.0	<2.0																	
BED2	419	04/05/2023		<2.0	<2.0	<2.0																	
BED1	419	01/04/2023		5.0	<2.0	<2.0																	
BED2	419	01/04/2023		<2.0	<2.0	<2.0																	
BED1	419	10/04/2022		<2.0	<2.0	<2.0																	
PT	419	07/12/2022		33 J	<2.0	<2.0																	
BED1	419	07/12/2022		2.7	<2.0	<2.0																	
BED2	419	07/12/2022		<2.0	<2.0	<2.0																	
BED1	419	04/07/2022		<2.0	<2.0	<2.0																	
BED1	419	01/06/2022		<2.0	<2.0	<2.0																	
BED1	419	10/20/2021		<2.0	<2.0	<2.0																	
PT	419	08/03/2021		28	<2.0	<2.0																	
BED1	419	08/03/2021		<2.0	<2.0	<2.0																	
BED1	419	04/30/2021		<2.0	<2.0	<2.0																	
BED1	419	02/04/2021		<2.0	<2.0	<2.0																	
BED1	419	10/22/2020		<2.0	<2.0	<2.0																	
	419	11/20/2019	GAC installed 09/15/2020.	29	<2.0	<2.0	<20	<20	<2.0	<2.0	36	23	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	26	22	11 J	<2.0
	420	06/12/2023		<2.0	<2.0	<2.0																	
	420	02/28/2020	Old address updated to new address.	<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<4.0	<2.0
BED1	421	10/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	421	07/23/2024		63	<2.0	6.2	<2.0	<2.0	<2.0	<2.0	48	24	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	421	07/23/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	421	05/03/2024		<2.0	<2.0	<2.0																	
BED1	421	02/07/2024		<2.0	<2.0	<2.0																	
BED1	421	11/17/2023		<2.0	<2.0	<2.0																	
BED1-DUP	421	11/17/2023		<2.0	<2.0	<2.0																	
PT	421	09/06/2023		64	<2.0	5.1																	
BED1	421	09/06/2023		<2.0	<2.0	<2.0																	
BED1	421	06/21/2023		<2.0	<2.0	<2.0																	
BED1	421	03/13/2023		<2.0	<2.0	<2.0																	
BED1	421	10/17/2022		<2.0	<2.0	<2.0																	
PT	421	08/08/2022		57	<2.0	4.2																	
BED1	421	08/08/2022		<2.0	<2.0	<2.0																	
BED1	421	04/25/2022		<2.0	<2.0	<2.0																	
BED1	421	02/07/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	421	11/22/2021		<2.0	<2.0	<2.0																	
PT	421	09/13/2021		61	<2.0	3.3																	
BED1	421	09/13/2021		<2.0	<2.0	<2.0																	
	421	02/28/2020	GAC installed 06/15/2021.	57	<2.0	2.3	<20	<20	<2.0	<2.0	48	23	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	30	14	<4.0	<2.0
	422	03/02/2020	Home demolished for warehouse development. Well decommissioned according to NJ Data Miner.	<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	3.6 J	<4.0	<2.0
BED1	423	10/31/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	423	07/26/2024		45	3.6	7.2	<2.0	<2.0	<2.0	<2.0	33	25	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	423	07/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	423	05/03/2024		<2.0	<2.0	<2.0																	
BED1-DUP	423	05/03/2024		<2.0	<2.0	<2.0																	
BED1	423	01/30/2024		<2.0	<2.0	<2.0																	
BED1	423	10/20/2023		<2.0	<2.0	<2.0																	
PT	423	07/27/2023		43	5.4	7.2																	
BED1	423	07/27/2023		<2.0	<2.0	<2.0																	
BED1-DUP	423	07/27/2023		<2.0	<2.0	<2.0																	
BED1	423	04/24/2023		<2.0	<2.0	<2.0																	
BED1	423	02/02/2023		<2.0	<2.0	<2.0																	
BED1-DUP	423	02/02/2023		<2.0	<2.0	<2.0																	
BED1	423	11/03/2022		<2.0	<2.0	<2.0																	
PT	423	08/25/2022		48	4.9	6.3																	
BED1	423	08/25/2022		<2.0	<2.0	<2.0																	
BED1-DUP	423	08/25/2022		<2.0	<2.0	<2.0																	
BED1	423	05/23/2022		<2.0	<2.0	<2.0																	
BED1	423	02/21/2022		<2.0	<2.0	<2.0																	
BED1	423	11/08/2021		<2.0	<2.0	<2.0																	
PT	423	08/23/2021		69	7.1	7.6																	
BED1	423	08/23/2021		<2.0	<2.0	<2.0																	
BED1	423	04/15/2021		<2.0	<2.0	<2.0																	
BED1-DUP	423	04/15/2021		<2.0	<2.0	<2.0																	
BED1	423	01/20/2021		<2.0	<2.0	<2.0																	
BED1-DUP	423	01/20/2021		<2.0	<2.0	<2.0																	
BED1	423	10/06/2020		<2.0	<2.0	<2.0																	
BED1-DUP	423	10/06/2020		<2.0	<2.0	<2.0																	
	423	03/03/2020	GAC installed 09/10/2020.	31	<2.0	4.7	<20	<20	<2.0	<2.0	24	15	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	22	14	<4.0	<2.0
	424	05/08/2023		<2.0	<2.0	<2.0																	
	424	03/03/2020		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<4.0	<2.0
	425	06/19/2023		<2.0	<2.0	<2.0																	
DUP	425	06/19/2023		<2.0	<2.0	<2.0																	
	425	03/03/2020		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<4.0	<2.0
	426	06/05/2023		<2.0	<2.0	<2.0																	
	426	08/04/2021		<2.0	<2.0	<2.0																	
	426	03/03/2020		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<4.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	427	10/25/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	427	08/01/2024		39	<2.0	4.5	<2.0	<2.0	2.2	<2.0	34	21	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	427	08/01/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	427	05/15/2024		<2.0	<2.0	<2.0																	
BED1	427	01/22/2024		<2.0	<2.0	<2.0																	
BED1	427	10/20/2023		<2.0	<2.0	<2.0																	
PT	427	07/31/2023		26	<2.0	2.8																	
BED1	427	07/31/2023		<2.0	<2.0	<2.0																	
BED1	427	05/03/2023		<2.0	<2.0	<2.0																	
BED1	427	02/14/2023		<2.0	<2.0	<2.0																	
BED1	427	11/17/2022		<2.0	<2.0	<2.0																	
PT	427	09/06/2022		41	<2.0	4.9																	
BED1	427	09/06/2022		<2.0	<2.0	<2.0																	
BED1	427	05/31/2022		<2.0	<2.0	<2.0																	
BED1	427	03/01/2022		<2.0	<2.0	<2.0																	
BED1	427	12/07/2021		<2.0	<2.0	<2.0																	
PT	427	08/30/2021		58	6.7 J	8.2																	
BED1	427	08/30/2021		<2.0	<2.0	<2.0																	
BED1	427	06/17/2021		<2.0	<2.0	<2.0																	
BED1	427	01/12/2021		<2.0	<2.0	<2.0																	
BED1	427	10/01/2020		<2.0	<2.0	<2.0																	
BED1-DUP	427	10/01/2020		<2.0	<2.0	<2.0																	
	427	03/05/2020	GAC installed 08/27/2020.	28	<2.0	3.1	<20	<20	<2.0	<2.0	24	12	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	21	14	<4.0	<2.0
BED1	428	10/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	428	07/03/2024		37	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	28	17	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	428	07/03/2024		4.1 J	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	428	07/03/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED2	428	07/03/2024		3.6	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	428	04/02/2024		<2.0	<2.0	<2.0																	
BED1-DUP	428	04/02/2024		<2.0	<2.0	<2.0																	
BED1	428	01/05/2024		<2.0	<2.0	<2.0																	
BED1-DUP	428	01/05/2024		<2.0	<2.0	<2.0																	
BED1	428	10/05/2023	Carbon Changeout 10/05/2023 - results driven.	<2.0	<2.0	<2.0																	
PT	428	07/05/2023		26	<2.0	<2.0																	
BED1	428	07/05/2023		4.9 J	<2.0	<2.0																	
BED1-DUP	428	07/05/2023		<2.0	<2.0	<2.0																	
BED2	428	07/05/2023		3.4	<2.0	<2.0																	
BED1	428	04/04/2023		<2.0	<2.0	<2.0																	
BED1	428	01/23/2023		2.1	<2.0	<2.0																	
BED2	428	01/23/2023		<2.0	<2.0	<2.0																	
BED1	428	11/02/2022		<2.0	<2.0	<2.0																	
PT	428	08/17/2022		22	<2.0	<2.0																	
BED1	428	08/17/2022		<2.0	<2.0	<2.0																	
BED1-DUP	428	08/17/2022		<2.0	<2.0	<2.0																	
BED1	428	05/17/2022		<2.0	<2.0	<2.0																	
BED1	428	02/23/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	428	11/10/2021		<2.0	<2.0	<2.0																	
	428	03/05/2020	GAC installed 08/26/2021.	22	<2.0	<2.0	<20	<20	<2.0	<2.0	20	10	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	19	11	<4.0	<2.0
	429	03/05/2020	Home demolished for warehouse development. Well decommissioned according to NJ Data Miner. Permanent bottled water stopped.	29	<2.0	<2.0	<20	<20	<2.0	<2.0	20	11	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	16	9.4	<4.0	<2.0
	430	03/05/2020	Home demolished for warehouse development. Well decommissioned according to NJ Data Miner.	<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<4.0	<2.0
	431	06/24/2021	Home demolished for warehouse development. Well decommissioned according to NJ Data Miner.	<2.0	<2.0	<2.0																	
	431	03/06/2020		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<4.0	<2.0
	432	06/24/2021	Home demolished for warehouse development. Well decommissioned according to NJ Data Miner.	<2.0	<2.0	<2.0																	
	432	03/06/2020		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<4.0	<2.0
POST	433	03/28/2022		<2.0	<2.0	<2.0																	
PRE	433	03/28/2022		<2.0	<2.0	<2.0																	
POST	433	03/09/2020		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<4.0	<2.0
PRE	433	03/09/2020		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<4.0	<2.0
BED1	434	11/01/2022		<2.0	<2.0	<2.0																	
PT	434	08/24/2022		7.5	5.8	3.2																	
BED1	434	08/24/2022		<2.0	<2.0	<2.0																	
BED1	434	05/04/2022		<2.0	<2.0	<2.0																	
BED1	434	03/22/2022		<2.0	<2.0	<2.0																	
BED1	434	12/06/2021		<2.0	<2.0	<2.0																	
PT	434	07/06/2021		43	26	21																	
BED1	434	07/06/2021		<2.0	<2.0	<2.0																	
BED1	434	04/06/2021		<2.0	<2.0	<2.0																	
BED1	434	01/12/2021		<2.0	<2.0	<2.0																	
BED1	434	10/01/2020		<2.0	<2.0	<2.0																	
	434	03/09/2020	GAC installed 09/01/2020.	25	16	9.9	<20	<20	<2.0	<2.0	15	9.9	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	17	12	<4.0	<2.0
BED1	435	12/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	2.1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	435	03/18/2024		<2.0	<2.0	<2.0																	
BED1	435	11/13/2023		<2.0	<2.0	<2.0																	
PT	435	09/12/2023		59	3.7 J	14																	
BED1	435	09/12/2023		<2.0	<2.0	<2.0																	
BED1	435	06/01/2023		<2.0	<2.0	<2.0																	
BED1	435	03/20/2023		<2.0	<2.0	<2.0																	
BED1	435	11/21/2022		<2.0	<2.0	<2.0																	
PT	435	09/27/2022		40	<2.0	7.4																	
BED1	435	09/27/2022		<2.0	<2.0	<2.0																	
BED1	435	06/22/2022		<2.0	<2.0	<2.0																	
BED1	435	01/06/2022		<2.0	<2.0	<2.0																	
BED1	435	10/06/2021		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	435	07/16/2021		50	<2.0	7.7																	
BED1	435	07/16/2021		<2.0	<2.0	<2.0																	
	435	03/10/2020	GAC installed 06/30/2021.	69	4.4	14	<20	<20	<2.0	<2.0	61	34	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	51	27	<4.0	<2.0
BED1	436	12/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	436	09/13/2024		35	<2.0	2.9	<2.0	<2.0	<2.0	<2.0	25	14	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	436	09/13/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	436	06/21/2024		<2.0	<2.0	<2.0																	
BED1-DUP	436	06/21/2024		<2.0	<2.0	<2.0																	
BED1	436	03/11/2024		<2.0	<2.0	<2.0																	
BED1	436	12/11/2023		<2.0	<2.0	<2.0																	
PT	436	09/19/2023		43	<2.0	5.0																	
BED1	436	09/19/2023		<2.0	<2.0	<2.0																	
BED1	436	04/25/2023		<2.0	<2.0	<2.0																	
BED1	436	01/31/2023		<2.0	<2.0	<2.0																	
BED1	436	10/19/2022		<2.0	<2.0	<2.0																	
PT	436	08/09/2022		38	<2.0	2.0																	
BED1	436	08/09/2022		<2.0	<2.0	<2.0																	
BED1	436	05/02/2022		<2.0	<2.0	<2.0																	
BED1	436	12/08/2021		<2.0	<2.0	<2.0																	
PT	436	08/30/2021		52	<2.0	<2.0																	
BED1	436	08/30/2021		<2.0	<2.0	<2.0																	
BED1	436	06/16/2021		<2.0	<2.0	<2.0																	
BED1	436	03/05/2021		<2.0	<2.0	<2.0																	
	436	03/10/2020	GAC installed 11/06/2020.	51	<2.0	<2.0	<20	<20	<2.0	<2.0	34	16	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	21	10	<4.0	<2.0
	437	03/10/2020		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<4.0	<2.0
	438	05/08/2023		<2.0	<2.0	<2.0																	
DUP	438	05/08/2023		<2.0	<2.0	<2.0																	
	438	03/19/2020		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<4.0	<2.0
DUP	438	03/19/2020		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	2.0	<2.0	<4.0	<2.0
BED1	439	10/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	12	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	439	07/09/2024		32	<2.0	12	<2.0	<2.0	<2.0	<2.0	34	26	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	439	07/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	5.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	439	04/04/2024		<2.0	<2.0	<2.0																	
BED1	439	01/03/2024		<2.0	<2.0	<2.0																	
BED1	439	10/03/2023		<2.0	<2.0	<2.0																	
PT	439	07/05/2023		33	<2.0	11																	
BED1	439	07/05/2023		<2.0	<2.0	<2.0																	
BED1	439	04/10/2023		<2.0	<2.0	<2.0																	
BED1	439	01/19/2023		<2.0	<2.0	<2.0																	
BED1	439	10/13/2022		<2.0	<2.0	<2.0																	
PT	439	07/25/2022		37	<2.0	12																	
BED1	439	07/25/2022		<2.0	<2.0	<2.0																	
BED1	439	04/18/2022		<2.0	<2.0	<2.0																	
BED1	439	01/26/2022		<2.0	<2.0	<2.0																	
BED1	439	10/29/2021		<2.0	<2.0	<2.0																	
PT	439	08/18/2021		41	<2.0	13																	
BED1	439	08/18/2021		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1-DUP	439	08/18/2021		<2.0	<2.0	<2.0																	
BED1	439	05/13/2021		<2.0	<2.0	<2.0																	
BED1	439	02/15/2021		<2.0	<2.0	<2.0																	
BED1	439	12/03/2020		<2.0	<2.0	<2.0																	
	439	03/20/2020	GAC installed 09/08/2020.	39	<2.0	8.0	<20	<20	<2.0	<2.0	33	21	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	28	19	<4.0	<2.0
	440	05/10/2021		<2.0	<2.0	<2.0																	
	440	03/20/2020		<2.0	<2.0	<2.0	<20	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<4.0	<2.0
BED1	441	10/21/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	441	07/09/2024		91	130	9.6	<2.0	<2.0	<2.0	3.7	40	22	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	441	07/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	441	04/05/2024		<2.0	<2.0	<2.0																	
BED1	441	01/10/2024		<2.0	<2.0	<2.0																	
BED1	441	10/11/2023		<2.0	<2.0	<2.0																	
PT	441	07/18/2023		98	140	13																	
BED1	441	07/18/2023		<2.0	<2.0	<2.0																	
BED1	441	04/18/2023		<2.0	<2.0	<2.0																	
BED1	441	02/02/2023		<2.0	<2.0	<2.0																	
BED1	441	10/25/2022		<2.0	<2.0	<2.0																	
PT	441	08/17/2022		110	190	12																	
BED1	441	08/17/2022		<2.0	<2.0	<2.0																	
BED1	441	05/04/2022		<2.0	<2.0	<2.0																	
BED1	441	01/20/2022		<2.0	<2.0	<2.0																	
BED1	441	10/13/2021		<2.0	<2.0	<2.0																	
PT	441	07/20/2021		120	160	13																	
BED1	441	07/20/2021		<2.0	<2.0	<2.0																	
BED1	441	04/15/2021		<2.0	<2.0	<2.0																	
BED1	441	01/22/2021		<2.0	<2.0	<2.0																	
	441	03/23/2020	GAC installed 12/10/2020.	110	110 J	9.8	<20	<20	<2.0	4.9	41	21	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	24	17	<4.0	<2.0
	442	05/12/2021		3.7	<2.0	<2.0																	
	442	03/23/2020		3.2	<2.0	<2.0	<20	<20	<2.0	<2.0	4.1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	2.8	<2.0	<4.0	<2.0
PT	443	07/25/2022	Home was demolished in 1Q24, GAC system was not recovered. Well decommissioned according to NJ Data Miner.	52 J	<2.0 UJ	3.3 J																	
BED1	443	07/25/2022	Home was demolished in 1Q24, GAC system was not recovered. Well decommissioned according to NJ Data Miner.	<2.0	<2.0	<2.0																	
BED1	443	01/18/2022		<2.0	<2.0	<2.0																	
BED1	443	10/13/2021		<2.0	<2.0	<2.0																	
PT	443	07/07/2021		49	<2.0	<2.0																	
BED1	443	07/07/2021		<2.0	<2.0	<2.0																	
BED1	443	04/09/2021		<2.0	<2.0	<2.0																	
BED1-DUP	443	04/09/2021		<2.0	<2.0	<2.0																	
BED1	443	01/21/2021		<2.0	<2.0	<2.0																	
	443	02/06/2020	Veolia sampled, added their data to EIM with branched and linear summed. GAC installed by Chemours 11/13/2020.	31.1	<1.4 [U]	<0.93 [U]	<3.7 [U]	<3.7 [U]	1.1	2.2	51.7	28.7	<0.93 [U]	<1.9 [U]	<1.9 [U]	<1.9 [U]	<1.9 [U]			41.5		<5.6 [U]	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDODA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
DUP	443	02/06/2020	Veolia sampled, added their data to EIM with branched and linear summed. GAC installed by Chemours 11/13/2020.	33.0	<1.4 [U]	1.1	<3.7 [U]	<3.7 [U]	1.1	2.2	54.5	30.1	<0.93 [U]	<1.9 [U]	<1.9 [U]	<1.9 [U]	<1.9 [U]			44.6		<5.6 [U]	
	444	02/06/2020	Veolia sampled, added their data to EIM with branched and linear summed.	<0.93 [U]	<1.4 [U]	<0.93 [U]	<3.7 [U]	<3.7 [U]	<0.93 [U]	<0.93 [U]	<0.93 [U]	<0.93 [U]	<0.93 [U]	<1.9 [U]	<1.9 [U]	<1.9 [U]	<1.9 [U]			<1.9 [U]		<5.6 [U]	
	445	02/06/2020	Veolia sampled, added their data to EIM with branched and linear summed.	<0.93 [U]	<1.4 [U]	<0.93 [U]	<3.7 [U]	<3.7 [U]	<0.93 [U]	<0.93 [U]	<0.93 [U]	<0.93 [U]	<0.93 [U]	<1.9 [U]	<1.9 [U]	<1.9 [U]	<1.9 [U]			<1.9 [U]		<5.6 [U]	
	446	04/03/2023		<2.0	<2.0	<2.0																	
	446	02/06/2020	Veolia sampled, added their data to EIM with branched and linear summed.	<0.93 [U]	<1.4 [U]	<0.93 [U]	<3.7 [U]	<3.7 [U]	<0.93 [U]	<0.93 [U]	<0.93 [U]	<0.93 [U]	<0.93 [U]	<1.9 [U]	<1.9 [U]	<1.9 [U]	<1.9 [U]			<1.9 [U]		<5.6 [U]	
	447	08/09/2021		9.3	<2.0	<2.0																	
	447	02/06/2020	Veolia sampled, added their data to EIM with branched and linear summed.	3.8	<1.4 [U]	<0.93 [U]	<3.7 [U]	<3.7 [U]	<0.93 [U]	<0.93 [U]	3.6	1.6	<0.93 [U]	<1.9 [U]	<1.9 [U]	<1.9 [U]	<1.9 [U]			2.3		<5.6 [U]	
	448	11/27/2019	Veolia sampled, added their data to EIM, exceeds criteria, Veolia responsible for treatment.	89.0	2.54	7.40	<4.0 [U]	<4.0 [U]	1.03	<1.0 [U]	49.1	33.2	<1.0 [U]	<2.0 [U]	<2.0 [U]	<2.0 [U]	<2.0 [U]			42.0		<6.0 [U]	
	449	08/25/2020		<2.0	<2.0	<2.0	<2.0	<2.0	5.2	<2.0	2.8	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	450	05/24/2022	No well decommissioning report, but the well is no longer usable according to homeowner. Replacement well installed (Regulatory Location ID #681). Not qualified so GAC removed 10/26/2022.	<2.0	<2.0	<2.0																	
BED1	450	02/09/2022		<2.0	<2.0	<2.0																	
BED1	450	11/08/2021		<2.0	<2.0	<2.0																	
PT	450	08/25/2021		34	2.2	3.3																	
BED1	450	08/25/2021		<2.0	<2.0	<2.0																	
BED1	450	06/16/2021		<2.0	<2.0	<2.0																	
BED1	450	01/21/2021		<2.0	<2.0	<2.0																	
	450	08/25/2020	GAC installed 10/28/2020.	53	5.9	7.5	<2.0	<2.0	5.4	3.5	42	26	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	451	03/25/2024		<2.0	<2.0	<2.0																	
	451	03/21/2022		<2.0	<2.0	<2.0																	
	451	08/25/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	452	03/27/2023		<2.0	<2.0	<2.0																	
	452	05/03/2021		<2.0	<2.0	<2.0																	
	452	08/27/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	452	08/27/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	453	04/08/2024		<2.0	<2.0	<2.0																	
	453	04/25/2022		<2.0	<2.0	<2.0																	
	453	09/01/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	4.8	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	453	09/01/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	4.8	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	454	03/13/2023		<2.0	<2.0	<2.0																	
	454	09/29/2021		<2.0	<2.0	<2.0																	
	454	09/01/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	455	03/13/2023		<2.0	<2.0	<2.0																	
	455	09/29/2021		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
DUP	455	09/29/2021		<2.0	<2.0	<2.0																	
	455	09/01/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	456	05/12/2021		<2.0	<2.0	<2.0																	
	456	09/03/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	456	09/03/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	457	12/17/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	457	08/29/2024		35	5.4	<2.0	<2.0	<2.0	<2.0	4.2	33	15	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	457	08/29/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	457	06/18/2024		<2.0	<2.0	<2.0																	
BED1	457	02/23/2024		<2.0	<2.0	<2.0																	
BED1	457	11/27/2023		<2.0	<2.0	<2.0																	
PT	457	07/31/2023		33	4.5	<2.0																	
BED1	457	07/31/2023		<2.0	<2.0	<2.0																	
BED1	457	05/15/2023		<2.0	<2.0	<2.0																	
BED1	457	02/20/2023		<2.0	<2.0	<2.0																	
BED1	457	11/30/2022		<2.0	<2.0	<2.0																	
PT	457	09/07/2022		31	4.6	<2.0																	
BED1	457	09/07/2022		<2.0	<2.0	<2.0																	
BED1	457	05/24/2022		<2.0	<2.0	<2.0																	
BED1	457	03/01/2022		<2.0	<2.0	<2.0																	
BED1	457	11/15/2021		<2.0	<2.0	<2.0																	
PT	457	09/14/2021		25	4.1	<2.0																	
BED1	457	09/14/2021		<2.0	<2.0	<2.0																	
BED1	457	06/11/2021		<2.0	<2.0	<2.0																	
BED1-DUP	457	06/11/2021		<2.0	<2.0	<2.0																	
	457	09/03/2020	GAC installed 02/05/2021.	24	4.2 J	<2.0	<2.0	<2.0	<2.0	4.1	26	11	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	458	02/27/2023		<2.0	<2.0	<2.0																	
DUP	458	02/27/2023		<2.0	<2.0	<2.0																	
	458	04/30/2021		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
	458	09/03/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	459	06/05/2023		<2.0	<2.0	<2.0																	
	459	05/07/2021		<2.0	<2.0	<2.0																	
	459	09/08/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	459	09/08/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	460	04/11/2022		<2.0	<2.0 UJ	<2.0																	
	460	09/15/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	460	09/15/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	461	05/08/2023		<2.0	<2.0	<2.0																	
	461	04/25/2022		<2.0	<2.0	<2.0																	
	461	05/12/2021		<2.0	<2.0	<2.0																	
	461	09/15/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	462	07/22/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	462	09/15/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	463	09/17/2020		8.4	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	11	4.7	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST-DUP	463	09/17/2020		8.4	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	10	4.4	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	463	09/17/2020		8.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	10	4.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	464	10/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1-DUP	464	10/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	464	07/18/2024		9.4	3.6	6.3	<2.0	<2.0	<2.0	<2.0	5.5	3.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	464	07/18/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	464	04/12/2024		<2.0	<2.0	<2.0																	
BED1	464	02/19/2024		<2.0	<2.0	<2.0																	
BED1	464	11/07/2023		<2.0	<2.0	<2.0																	
PT	464	08/03/2023		8.9	3.3	6.8																	
BED1	464	08/03/2023		<2.0	<2.0	<2.0																	
BED1	464	04/06/2023		<2.0	<2.0	<2.0																	
BED1	464	02/22/2023		<2.0	<2.0	<2.0																	
BED1	464	10/12/2022		<2.0	<2.0	<2.0																	
PT	464	09/19/2022		11	4.1	8.7																	
BED1	464	09/19/2022		<2.0	<2.0	<2.0																	
BED1	464	05/10/2022		<2.0	<2.0	<2.0																	
BED1	464	02/14/2022		<2.0	<2.0	<2.0																	
BED1	464	11/22/2021		<2.0	<2.0	<2.0																	
PT	464	08/31/2021		13	5.7	12																	
BED1	464	08/31/2021		<2.0	<2.0	<2.0																	
BED1	464	06/04/2021		<2.0	<2.0	<2.0																	
BED1	464	03/10/2021	Carbon Changeout 02/19/2021 - Fe.	<2.0	<2.0	<2.0																	
BED1	464	11/30/2020		<2.0	<2.0	<2.0																	
PT	464	09/16/2020	GAC installed by NJDEP 12/07/2016.	16	5.8	14																	
BED1	464	09/16/2020		<2.0	<2.0	<2.0																	
BED1	465	10/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	12	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			4.7	<2.0
PT	465	07/16/2024		50	8.1	5.3	<2.0	<2.0	<2.0	2.4	47	30	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			7.8	<2.0
BED1	465	07/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	3.6	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			2.1	<2.0
BED1	465	05/10/2024		<2.0	<2.0	<2.0																	
BED1	465	02/06/2024		<2.0	<2.0	<2.0																	
BED1	465	10/17/2023	Carbon Changeout 10/17/2023 - results driven.	<2.0	<2.0	<2.0																	
PT	465	08/30/2023		69 J	8.2 J	8.3 J																	
BED1	465	08/30/2023		31 J	<2.0 UJ	<2.0 UJ																	
BED2	465	08/30/2023		2.7	<2.0	<2.0																	
BED1	465	04/05/2023		22	<2.0	<2.0																	
BED2	465	04/05/2023		<2.0	<2.0	<2.0																	
BED1	465	01/04/2023		17	<2.0	<2.0																	
BED2	465	01/04/2023		<2.0	<2.0	<2.0																	
BED1	465	10/05/2022		13	<2.0	<2.0																	
BED2	465	10/05/2022		<2.0	<2.0	<2.0																	
PT	465	07/12/2022		57 J	6.8 J	7.1 J																	
BED1	465	07/12/2022		6.4	<2.0	<2.0																	
BED2	465	07/12/2022		<2.0	<2.0	<2.0																	
BED1	465	04/13/2022		24	2.2	<2.0																	
BED2	465	04/13/2022		<2.0	<2.0	<2.0																	
BED1	465	01/25/2022		21	<2.0	<2.0																	
BED2	465	01/25/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	465	11/11/2021		3.2	<2.0	<2.0																	
BED2	465	11/11/2021		<2.0	<2.0	<2.0																	
PT	465	07/23/2021		28	2.8	2.2																	
BED1	465	07/23/2021		<2.0	<2.0	<2.0																	
BED1-DUP	465	07/23/2021		<2.0	<2.0	<2.0																	
BED1	465	04/23/2021		<2.0	<2.0	<2.0																	
BED1	465	11/11/2020	Carbon Changeout 10/29/2020 - results driven.	<2.0	<2.0	<2.0																	
PT	465	09/14/2020	GAC installed by NJDEP 11/29/2017.	56 J	7.3 J	5.9 J																	
BED1	465	09/14/2020		40 J	4.7 J	3.7 J																	
BED2	465	09/14/2020		12 J	<2.0 UJ	<2.0 UJ																	
BED1	466	02/13/2023	Replacement well installed (Regulatory Location ID #703). Not qualified so Chemours OM&M discontinued and GAC ownership transferred to the homeowner per homeowner request. Well decommissioned according to NJ Data Miner.	<2.0	<2.0	<2.0																	
BED1	466	11/17/2022	Carbon Changeout 11/17/2022 - 5yr.	<2.0	<2.0	<2.0																	
PT	466	09/13/2022		22	<2.0	<2.0																	
BED1	466	09/13/2022		<2.0	<2.0	<2.0																	
BED1	466	06/15/2022		<2.0	<2.0	<2.0																	
BED1-DUP	466	06/15/2022		<2.0	<2.0	<2.0																	
BED1	466	03/14/2022		<2.0	<2.0	<2.0																	
BED1-DUP	466	03/14/2022		<2.0	<2.0	<2.0																	
BED1	466	11/29/2021		<2.0	<2.0	<2.0																	
PT	466	09/15/2021		7.4	<2.0	<2.0																	
BED1	466	09/15/2021		<2.0	<2.0	<2.0																	
BED1	466	05/26/2021		<2.0	<2.0	<2.0																	
BED1	466	02/25/2021		<2.0	<2.0	<2.0																	
PT	466	09/28/2020	GAC installed by NJDEP 12/06/2017.	13	<2.0	<2.0																	
BED1	466	09/28/2020		<2.0	<2.0	<2.0																	
BED1	467	10/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	467	07/26/2024		45	<2.0	3.8	<2.0	<2.0	2.1	<2.0	25	13	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	467	07/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	467	04/05/2024		<2.0	<2.0	<2.0																	
BED1	467	10/03/2023		<2.0	<2.0	<2.0																	
PT	467	07/05/2023		33	<2.0	2.4																	
BED1	467	07/05/2023		<2.0	<2.0	<2.0																	
BED1	467	04/03/2023	Carbon Changeout 03/02/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	467	01/03/2023		<2.0	<2.0	<2.0																	
BED1	467	10/03/2022		<2.0	<2.0	<2.0																	
PT	467	07/11/2022		37	<2.0	2.4																	
BED1	467	07/11/2022		<2.0	<2.0	<2.0																	
BED1	467	06/02/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	467	03/09/2022		<2.0	<2.0	<2.0																	
PT	467	11/17/2021		31	<2.0	2.0																	
BED1	467	11/17/2021		<2.0	<2.0	<2.0																	
BED1	467	06/28/2021		<2.0	<2.0	<2.0																	
BED1	467	03/09/2021		<2.0	<2.0	<2.0																	
BED1	467	12/08/2020		<2.0	<2.0	<2.0																	
PT	467	09/29/2020	GAC installed by NJDEP 11/30/2017.	42	<2.0	2.4																	
BED1	467	09/29/2020		<2.0	<2.0	<2.0																	
BED1	468	10/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	468	10/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	468	07/25/2024		22	<2.0	4.4	<2.0	<2.0	3.2	<2.0	20	9.9	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	468	07/25/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	468	07/25/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	468	04/05/2024		<2.0	<2.0	<2.0																	
BED1-DUP	468	04/05/2024		<2.0	<2.0	<2.0																	
BED1	468	01/16/2024		<2.0	<2.0	<2.0																	
BED1-DUP	468	01/16/2024		<2.0	<2.0	<2.0																	
BED1	468	10/10/2023		<2.0	<2.0	<2.0																	
PT	468	07/17/2023		20	<2.0	3.8																	
BED1	468	07/17/2023		<2.0	<2.0	<2.0																	
BED1-DUP	468	07/17/2023		<2.0	<2.0	<2.0																	
BED1	468	04/04/2023		<2.0	<2.0	<2.0																	
BED1	468	01/05/2023		<2.0	<2.0	<2.0																	
BED1-DUP	468	01/05/2023		<2.0	<2.0	<2.0																	
BED1	468	10/07/2022	Carbon Changeout 08/11/2022 - 5yr.	<2.0	<2.0	<2.0																	
PT	468	07/13/2022		22	<2.0	4.2																	
BED1	468	07/13/2022		<2.0	<2.0	<2.0																	
BED1	468	04/13/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	468	01/20/2022		<2.0	<2.0	<2.0																	
BED1	468	10/18/2021		<2.0	<2.0	<2.0																	
PT	468	08/02/2021		28	<2.0	5.0																	
BED1	468	08/02/2021		<2.0	<2.0	<2.0																	
BED1-DUP	468	08/02/2021		<2.0	<2.0	<2.0																	
BED1	468	05/10/2021		<2.0	<2.0	<2.0																	
BED1	468	02/11/2021		<2.0	<2.0	<2.0																	
BED1	468	11/11/2020		<2.0	<2.0	<2.0																	
PT	468	09/14/2020	GAC installed by NJDEP 12/11/2017.	23	<2.0	4.3																	
BED1	468	09/14/2020		<2.0	<2.0	<2.0																	
BED1	469	10/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	469	07/18/2024		43	<2.0	5.9	<2.0	<2.0	<2.0	<2.0	27	12	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	469	07/18/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	469	04/17/2024		<2.0	<2.0	<2.0																	
BED1	469	01/23/2024		<2.0	<2.0	<2.0																	
BED1	469	10/18/2023		<2.0	<2.0	<2.0																	
PT	469	07/28/2023		44	2.0	9.8																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	469	07/28/2023		<2.0	<2.0	<2.0																	
BED1	469	05/02/2023	Carbon Changeout 05/02/2023 - 5yr.	<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	469	01/24/2023		11	<2.0	<2.0																	
BED2	469	01/24/2023		<2.0	<2.0	<2.0																	
BED1	469	12/22/2022		8.9	<2.0	<2.0																	
BED2	469	12/22/2022		<2.0	<2.0	<2.0																	
PT	469	07/13/2022		50	<2.0	9.0																	
BED1	469	07/13/2022		7.9	<2.0	<2.0																	
BED2	469	07/13/2022		<2.0	<2.0	<2.0																	
BED1	469	05/25/2022		7.2	<2.0	<2.0																	
BED2	469	05/25/2022		<2.0	<2.0	<2.0																	
BED1	469	03/02/2022		7.5	<2.0	<2.0																	
BED2	469	03/02/2022		<2.0	<2.0	<2.0																	
BED1	469	11/05/2021		4.7	<2.0	<2.0																	
BED1-DUP	469	11/05/2021		6.0	<2.0	<2.0																	
BED2	469	11/05/2021		<2.0	<2.0	<2.0																	
PT	469	08/23/2021		58	<2.0	11																	
BED1	469	08/23/2021		4.4	<2.0	<2.0																	
BED2	469	08/23/2021		<2.0	<2.0	<2.0																	
BED1	469	05/19/2021		4.5	<2.0	<2.0																	
BED2	469	05/19/2021		<2.0	<2.0	<2.0																	
BED1	469	02/16/2021		3.2	<2.0	<2.0																	
BED1-DUP	469	02/16/2021		2.3	<2.0	<2.0																	
BED2	469	02/16/2021		<2.0	<2.0	<2.0																	
BED1	469	11/11/2020		2.9 J	<2.0	<2.0																	
BED1-DUP	469	11/11/2020		6.3 J	<2.0	<2.0																	
PT	469	09/16/2020	GAC installed by NJDEP 04/05/2018.	51	<2.0	8.3																	
BED1	469	09/16/2020		<2.0	<2.0	<2.0																	
BED1-DUP	469	09/16/2020		2.1	<2.0	<2.0																	
BED1	470	12/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	470	09/05/2024		29	<2.0	7.6	<2.0	<2.0	<2.0	<2.0	25	10	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	470	09/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	470	06/21/2024		<2.0	<2.0	<2.0																	
BED1	470	03/05/2024		<2.0	<2.0	<2.0																	
BED1	470	11/28/2023		<2.0	<2.0	<2.0																	
PT	470	08/15/2023		31	2.0	6.0																	
BED1	470	08/15/2023		<2.0	<2.0	<2.0																	
BED1	470	04/25/2023	Carbon Changeout 02/07/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	470	10/21/2022		<2.0	<2.0	<2.0																	
PT	470	07/25/2022		42	<2.0	5.8																	
BED1	470	07/25/2022		<2.0	<2.0	<2.0																	
BED1	470	05/16/2022		<2.0	<2.0	<2.0																	
BED1-DUP	470	05/16/2022		2.3	<2.0	<2.0																	
BED2	470	05/16/2022		<2.0	<2.0	<2.0																	
BED1	470	02/15/2022		2.2	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1-DUP	470	02/15/2022		3.3	<2.0	<2.0																	
BED2	470	02/15/2022		<2.0	<2.0	<2.0																	
BED1	470	11/16/2021		<2.0	<2.0	<2.0																	
PT	470	08/30/2021		53	<2.0	4.5																	
BED1	470	08/30/2021		<2.0	<2.0	<2.0																	
BED1	470	05/17/2021		<2.0	<2.0	<2.0																	
BED1	470	02/15/2021		<2.0	<2.0	<2.0																	
BED1	470	11/11/2020		<2.0	<2.0	<2.0																	
PT	470	09/15/2020	GAC installed by NJDEP 03/27/2018.	49	<2.0	2.4																	
BED1	470	09/15/2020		<2.0	<2.0	<2.0																	
PT	471	07/11/2022	GAC removed 01/26/2023 at owner's request. Home demolished for warehouse development. Well decommissioned according to NJ Data Miner.	12	2.9	9.6																	
BED1	471	07/11/2022	GAC removed 01/26/2023 at owner's request. Home demolished for warehouse development. Well decommissioned according to NJ Data Miner.	<2.0	<2.0	<2.0																	
BED1	471	05/23/2022		<2.0	<2.0	<2.0																	
BED1	471	02/28/2022		<2.0	<2.0	<2.0																	
BED1	471	11/22/2021	Carbon Changeout 12/22/2021 - 5yr.	<2.0	<2.0	<2.0																	
PT	471	09/09/2021		19	3.9	15																	
BED1	471	09/09/2021		<2.0	<2.0	<2.0																	
BED1	471	06/04/2021		<2.0	<2.0	<2.0																	
BED1	471	03/10/2021		<2.0	<2.0	<2.0																	
BED1	471	11/16/2020		<2.0	<2.0	<2.0																	
PT	471	09/21/2020	GAC installed by NJDEP 10/03/2016.	19	5.4	16																	
BED1	471	09/21/2020		<2.0	<2.0	<2.0																	
BED1	472	10/28/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	472	08/28/2024		18	5.0	10	<2.0	<2.0	3.5	<2.0	12	6.7	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	472	08/28/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	472	06/14/2024		<2.0	<2.0	<2.0																	
BED1	472	02/19/2024		<2.0	<2.0	<2.0																	
BED1	472	11/28/2023		<2.0	<2.0	<2.0																	
PT	472	07/26/2023		14	3.8	7.7																	
BED1	472	07/26/2023		<2.0	<2.0	<2.0																	
BED1	472	04/18/2023		<2.0	<2.0	<2.0																	
BED1	472	01/24/2023	Carbon Changeout 01/24/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	472	10/04/2022		3.2	<2.0	<2.0																	
BED2	472	10/04/2022		<2.0	<2.0	<2.0																	
PT	472	07/07/2022		19	3.5 J	7.6																	
BED1	472	07/07/2022		3.2	<2.0	<2.0																	
BED2	472	07/07/2022		<2.0	<2.0	<2.0																	
BED1	472	04/12/2022		3.8	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED2	472	04/12/2022		<2.0	<2.0	<2.0																	
BED1	472	01/18/2022		5.7	<2.0	<2.0																	
BED2	472	01/18/2022		<2.0	<2.0	<2.0																	
BED1	472	10/11/2021		2.7	<2.0	<2.0																	
BED2	472	10/11/2021		<2.0	<2.0	<2.0																	
PT	472	07/21/2021		19	3.4	8.8																	
BED1	472	07/21/2021		7.1	<2.0	2.2																	
BED2	472	07/21/2021		<2.0	<2.0	<2.0																	
BED1	472	04/22/2021		<2.0	<2.0	<2.0																	
BED1	472	02/01/2021		5.0	<2.0	<2.0																	
BED1-DUP	472	02/01/2021		4.9	<2.0	<2.0																	
BED2	472	02/01/2021		<2.0	<2.0	<2.0																	
PT	472	10/20/2020	GAC installed by NJDEP 01/24/2018.	36 J	4.2 J	11																	
BED1	472	10/20/2020		3.8 J	<2.0	<2.0																	
BED1	473	05/12/2022	GAC removed 12/06/2022 at owner's request. Home demolished for warehouse development. Well decommissioned according to NJ Data Miner.	2.6	<2.0	<2.0																	
BED2	473	05/12/2022	GAC removed 12/06/2022 at owner's request. Home demolished for warehouse development. Well decommissioned according to NJ Data Miner.	<2.0	<2.0	<2.0																	
BED1	473	02/14/2022		<2.0	<2.0	<2.0																	
BED1	473	11/09/2021		<2.0	<2.0	<2.0																	
PT	473	08/23/2021		40	5.8	16																	
BED1	473	08/23/2021		2.6	<2.0	<2.0																	
BED2	473	08/23/2021		<2.0	<2.0	<2.0																	
BED1	473	06/01/2021		<2.0	<2.0	<2.0																	
BED1	473	02/12/2021		2.4	<2.0	<2.0																	
BED2	473	02/12/2021		<2.0	<2.0	<2.0																	
BED1	473	11/30/2020		2.7	<2.0	<2.0																	
BED1-DUP	473	11/30/2020		3.1	<2.0	<2.0																	
PT	473	09/29/2020	GAC installed by NJDEP 04/18/2018.	58	4.5	7.6																	
BED1	473	09/29/2020		<2.0	<2.0	<2.0																	
BED1	474	10/10/2024	Carbon Changeout 11/26/2024-Results driven	43	2.6	24	<2.0	<2.0	<2.0	<2.0	25	12	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED2	474	10/10/2024		47	3.6	33	<2.0	<2.0	<2.0	<2.0	25	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	474	09/03/2024		46	3.6	33	<2.0	<2.0	<2.0	<2.0	25	13	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	474	09/03/2024		58	2.4	23	<2.0	<2.0	<2.0	<2.0	36	17	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED2	474	09/03/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	474	06/05/2024		41	<2.0	17																	
BED2	474	06/05/2024		<2.0	<2.0	<2.0																	
BED1	474	02/06/2024		40	<2.0	16																	
BED2	474	02/06/2024		<2.0	<2.0	<2.0																	
BED1	474	11/09/2023		43	<2.0	15																	
BED2	474	11/09/2023		<2.0	<2.0	<2.0																	
PT	474	07/25/2023		40	2.8	24																	
BED1	474	07/25/2023		38	<2.0	11																	
BED2	474	07/25/2023		<2.0	<2.0	<2.0																	
BED1	474	04/19/2023		38	<2.0	16																	
BED2	474	04/19/2023		<2.0	<2.0	<2.0																	
BED1	474	01/10/2023		33	<2.0	11																	
BED2	474	01/10/2023		<2.0	<2.0	<2.0																	
BED1	474	10/05/2022		31	<2.0	9.5																	
BED2	474	10/05/2022		<2.0	<2.0	<2.0																	
PT	474	07/05/2022		53	2.9	28																	
BED1	474	07/05/2022		45	<2.0	18																	
BED2	474	07/05/2022		<2.0	<2.0	<2.0																	
BED1	474	05/11/2022		37	<2.0	11																	
BED2	474	05/11/2022		<2.0	<2.0	<2.0																	
BED1	474	02/14/2022		30	<2.0	10																	
BED2	474	02/14/2022		<2.0	<2.0	<2.0																	
BED1	474	11/15/2021	Carbon Changeout 10/19/2021 - 5yr.	52	<2.0	18																	
BED2	474	11/15/2021	Carbon Changeout 10/19/2021 - 5yr.	<2.0	<2.0	<2.0																	
PT	474	09/07/2021		61	2.8	28																	
BED1	474	09/07/2021		34	<2.0	9.3																	
BED2	474	09/07/2021		<2.0	<2.0	<2.0																	
BED1	474	05/24/2021		13	<2.0	3.5																	
BED2	474	05/24/2021		<2.0	<2.0	<2.0																	
BED1	474	02/26/2021		15	<2.0	3.3																	
BED2	474	02/26/2021		<2.0	<2.0	<2.0																	
BED1	474	12/07/2020		11	<2.0	3.1																	
PT	474	09/30/2020	GAC installed by NJDEP 04/15/2016.	70	3.5	27																	
BED1	474	09/30/2020		5.9 J	<2.0	<2.0																	
BED1-DUP	474	09/30/2020		10 J	<2.0	<2.0																	
BED1	475	03/12/2024	No well decommissioning report, but the well is no longer usable according to homeowner. Replacement well installed (Regulatory Location ID #731). Qualified for treatment so GAC System transferred to replacement well.	<2.0	<2.0	<2.0																	
BED1	475	12/12/2023		<2.0	<2.0	<2.0																	
PT	475	07/25/2023		31	3.1	20																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	475	07/25/2023		<2.0	<2.0	<2.0																	
BED1	475	03/09/2023		<2.0	<2.0	<2.0																	
BED1	475	10/31/2022		<2.0	<2.0	<2.0																	
PT	475	08/11/2022		49	4.0	29																	
BED1	475	08/11/2022		<2.0	<2.0	<2.0																	
BED1	475	06/22/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	475	03/09/2022		<2.0	<2.0	<2.0																	
BED1	475	12/07/2021		<2.0	<2.0	<2.0																	
PT	475	09/14/2021	Carbon Changeout 09/14/2021 - 5yr.	54	5.7	45																	
BED1	475	09/14/2021	Carbon Changeout 09/14/2021 - 5yr.	<2.0	<2.0	<2.0																	
BED1	475	06/09/2021		<2.0	<2.0	<2.0																	
BED1	475	03/23/2021		<2.0	<2.0	<2.0																	
PT	475	11/19/2020	GAC installed by NJDEP 11/09/2015.	64	4.5	32																	
BED1	475	11/19/2020		2.0	<2.0	<2.0																	
POST	476	09/22/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	476	09/22/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	477	05/15/2023		<2.0	<2.0	<2.0																	
DUP	477	05/15/2023		<2.0	<2.0	<2.0																	
	477	09/22/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	477	09/22/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	478	05/20/2024		<2.0	<2.0	<2.0																	
	478	01/31/2022		<2.0	<2.0	<2.0																	
DUP	478	01/31/2022		<2.0	<2.0	<2.0																	
	478	09/22/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	479	09/22/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	480	12/20/2022		<2.0	<2.0	<2.0																	
PT	480	08/24/2022		58	2.9	5.7																	
BED1	480	08/24/2022		<2.0	<2.0	<2.0																	
BED1	480	05/18/2022		<2.0	<2.0	<2.0																	
BED1	480	02/23/2022		<2.0	<2.0	<2.0																	
BED1	480	11/30/2021		<2.0	<2.0	<2.0																	
PT	480	09/01/2021		73	3.3 J	6.7																	
BED1	480	09/01/2021		<2.0	<2.0	<2.0																	
BED1	480	05/24/2021		<2.0	<2.0	<2.0																	
BED1	480	03/05/2021		<2.0	<2.0	<2.0																	
	480	09/22/2020	GAC installed 11/20/2020.	66	4.3	5.5	<2.0	<2.0	<2.0	<2.0	57	36	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	481	09/22/2020	Home demolished for warehouse development. Well decommissioned according to NJ Data Miner. Permanent bottled water stopped.	46	4.4	6.5	<2.0	<2.0	<2.0	<2.0	34	24	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	482	08/11/2021		<2.0	<2.0	<2.0																	
	482	10/01/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	482	10/01/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	483	10/05/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	4.1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			2.6	<2.0
DUP	483	10/05/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	3.9	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			2.5	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	484	10/23/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	484	08/06/2024		39	20	8.3	<2.0	<2.0	22	2.9	22	14	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	484	08/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	484	05/22/2024		<2.0	<2.0	<2.0																	
BED1	484	02/23/2024		<2.0	<2.0	<2.0																	
BED1	484	11/29/2023		<2.0	<2.0	<2.0																	
BED1-DUP	484	11/29/2023		<2.0	<2.0	<2.0																	
PT	484	08/22/2023		59	25	17																	
BED1	484	08/22/2023		<2.0	<2.0	<2.0																	
BED1	484	05/17/2023		<2.0	<2.0	<2.0																	
BED1	484	03/02/2023		<2.0	<2.0	<2.0																	
BED1	484	12/20/2022		<2.0	<2.0	<2.0																	
PT	484	07/06/2022		48	19 J	14																	
BED1	484	07/06/2022		<2.0	<2.0	<2.0																	
BED1	484	05/25/2022		<2.0	<2.0	<2.0																	
BED1	484	02/24/2022		<2.0	<2.0	<2.0																	
BED1	484	11/23/2021	Carbon Changeout 11/23/2021 - results driven.	<2.0	<2.0	<2.0																	
PT	484	09/03/2021		48	15	11																	
BED1	484	09/03/2021		29	5.6	5.2																	
BED1-DUP	484	09/03/2021		24	4.8	4.3																	
BED2	484	09/03/2021		7.8	<2.0	<2.0																	
BED1	484	05/05/2021		<2.0	<2.0	<2.0																	
BED1	484	02/04/2021		<2.0	<2.0	<2.0																	
PT	484	11/24/2020	GAC installed by NJDEP 12/05/2017.	40	11	5.4																	
BED1	484	10/21/2020		<2.0	<2.0	<2.0																	
BED1	485	11/07/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	485	09/11/2024		65	29	37	<2.0	<2.0	<2.0	<2.0	29	22	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	485	09/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	485	06/12/2024		<2.0	<2.0	<2.0																	
BED1	485	02/20/2024		<2.0	<2.0	<2.0																	
BED1	485	11/09/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	485	09/18/2023		73	25	41																	
BED1	485	09/18/2023		<2.0	<2.0	<2.0																	
BED1	485	06/12/2023		<2.0	<2.0	<2.0																	
BED1	485	03/22/2023		<2.0	<2.0	<2.0																	
BED1	485	12/29/2022		<2.0	<2.0	<2.0																	
PT	485	07/11/2022		59	20	33																	
BED1	485	07/11/2022		<2.0	<2.0	<2.0																	
BED1	485	06/01/2022		2.0	<2.0	<2.0																	
BED2	485	06/01/2022		<2.0	<2.0	<2.0																	
BED1	485	03/02/2022		<2.0	<2.0	<2.0																	
BED1	485	12/06/2021		2.1	<2.0	<2.0																	
BED2	485	12/06/2021		<2.0	<2.0	<2.0																	
PT	485	09/03/2021		83	16	31																	
BED1	485	09/03/2021		<2.0	<2.0	<2.0																	
BED1	485	06/23/2021		<2.0	<2.0	<2.0																	
BED1	485	03/17/2021	Carbon Changeout 02/12/2021 - 5yr.	<2.0	<2.0	<2.0																	
PT	485	12/07/2020	GAC installed by NJDEP 12/01/2015.	69	13 J	29																	
BED1	485	12/07/2020		<2.0	<2.0	<2.0																	
	486	04/22/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
DUP	486	04/22/2022		<2.0	<2.0	<2.0																	
	486	10/27/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	486	10/27/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	487	09/25/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	487	09/25/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE-DUP	487	09/25/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	487	08/02/2021		<2.0	<2.0	<2.0																	
	487	10/29/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	487	10/29/2020		<2.0	3.4	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	488	11/14/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	488	11/14/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	488	07/02/2024		34	14	2.3	<2.0	<2.0	<2.0	2.8	17	8.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	488	07/02/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	488	06/25/2024		<2.0	<2.0	<2.0																	
BED1	488	11/09/2023		<2.0	<2.0	<2.0																	
PT	488	08/03/2023		14	6.6	<2.0																	
BED1	488	08/03/2023		<2.0	<2.0	<2.0																	
BED1	488	04/19/2023		<2.0	<2.0	<2.0																	
BED1	488	01/11/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	488	10/06/2022	Carbon Changeout 11/15/2022 - 5yr.	<2.0	<2.0	<2.0																	
PT	488	07/12/2022		11	4.6	<2.0																	
BED1	488	07/12/2022		<2.0	<2.0	<2.0																	
BED1	488	06/02/2022		<2.0	<2.0	<2.0																	
BED1	488	03/03/2022		<2.0	<2.0	<2.0																	
BED1	488	12/01/2021		<2.0	<2.0	<2.0																	
PT	488	09/14/2021		15	5.8	<2.0																	
BED1	488	09/14/2021		2.7	<2.0	<2.0																	
BED2	488	09/14/2021		<2.0	<2.0	<2.0																	
BED1	488	05/27/2021		<2.0	<2.0	<2.0																	
BED1	488	03/11/2021		<2.0	<2.0	<2.0																	
PT	488	11/18/2020	GAC installed by NJDEP 12/07/2017.	16	6.3	<2.0																	
BED1	488	11/18/2020		4.5	<2.0	<2.0																	
BED1	489	10/23/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	489	08/22/2024		23	<2.0	7.0	<2.0	<2.0	<2.0	<2.0	18	8.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	489	08/22/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	489	05/29/2024		<2.0	<2.0	<2.0																	
BED1	489	02/28/2024		<2.0	<2.0	<2.0																	
BED1	489	11/29/2023		<2.0	<2.0	<2.0																	
PT	489	07/26/2023		23	<2.0	6.4																	
BED1	489	07/26/2023		<2.0	<2.0	<2.0																	
BED1	489	04/18/2023		<2.0	<2.0	<2.0																	
BED1	489	01/19/2023	Carbon Changeout 01/19/2023 - 5yr.	<2.0	<2.0	<2.0																	
BED1	489	10/03/2022		<2.0	<2.0	<2.0																	
PT	489	07/07/2022		22	<2.0	5.5																	
BED1	489	07/07/2022		<2.0	<2.0	<2.0																	
BED1	489	05/02/2022		<2.0	<2.0	<2.0																	
BED1	489	02/03/2022		<2.0	<2.0	<2.0																	
BED1	489	10/11/2021		<2.0	<2.0	<2.0																	
PT	489	07/08/2021		11	<2.0	<2.0																	
BED1	489	07/08/2021		<2.0	<2.0	<2.0																	
BED1	489	04/09/2021		<2.0	<2.0	<2.0																	
BED1	489	01/21/2021		<2.0	<2.0	<2.0																	
PT	489	11/18/2020	GAC installed by NJDEP 12/12/2017.	9.8	<2.0	<2.0																	
BED1	489	11/18/2020		<2.0	<2.0	<2.0																	
BED1	490	10/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	490	09/18/2024		52	6.6	20	<2.0	<2.0	3.9	<2.0	50	29	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			2.1	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	490	09/18/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	490	05/31/2024		<2.0	<2.0	<2.0																	
BED1	490	03/04/2024		<2.0	<2.0	<2.0																	
BED1	490	12/05/2023		<2.0	<2.0	<2.0																	
PT	490	09/19/2023	Carbon Changeout 08/14/2023 - cracked tank.	61	6.2	24																	
BED1	490	09/19/2023	Carbon Changeout 08/14/2023 - cracked tank.	<2.0	<2.0	<2.0																	
BED1	490	06/22/2023		<2.0	<2.0	<2.0																	
BED1	490	02/15/2023		<2.0	<2.0	<2.0																	
BED1	490	11/15/2022		<2.0	<2.0	<2.0																	
PT	490	07/18/2022		57	4.6	26																	
BED1	490	07/18/2022		<2.0	<2.0	<2.0																	
BED1	490	06/20/2022		<2.0	<2.0	<2.0																	
BED1	490	02/28/2022		<2.0	<2.0	<2.0																	
BED1	490	12/06/2021	Carbon Changeout 10/07/2021 - 5yr.	<2.0	<2.0	<2.0																	
PT	490	08/03/2021		51	6.1	21																	
BED1	490	08/03/2021		<2.0	<2.0	<2.0																	
BED1	490	04/30/2021		<2.0	<2.0	<2.0																	
BED1	490	02/01/2021		3.8	<2.0	<2.0																	
BED2	490	02/01/2021		<2.0	<2.0	<2.0																	
PT	490	10/22/2020	GAC installed by NJDEP 03/01/2016.	64	6.9	27																	
BED1	490	10/22/2020		<2.0	<2.0	<2.0																	
BED1	491	12/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	491	08/22/2024		44	3.6	15	<2.0	<2.0	2.2	<2.0	40	25	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	491	08/22/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	491	05/30/2024		<2.0	<2.0	<2.0																	
BED1	491	03/05/2024		<2.0	<2.0	<2.0																	
BED1	491	12/06/2023		<2.0	<2.0	<2.0																	
PT	491	08/15/2023		46	4.8	15																	
BED1	491	08/15/2023		<2.0	<2.0	<2.0																	
BED1	491	05/17/2023		<2.0	<2.0	<2.0																	
BED1	491	02/28/2023		<2.0	<2.0	<2.0																	
BED1	491	12/08/2022	Carbon Changeout 12/08/2022 - 5yr.	<2.0	<2.0	<2.0																	
PT	491	07/12/2022		41	3.3	11																	
BED1	491	07/12/2022		12	<2.0	<2.0																	
BED2	491	07/12/2022		<2.0	<2.0	<2.0																	
BED1	491	05/16/2022		11	<2.0	<2.0																	
BED2	491	05/16/2022		<2.0	<2.0	<2.0																	
BED1	491	03/29/2022		<2.0	<2.0	<2.0																	
BED1-DUP	491	03/29/2022		2.4	<2.0	<2.0																	
BED2	491	03/29/2022		<2.0	<2.0	<2.0																	
BED1	491	12/28/2021		<2.0	<2.0	<2.0																	
BED1-DUP	491	12/28/2021		<2.0	<2.0	<2.0																	
PT	491	09/16/2021		46	3.1	10																	
BED1	491	09/16/2021		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	491	05/27/2021		<2.0	<2.0	<2.0																	
BED1	491	03/05/2021		<2.0	<2.0	<2.0																	
PT	491	12/14/2020	GAC installed by NJDEP 12/21/2017.	46	3.5	13																	
BED1	491	12/14/2020		<2.0	2.0	<2.0																	
BED1-DUP	491	12/14/2020		<2.0	<2.0	<2.0																	
	492	11/24/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	492	11/24/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	493	10/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	493	07/09/2024		30	39	26	<2.0	<2.0	4.8	2.3	93	34	7.8	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	493	07/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	493	07/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	493	04/03/2024		<2.0	<2.0	<2.0																	
BED1	493	01/03/2024		<2.0	<2.0	<2.0																	
BED1-DUP	493	01/03/2024		<2.0	<2.0	<2.0																	
BED1	493	10/02/2023		<2.0	<2.0	<2.0																	
BED1-DUP	493	10/02/2023		<2.0	<2.0	<2.0																	
PT	493	07/05/2023		57	55	36																	
BED1	493	07/05/2023		<2.0	<2.0	<2.0																	
BED1	493	04/04/2023		<2.0	<2.0	<2.0																	
BED1	493	01/03/2023		<2.0	<2.0	<2.0																	
BED1-DUP	493	01/03/2023		<2.0	<2.0	<2.0																	
BED1	493	10/03/2022		<2.0	<2.0	<2.0																	
BED1-DUP	493	10/03/2022		<2.0	<2.0	<2.0																	
PT	493	07/06/2022		49	55 J	34																	
BED1	493	07/06/2022		<2.0	<2.0	<2.0																	
BED1-DUP	493	07/06/2022		<2.0	<2.0	<2.0																	
BED1	493	04/06/2022		<2.0	<2.0	<2.0																	
BED1	493	01/03/2022		<2.0	<2.0	<2.0																	
BED1-DUP	493	01/03/2022		<2.0	<2.0	<2.0																	
BED1	493	10/04/2021		<2.0	<2.0	<2.0																	
BED1-DUP	493	10/04/2021		<2.0	<2.0	<2.0																	
PT	493	07/13/2021		42	75	36																	
BED1	493	07/13/2021		<2.0	<2.0	<2.0																	
BED1	493	04/01/2021		<2.0	<2.0	<2.0																	
	493	12/14/2020	GAC installed 03/03/2021.	110	91	70	<2.0	<2.0	5.4	5.3	120	57	14	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			10	<2.0
	494	03/12/2024		<2.0	<2.0	<2.0																	
DUP	494	03/12/2024		<2.0	<2.0	<2.0																	
	494	03/14/2022		<2.0	<2.0	<2.0																	
	494	12/14/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	495	10/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	495	07/09/2024		36	3.5	23	<2.0	<2.0	2.1	<2.0	53	25	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	495	07/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	495	04/09/2024		<2.0	<2.0	<2.0																	
BED1	495	01/17/2024		<2.0	<2.0	<2.0																	
BED1	495	10/12/2023		<2.0	<2.0	<2.0																	
PT	495	07/17/2023		29	<2.0	16																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	495	07/17/2023		<2.0	<2.0	<2.0																	
BED1	495	04/11/2023		<2.0	<2.0	<2.0																	
BED1	495	01/19/2023		<2.0	<2.0	<2.0																	
BED1	495	10/14/2022		<2.0	<2.0	<2.0																	
PT	495	07/13/2022		33	<2.0	19																	
BED1	495	07/13/2022		<2.0	<2.0	<2.0																	
BED1	495	04/12/2022		<2.0	<2.0	<2.0																	
BED1	495	01/06/2022		<2.0	<2.0	<2.0																	
BED1	495	10/04/2021		<2.0	<2.0	<2.0																	
PT	495	07/06/2021		44	3.4	20																	
BED1	495	07/06/2021		<2.0	<2.0	<2.0																	
BED1	495	04/05/2021		<2.0	<2.0	<2.0																	
	495	12/14/2020	GAC installed 01/26/2021.	58	3.0	24	<2.0	<2.0	2.3	<2.0	45	26	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	495	12/14/2020	GAC installed 01/26/2021.	49	3.0	19	<2.0	<2.0	2.2	<2.0	44	21	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	496	10/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	496	07/09/2024		29	<2.0	5.0	<2.0	<2.0	<2.0	<2.0	31	19	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	496	07/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	496	04/04/2024		<2.0	<2.0	<2.0																	
BED1	496	01/11/2024		<2.0	<2.0	<2.0																	
BED1	496	10/11/2023		<2.0	<2.0	<2.0																	
PT	496	07/24/2023		26	<2.0	4.7																	
BED1	496	07/24/2023		<2.0	<2.0	<2.0																	
BED1	496	04/18/2023		<2.0	<2.0	<2.0																	
BED1	496	01/24/2023		<2.0	<2.0	<2.0																	
BED1	496	10/26/2022		<2.0	<2.0	<2.0																	
PT	496	08/18/2022		38	3.3	9.1																	
BED1	496	08/18/2022		<2.0	<2.0	<2.0																	
BED1	496	05/12/2022		<2.0	<2.0	<2.0																	
BED1	496	02/14/2022		<2.0	<2.0	<2.0																	
BED1	496	11/15/2021		<2.0	<2.0	<2.0																	
PT	496	08/31/2021		40	3.8	10																	
BED1	496	08/31/2021		<2.0	<2.0	<2.0																	
BED1	496	04/05/2021		<2.0	<2.0	<2.0																	
BED1-DUP	496	04/05/2021		<2.0	<2.0	<2.0																	
	496	12/16/2020	GAC installed 02/16/2021.	52	4.5 J	13 J	<2.0	<2.0	<2.0	<2.0	44	28	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	496	12/16/2020	GAC installed 02/16/2021.	56	4.3 J	15 J	<2.0	<2.0	<2.0	<2.0	46	30	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	497	03/25/2024		<2.0	<2.0	<2.0																	
PRE	497	03/25/2024		<2.0	<2.0	<2.0																	
POST	497	04/04/2022		<2.0	<2.0	<2.0																	
PRE	497	04/04/2022		<2.0	<2.0	<2.0																	
	497	12/16/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	4.1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	498	10/24/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	498	08/02/2024		20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	19	9.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	498	08/02/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	498	05/03/2024		<2.0	<2.0	<2.0																	
BED1	498	02/12/2024		<2.0	<2.0	<2.0																	
BED1-DUP	498	02/12/2024		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	498	10/09/2023		<2.0	<2.0	<2.0																	
PT	498	07/18/2023		15	<2.0	<2.0																	
BED1	498	07/18/2023		<2.0	<2.0	<2.0																	
BED1	498	04/11/2023		<2.0	<2.0	<2.0																	
BED1	498	01/10/2023		<2.0	<2.0	<2.0																	
BED1	498	10/07/2022		<2.0	<2.0	<2.0																	
PT	498	07/14/2022		20	<2.0	<2.0																	
BED1	498	07/14/2022		<2.0	<2.0	<2.0																	
BED1	498	04/12/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	498	01/19/2022		<2.0	<2.0	<2.0																	
BED1	498	10/11/2021		<2.0	<2.0	<2.0																	
PT	498	07/19/2021		20	<2.0	<2.0																	
BED1	498	07/19/2021		<2.0	<2.0	<2.0																	
BED1	498	04/12/2021		<2.0	<2.0 UJ	<2.0																	
BED1-DUP	498	04/12/2021		<2.0	<2.0	<2.0																	
	498	12/16/2020	GAC installed 01/25/2021.	22	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	26	12	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	499	10/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	499	07/03/2024		54	31	15	<2.0	<2.0	6.8	2.3	39	32	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	499	07/03/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	499	04/02/2024		<2.0	<2.0	<2.0																	
BED1	499	01/03/2024		<2.0	<2.0	<2.0																	
BED1	499	10/02/2023		<2.0	<2.0	<2.0																	
PT	499	07/05/2023		41	21	8.1																	
BED1	499	07/05/2023		<2.0	<2.0	<2.0																	
BED1	499	04/03/2023		<2.0	<2.0	<2.0																	
BED1	499	01/03/2023		<2.0	<2.0	<2.0																	
BED1	499	10/03/2022		<2.0	<2.0	<2.0																	
PT	499	07/07/2022		53	43 J	14																	
BED1	499	07/07/2022		<2.0	<2.0	<2.0																	
BED1	499	05/11/2022		<2.0	<2.0	<2.0																	
BED1	499	02/15/2022		<2.0	<2.0	<2.0																	
BED1	499	11/16/2021		<2.0	<2.0	<2.0																	
PT	499	08/16/2021		78	27	14																	
BED1	499	08/16/2021		<2.0	<2.0	<2.0																	
BED1	499	04/05/2021		<2.0	<2.0	<2.0																	
	499	12/29/2020	GAC installed 03/11/2021.	71	28	14	<2.0	<2.0	13	3.8	42	33	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	500	05/08/2023		<2.0	<2.0	<2.0																	
	500	12/28/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0 UJ	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	500	12/28/2020		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	501	01/06/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	501	01/06/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	502	03/07/2024		<2.0	<2.0	<2.0																	
	502	03/21/2022		<2.0	<2.0	<2.0																	
	502	01/06/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	503	10/07/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	503	04/11/2022		<2.0	<2.0	<2.0																	
	503	01/06/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
	504	04/25/2022		<2.0	<2.0	<2.0																	
DUP	504	04/25/2022		<2.0	<2.0	<2.0																	
	504	01/06/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	505	10/07/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	505	01/06/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	506	10/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	506	07/02/2024		36	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	28	13	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	506	07/02/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	506	04/04/2024		<2.0	<2.0	<2.0																	
BED1	506	01/05/2024		<2.0	<2.0	<2.0																	
BED1	506	10/02/2023		<2.0	<2.0	<2.0																	
PT	506	07/11/2023		32	<2.0	<2.0																	
BED1	506	07/11/2023		<2.0	<2.0	<2.0																	
BED1	506	04/11/2023		<2.0	<2.0	<2.0																	
BED1	506	01/05/2023		<2.0	<2.0	<2.0																	
BED1	506	10/20/2022		<2.0	<2.0	<2.0																	
PT	506	08/25/2022		41	<2.0	<2.0																	
BED1	506	08/25/2022		<2.0	<2.0	<2.0																	
BED1	506	05/17/2022		<2.0	<2.0	<2.0																	
BED1	506	02/21/2022		<2.0	<2.0	<2.0																	
BED1	506	11/23/2021		<2.0	<2.0	<2.0																	
PT	506	07/22/2021		34	<2.0	<2.0																	
BED1	506	07/22/2021		<2.0	<2.0	<2.0																	
BED1	506	04/22/2021		<2.0	<2.0	<2.0																	
	506	01/06/2021	GAC installed 02/17/2021.	34	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	27	13	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	507	06/17/2024		<2.0	<2.0	<2.0																	
DUP	507	06/17/2024		<2.0	<2.0	<2.0																	
POST	507	03/14/2022		<2.0	<2.0	<2.0																	
PRE	507	03/14/2022		<2.0	<2.0	<2.0																	
PRE	507	02/11/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	507	01/06/2021	Post-treatment sample.	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	508	07/28/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
	508	01/11/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	509	04/03/2023		<2.0	<2.0	<2.0																	
	509	01/11/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	509	01/11/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	510	11/12/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	510	08/30/2024		35	5.1	3.9	<2.0	<2.0	<2.0	<2.0	18	12	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	510	08/30/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	510	06/11/2024		<2.0	<2.0	<2.0																	
BED1	510	02/01/2024		<2.0	<2.0	<2.0																	
BED1	510	10/30/2023		<2.0	<2.0	<2.0																	
PT	510	08/22/2023		23	4.3	<2.0																	
BED1	510	08/22/2023		<2.0	<2.0	<2.0																	
BED1	510	05/23/2023		<2.0	<2.0	<2.0																	
BED1	510	02/21/2023		<2.0	<2.0	<2.0																	
BED1	510	12/01/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	510	09/28/2022		27	7.7	4.4																	
BED1	510	09/28/2022		<2.0	<2.0	<2.0																	
BED1	510	06/02/2022		<2.0	<2.0	<2.0																	
BED1	510	03/10/2022		<2.0	<2.0	<2.0																	
BED1	510	11/29/2021		<2.0	<2.0	<2.0																	
PT	510	08/30/2021	Carbon Changeout 07/26/2021 - Fe.	25	6.4 J	3.4																	
BED1	510	08/30/2021	Carbon Changeout 07/26/2021 - Fe.	<2.0	<2.0	<2.0																	
	510	01/19/2021	GAC installed 04/21/2021.	27 J	3.7 J	2.9	<2.0	<2.0	<2.0	<2.0	24	14	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	510	01/19/2021	GAC installed 04/21/2021.	25 J	3.3 J	2.7	<2.0	<2.0	<2.0	<2.0	23	14	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	511	11/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	511	08/20/2024		39	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	37	15	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	511	08/20/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	511	05/21/2024		<2.0	<2.0	<2.0																	
BED1	511	01/30/2024		<2.0	<2.0	<2.0																	
BED1	511	10/18/2023		<2.0	<2.0	<2.0																	
PT	511	08/02/2023		41	<2.0	<2.0																	
BED1	511	08/02/2023		<2.0	<2.0	<2.0																	
BED1	511	10/10/2022		<2.0	<2.0	<2.0																	
PT	511	08/18/2022		41	<2.0	<2.0																	
BED1	511	08/18/2022		<2.0	<2.0	<2.0																	
BED1	511	05/16/2022		<2.0	<2.0	<2.0																	
BED1	511	02/15/2022		<2.0	<2.0	<2.0																	
BED1	511	11/17/2021		<2.0	<2.0	<2.0																	
PT	511	09/15/2021		47	<2.0	<2.0																	
BED1	511	09/15/2021		<2.0	<2.0	<2.0																	
	511	01/19/2021	GAC installed 04/02/2021.	40	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	40	19	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	512	03/07/2024		<2.0	<2.0	<2.0																	
	512	03/21/2022		<2.0	<2.0	<2.0																	
	512	01/19/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	513	12/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	513	12/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	513	09/11/2024		82	27	16	<2.0	<2.0	13	3.4	35	19	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	513	09/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	513	06/18/2024		<2.0	<2.0	<2.0																	
BED1	513	02/20/2024		<2.0	<2.0	<2.0																	
BED1	513	10/25/2023		<2.0	<2.0	<2.0																	
PT	513	08/03/2023		88	41	13																	
BED1	513	08/03/2023		<2.0	<2.0	<2.0																	
BED1	513	04/20/2023		<2.0	<2.0	<2.0																	
BED1	513	01/25/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	513	10/31/2022		<2.0	<2.0	<2.0																	
PT	513	07/12/2022		61	39	12																	
BED1	513	07/12/2022		<2.0	<2.0	<2.0																	
BED1	513	04/06/2022		<2.0	<2.0	<2.0																	
BED1	513	01/04/2022		<2.0	<2.0	<2.0																	
BED1	513	10/05/2021		<2.0	<2.0	<2.0																	
PT	513	07/14/2021		93	44	14																	
BED1	513	07/14/2021		<2.0	<2.0	<2.0																	
	513	01/20/2021	GAC installed 04/14/2021.	80	18	14	<2.0	<2.0	12	2.3	33	19	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	513	01/20/2021	GAC installed 04/14/2021.	90	21	15	<2.0	<2.0	12	2.7	33	21	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	514	01/25/2021	Treatment incomplete/in progress - declined bottled water.	45	<2.0	3.9	<2.0	<2.0	<2.0	<2.0	36	16	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	514	01/25/2021	Treatment incomplete/in progress - declined bottled water.	42	<2.0	3.7	<2.0	<2.0	<2.0	<2.0	35	15	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	515	02/27/2023		<2.0	<2.0	<2.0																	
	515	01/25/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	516	01/25/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	517	12/18/2024		<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ			<2.0 UJ	<2.0 UJ
PT	517	08/15/2024		48	5.9	8.2	<2.0	<2.0	<2.0	<2.0	41	29	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	517	08/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	517	04/18/2024		<2.0	<2.0	<2.0																	
BED1	517	01/31/2024		<2.0	<2.0	<2.0																	
BED1	517	10/31/2023		<2.0	<2.0	<2.0																	
PT	517	08/09/2023		54	7.2	12																	
BED1	517	08/09/2023		<2.0	<2.0	<2.0																	
BED1	517	05/15/2023		<2.0	<2.0	<2.0																	
BED1	517	02/21/2023		<2.0	<2.0	<2.0																	
BED1	517	11/15/2022		<2.0	<2.0	<2.0																	
PT	517	09/08/2022		49	3.2	4.2																	
BED1	517	09/08/2022		<2.0	<2.0	<2.0																	
BED1	517	06/13/2022		<2.0	<2.0	<2.0																	
BED1	517	03/15/2022		<2.0	<2.0	<2.0																	
BED1	517	12/15/2021		<2.0	<2.0	<2.0																	
	517	01/25/2021	GAC installed 09/07/2021.	76	5.1	12	<2.0	<2.0	<2.0	<2.0	88	49	2.6	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			2.3	<2.0
	518	04/04/2022		<2.0	<2.0	<2.0																	
	518	01/25/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	519	11/20/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	519	08/09/2024		53	13	20	<2.0	<2.0	<2.0	<2.0	59	32	4.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	519	08/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	519	08/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	519	05/24/2024		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	519	02/23/2024		<2.0	<2.0	<2.0																	
BED1	519	11/17/2023		<2.0	<2.0	<2.0																	
PT	519	08/01/2023		40	11	16																	
BED1	519	08/01/2023		<2.0	<2.0	<2.0																	
BED1	519	04/24/2023		<2.0	<2.0	<2.0																	
BED1	519	01/25/2023		<2.0	<2.0	<2.0																	
BED1	519	10/21/2022		<2.0	<2.0	<2.0																	
PT	519	09/20/2022		86	15	21																	
BED1	519	09/20/2022		<2.0	<2.0	<2.0																	
BED1	519	04/26/2022		<2.0	<2.0	<2.0																	
	519	01/25/2021	GAC installed 02/17/2022.	62	14	18	<2.0	<2.0	<2.0	<2.0	45	33	2.1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	520	04/10/2023		<2.0	<2.0	<2.0																	
	520	01/26/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	40	4.6	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			2.6	<2.0
DUP	520	01/26/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	42	4.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			2.5	<2.0
BED1	521	10/23/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	521	07/24/2024		59	2.7	5.4	<2.0	<2.0	<2.0	<2.0	36	23	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	521	07/24/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	521	04/10/2024		<2.0	<2.0	<2.0																	
BED1	521	01/24/2024		<2.0	<2.0	<2.0																	
BED1	521	10/16/2023		<2.0	<2.0	<2.0																	
PT	521	08/02/2023		49	<2.0	2.9																	
BED1	521	08/02/2023		<2.0	<2.0	<2.0																	
BED1	521	04/26/2023		<2.0	<2.0	<2.0																	
BED1-DUP	521	04/26/2023		<2.0	<2.0	<2.0																	
BED1	521	02/06/2023		<2.0	<2.0	<2.0																	
BED1	521	11/07/2022		<2.0	<2.0	<2.0																	
PT	521	08/29/2022		57	2.5	3.0																	
BED1	521	08/29/2022		<2.0	<2.0	<2.0																	
BED1	521	05/31/2022		<2.0	<2.0	<2.0																	
BED1	521	03/07/2022		<2.0	<2.0	<2.0																	
BED1	521	12/08/2021		<2.0	<2.0	<2.0																	
PT	521	09/20/2021		52	3.7	2.6																	
BED1	521	09/20/2021		<2.0	<2.0	<2.0																	
	521	01/26/2021	GAC installed 06/11/2021.	67	2.3	2.4	<2.0	<2.0	<2.0	<2.0	58	32	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	522	12/20/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	522	09/25/2024		25	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	32	19	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			4.8	<2.0
BED1	522	09/25/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	522	05/10/2024		<2.0	<2.0	<2.0																	
BED1	522	02/12/2024		<2.0	<2.0	<2.0																	
BED1	522	11/09/2023		<2.0	<2.0	<2.0																	
PT	522	08/08/2023		24	<2.0	<2.0																	
BED1	522	08/08/2023		<2.0	<2.0	<2.0																	
BED1	522	04/19/2023	Carbon Changeout 04/19/2023 - Fe.	<2.0	<2.0	<2.0																	
BED1	522	12/05/2022		<2.0	<2.0	<2.0																	
PT	522	09/28/2022		23	<2.0	<2.0																	
BED1	522	09/28/2022		<2.0	<2.0	<2.0																	
BED1	522	05/16/2022		<2.0	<2.0	<2.0																	
BED1	522	01/31/2022		<2.0	<2.0	<2.0																	
BED1	522	10/25/2021		<2.0	<2.0	<2.0																	
PT	522	07/21/2021		19	<2.0	<2.0																	
BED1	522	07/21/2021		<2.0	<2.0	<2.0																	
	522	01/26/2021	GAC installed 04/09/2021.	19	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	20	14	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			3.4	<2.0
	523	01/26/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	524	09/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	524	01/26/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	525	06/13/2022		<2.0	<2.0	<2.0																	
PRE	525	05/03/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	525	01/26/2021	Post treatment sample.	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	526	02/03/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	526	02/03/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	527	10/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	527	10/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	527	07/02/2024		38	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	36	18	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	527	07/02/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	527	07/02/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	527	04/09/2024		<2.0	<2.0	<2.0																	
BED1	527	01/11/2024		<2.0	<2.0	<2.0																	
BED1-DUP	527	01/11/2024		<2.0	<2.0	<2.0																	
BED1	527	10/10/2023		<2.0	<2.0	<2.0																	
PT	527	07/19/2023		41	<2.0	<2.0																	
BED1	527	07/19/2023		<2.0	<2.0	<2.0																	
BED1	527	04/17/2023		<2.0	<2.0	<2.0																	
BED1	527	01/19/2023		<2.0	<2.0	<2.0																	
BED1	527	10/14/2022		<2.0	<2.0	<2.0																	
PT	527	07/26/2022		46	<2.0	<2.0																	
BED1	527	07/26/2022		<2.0	<2.0	<2.0																	
BED1	527	04/20/2022		<2.0	<2.0	<2.0																	
BED1	527	01/26/2022		<2.0	<2.0	<2.0																	
BED1-DUP	527	01/26/2022		<2.0	<2.0	<2.0																	
BED1	527	11/01/2021		<2.0	<2.0	<2.0																	
PT	527	07/13/2021		29	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	527	07/13/2021		<2.0	<2.0	<2.0																	
	527	02/03/2021	GAC installed 03/31/2021.	43	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	44	20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	528	02/03/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	3.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	529	08/15/2022		<2.0	<2.0	<2.0																	
DUP	529	08/15/2022		<2.0	<2.0	<2.0																	
	529	02/03/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	530	02/04/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	531	03/08/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	531	03/08/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	532	11/14/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	532	09/11/2024		33	<2.0	4.0	<2.0	<2.0	<2.0	<2.0	34	16	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	532	09/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	532	05/29/2024		<2.0	<2.0	<2.0																	
BED1	532	02/21/2024		<2.0	<2.0	<2.0																	
BED1	532	11/16/2023		<2.0	<2.0	<2.0																	
PT	532	08/28/2023		43	2.3	4.3																	
BED1	532	08/28/2023		<2.0	<2.0	<2.0																	
BED1	532	05/31/2023		<2.0	<2.0	<2.0																	
BED1	532	03/09/2023		<2.0	<2.0	<2.0																	
BED1	532	11/16/2022		<2.0	<2.0	<2.0																	
PT	532	08/30/2022		49	2.6	4.4																	
BED1	532	08/30/2022		<2.0	<2.0	<2.0																	
BED1	532	05/23/2022		<2.0	<2.0	<2.0																	
BED1	532	02/03/2022		<2.0	<2.0	<2.0																	
BED1	532	11/04/2021		<2.0	<2.0	<2.0																	
PT	532	07/16/2021		98	3.1	6.0																	
BED1	532	07/16/2021		<2.0	<2.0	<2.0																	
	532	02/05/2021	GAC installed 04/22/2021.	25	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	26	12	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	532	02/05/2021	GAC installed 04/22/2021.	23	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	24	11	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	533	11/01/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	533	08/21/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	533	08/21/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	533	12/21/2023		<2.0	<2.0	<2.0																	
BED1-DUP	533	12/21/2023		<2.0	<2.0	<2.0																	
PT	533	07/06/2023		3.1	<2.0	<2.0																	
BED1	533	07/06/2023		<2.0	<2.0	<2.0																	
	533	09/20/2022	GAC installed 01/17/2023.	58	<2.0	3.3	<2.0	<2.0	<2.0	2.2	40	19	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	533	10/07/2015	NJDEP sampled, added their data to EIM, exceeds criteria. Declined NJDEP's treatment offer.	42	<2.5	0.93			<2.5	2.3	32	15	<2.5	<2.5	<2.5	<2.5	<2.5						
	534	02/24/2016	NJDEP sampled, added their data to EIM, exceeds criteria. Declined NJDEP's treatment offer. Received bottled water until house was demolished and well decommissioned.	68	<2.5	6.2			0.77	3	34	18	<2.5	<2.5	<2.5	<2.5	<2.5						
	535	03/14/2022		<2.0	<2.0	<2.0																	
DUP	535	02/09/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	535	02/09/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
	536	02/09/2021	Permanent bottled water.	41	3.6	6.6	<2.0	<2.0	<2.0	<2.0	46	26	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	537	02/09/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	538	11/22/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	538	11/22/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	538	06/19/2024		<2.0	<2.0	<2.0																	
BED1	538	02/20/2024		<2.0	<2.0	<2.0																	
BED1	538	10/24/2023		<2.0	<2.0	<2.0																	
PT	538	08/07/2023		<2.0	<2.0	<2.0																	
BED1	538	08/07/2023		<2.0	<2.0	<2.0																	
BED1-DUP	538	08/07/2023		<2.0	<2.0	<2.0																	
BED1	538	05/09/2023		<2.0	<2.0	<2.0																	
BED1	538	02/08/2023		<2.0	<2.0	<2.0																	
BED1-DUP	538	02/08/2023		<2.0	<2.0	<2.0																	
BED1	538	11/09/2022		<2.0	<2.0	<2.0																	
BED1-DUP	538	11/09/2022		<2.0	<2.0	<2.0																	
PT	538	08/08/2022		<2.0	<2.0	<2.0																	
BED1	538	08/08/2022		<2.0	<2.0	<2.0																	
BED1-DUP	538	08/08/2022		<2.0	<2.0	<2.0																	
BED1	538	05/03/2022		<2.0	<2.0	<2.0																	
BED1	538	03/16/2022		<2.0	<2.0	<2.0																	
BED1	538	12/08/2021		<2.0	<2.0	<2.0																	
PT	538	08/30/2021		44	<2.0	<2.0																	
BED1	538	08/30/2021		<2.0	<2.0	<2.0																	
	538	02/09/2021	GAC installed 06/10/2021.	28	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	32	14	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	539	02/09/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	540	02/09/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	541	02/09/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	542	11/08/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	542	08/08/2024		28	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	25	11	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	542	08/08/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	542	05/03/2024		<2.0	<2.0	<2.0																	
BED1	542	02/16/2024		<2.0	<2.0	<2.0																	
BED1	542	11/10/2023		<2.0	<2.0	<2.0																	
PT	542	08/24/2023		30	<2.0	<2.0																	
BED1	542	08/24/2023		<2.0	<2.0	<2.0																	
BED1	542	05/18/2023		<2.0	<2.0	<2.0																	
BED1	542	02/22/2023		<2.0	<2.0	<2.0																	
BED1	542	11/08/2022		<2.0	<2.0	<2.0																	
PT	542	09/19/2022		28	<2.0	<2.0																	
BED1	542	09/19/2022		<2.0	<2.0	<2.0																	
BED1	542	04/20/2022		<2.0	<2.0	<2.0																	
	542	02/09/2021	GAC installed 03/11/2022.	25	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	28	11	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	543	07/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	543	07/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	543	02/11/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	544	04/25/2022		<2.0	<2.0	<2.0																	
POST	544	02/12/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PRE	544	02/12/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	544	02/12/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	545	09/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	545	02/17/2021		<2.0 UJ	<2.0	<2.0 UJ	<2.0	<2.0	<2.0	<2.0	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0	<2.0			<2.0 UJ	<2.0 UJ
DUP	545	02/17/2021		<2.0 UJ	<2.0	<2.0 UJ	<2.0	<2.0	<2.0	<2.0	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0	<2.0			<2.0 UJ	<2.0 UJ
	546	07/24/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	546	05/02/2022		<2.0	<2.0	<2.0																	
	546	02/17/2021		<2.0 UJ	<2.0	<2.0 UJ	<2.0	<2.0	<2.0	<2.0	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0	<2.0			<2.0 UJ	<2.0 UJ
	547	05/08/2023		<2.0	<2.0	<2.0																	
	547	02/17/2021		<2.0 UJ	<2.0	<2.0 UJ	<2.0	<2.0	<2.0	<2.0	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0	<2.0			<2.0 UJ	<2.0 UJ
	548	10/07/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	548	04/11/2022		<2.0	<2.0 UJ	<2.0																	
	548	02/17/2021		<2.0 UJ	<2.0	<2.0 UJ	<2.0	<2.0	<2.0	<2.0	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0	<2.0			<2.0 UJ	<2.0 UJ
BED1	549	11/22/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	549	08/13/2024		140	4.0	8.4	<2.0	<2.0	3.2	<2.0	160	70	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	549	08/13/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	549	05/13/2024		<2.0	<2.0	<2.0																	
BED1	549	02/06/2024		<2.0	<2.0	<2.0																	
BED1	549	10/31/2023		<2.0	<2.0	<2.0																	
PT	549	07/17/2023		110	5.0	7.1																	
BED1	549	07/17/2023		<2.0	<2.0	<2.0																	
BED1	549	04/10/2023		<2.0	<2.0	<2.0																	
BED1	549	01/23/2023		<2.0	<2.0	<2.0																	
BED1	549	10/21/2022		<2.0	<2.0	<2.0																	
PT	549	07/20/2022		95	3.4	5.0 J																	
BED1	549	07/20/2022		<2.0	<2.0	<2.0																	
BED1	549	04/18/2022		<2.0	<2.0	<2.0																	
BED1	549	01/25/2022		<2.0	<2.0	<2.0																	
BED1	549	10/26/2021		<2.0	<2.0	<2.0																	
PT	549	07/14/2021		29	<2.0	<2.0																	
BED1	549	07/14/2021		<2.0	<2.0	<2.0																	
	549	02/17/2021	GAC installed 06/25/2021.	64 J	9.3	7.1 J	<2.0	<2.0	11	<2.0	110	22 J	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0	<2.0			<2.0 UJ	<2.0 UJ
	550	02/23/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	551	06/19/2023		<2.0	<2.0	<2.0																	
	551	02/25/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	552	07/08/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	552	05/09/2022		<2.0	<2.0	<2.0																	
	552	02/25/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	553	12/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	553	09/10/2024		55	2.4	2.3	<2.0	<2.0	<2.0	<2.0	51	28	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	553	09/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	553	06/24/2024		<2.0	<2.0	<2.0																	
BED1	553	03/19/2024		<2.0	<2.0	<2.0																	
BED1	553	12/12/2023		<2.0	<2.0	<2.0																	
PT	553	09/05/2023		66	2.7	2.1																	
BED1	553	09/05/2023		<2.0	<2.0	<2.0																	
BED1	553	06/05/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	553	02/20/2023		<2.0	<2.0	<2.0																	
BED1	553	10/31/2022		<2.0	<2.0	<2.0																	
PT	553	08/22/2022		67	2.8	2.0																	
BED1	553	08/22/2022		<2.0	<2.0	<2.0																	
BED1	553	05/02/2022		<2.0	<2.0	<2.0																	
BED1	553	01/31/2022		<2.0	<2.0	<2.0																	
PT	553	09/01/2021		61	3.6 J	2.3																	
BED1	553	09/01/2021		<2.0	<2.0	<2.0																	
	553	02/25/2021	GAC installed 05/26/2021.	61	2.3	<2.0	<2.0	<2.0	<2.0	<2.0	56	25	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	554	03/04/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	554	03/04/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	555	03/04/2021	Permanent bottled water.	100	3.4	12	<2.0	<2.0	<2.0	<2.0	53	24	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	556	06/10/2024		<2.0	<2.0	<2.0																	
PRE	556	06/10/2024		<2.0	<2.0	<2.0																	
	556	02/10/2021	Replacement well. (Original well Regulatory Location ID #12).	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	556	02/10/2021	Replacement well. (Original well Regulatory Location ID #12).	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	557	11/20/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	557	09/04/2024		48	2.1	3.9	<2.0	<2.0	<2.0	<2.0	49	28	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	557	09/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	557	09/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	557	04/10/2024		<2.0	<2.0	<2.0																	
BED1-DUP	557	04/10/2024		<2.0	<2.0	<2.0																	
BED1	557	01/24/2024		<2.0	<2.0	<2.0																	
BED1-DUP	557	01/24/2024		<2.0	<2.0	<2.0																	
BED1	557	10/16/2023		<2.0	<2.0	<2.0																	
PT	557	07/31/2023		41	2.1	3.4																	
BED1	557	07/31/2023		<2.0	<2.0	<2.0																	
BED1	557	04/24/2023		<2.0	<2.0	<2.0																	
BED1	557	01/30/2023		<2.0	<2.0	<2.0																	
BED1	557	10/24/2022		<2.0	<2.0	<2.0																	
PT	557	07/18/2022		40	<2.0	3.5																	
BED1	557	07/18/2022		<2.0	<2.0	<2.0																	
BED1	557	04/18/2022		<2.0	<2.0	<2.0																	
BED1	557	01/24/2022		<2.0	<2.0	<2.0																	
	557	03/09/2021	GAC installed 10/26/2021.	41	2.0	2.8	<2.0	<2.0	<2.0	<2.0	41	25	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	557	03/09/2021	GAC installed 10/26/2021.	40	<2.0	2.7	<2.0	<2.0	<2.0	<2.0	40	24	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	558	03/25/2024		<2.0	<2.0	<2.0																	
PRE	558	03/25/2024		<2.0	<2.0	<2.0																	
POST	558	04/04/2022		<2.0	<2.0	<2.0																	
PRE	558	04/04/2022		3.0	3.0	<2.0																	
	558	03/09/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	559	12/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	559	08/29/2024		46	2.0	6.0	<2.0	<2.0	2.0	<2.0	33	19	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	559	08/29/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	559	06/05/2024		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	559	03/14/2024		<2.0	<2.0	<2.0																	
BED1	559	12/21/2023		<2.0	<2.0	<2.0																	
PT	559	09/20/2023		38	<2.0	5.1																	
BED1	559	09/20/2023		<2.0	<2.0	<2.0																	
BED1	559	05/16/2023		<2.0	<2.0	<2.0																	
BED1	559	02/08/2023		<2.0	<2.0	<2.0																	
BED1	559	11/08/2022		<2.0	<2.0	<2.0																	
PT	559	09/01/2022		41	<2.0	3.2																	
BED1	559	09/01/2022		<2.0	<2.0	<2.0																	
BED1	559	05/24/2022		<2.0	<2.0	<2.0																	
BED1	559	02/03/2022		<2.0	<2.0	<2.0																	
BED1	559	10/27/2021		<2.0	<2.0	<2.0																	
PT	559	07/16/2021		68	<2.0	3.8																	
BED1	559	07/16/2021		<2.0	<2.0	<2.0																	
DUP	559	03/17/2021	GAC installed 05/20/2021.	53	<2.0	2.9	<2.0	<2.0	<2.0	<2.0	28	20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	559	03/17/2021	GAC installed 05/20/2021.	49	<2.0	2.7	<2.0	<2.0	<2.0	<2.0	25	19	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	560	03/17/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	561	03/17/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	562	03/17/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	563	07/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	563	03/25/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	563	03/25/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	564	06/05/2023		<2.0	<2.0	<2.0																	
	564	03/25/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	565	10/28/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	565	10/28/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	565	04/12/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	565	04/12/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	566	04/12/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	567	07/18/2023		<2.0	<2.0	<2.0																	
	567	08/02/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	567	08/02/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	568	04/19/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	569	04/19/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	570	10/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	570	11/15/2023		<2.0	<2.0	<2.0																	
BED1	570	06/21/2023		<2.0	<2.0	<2.0																	
BED1	570	03/22/2023		<2.0	<2.0	<2.0																	
BED1-DUP	570	03/22/2023		<2.0	<2.0	<2.0																	
PT	570	08/29/2022		25	<2.0	<2.0																	
BED1	570	08/29/2022		<2.0	<2.0	<2.0																	
BED1	570	03/28/2022		<2.0	<2.0	<2.0																	
	570	04/19/2021	GAC installed 10/06/2021.	29	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	48	21	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	570	04/19/2021	GAC installed 10/06/2021.	28	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	47	20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	571	10/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	571	07/11/2024		33	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	45	13	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			2.5	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	571	07/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	571	04/09/2024		<2.0	<2.0	<2.0																	
BED1	571	01/17/2024		<2.0	<2.0	<2.0																	
BED1	571	10/11/2023	Carbon Changeout 08/01/2023 - Fe.	<2.0	<2.0	<2.0																	
PT	571	07/21/2023	Carbon Changeout 08/01/2023 - Fe.	35	<2.0	<2.0																	
BED1	571	07/21/2023	Carbon Changeout 08/01/2023 - Fe.	<2.0	<2.0	<2.0																	
BED1	571	04/04/2023		<2.0	<2.0	<2.0																	
BED1	571	01/03/2023		<2.0	<2.0	<2.0																	
BED1	571	10/04/2022		<2.0	<2.0	<2.0																	
PT	571	07/06/2022		33	<2.0	<2.0																	
BED1	571	07/06/2022		<2.0	<2.0	<2.0																	
	571	04/27/2021	GAC installed 06/07/2022.	35 J	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	52 J	16 J	<2.0	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0	<2.0			<2.0 UJ	<2.0 UJ
DUP	571	04/27/2021	GAC installed 06/07/2022.	26	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	40	12	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	572	06/27/2022		<2.0	<2.0	<2.0																	
	572	05/03/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	572	05/03/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	573	10/23/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	573	07/24/2024		62	4.5	12	<2.0	<2.0	3.6	3.4	43	34	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	573	07/24/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	573	04/10/2024		<2.0	<2.0	<2.0																	
BED1	573	01/24/2024		<2.0	<2.0	<2.0																	
BED1	573	10/16/2023		<2.0	<2.0	<2.0																	
PT	573	07/26/2023		50	4.2	11																	
BED1	573	07/26/2023		<2.0	<2.0	<2.0																	
BED1	573	04/26/2023		<2.0	<2.0	<2.0																	
BED1	573	02/06/2023		<2.0	<2.0	<2.0																	
BED1	573	12/05/2022		<2.0	<2.0	<2.0																	
PT	573	09/12/2022		59	6.0	12																	
BED1	573	09/12/2022		<2.0	<2.0	<2.0																	
BED1	573	06/01/2022		<2.0	<2.0	<2.0																	
BED1	573	03/07/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	573	12/01/2021		<2.0	<2.0	<2.0																	
	573	05/10/2021	GAC installed 07/09/2021.	52	5.0 J	9.9	<2.0	<2.0	2.5	4.7	25	21	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	574	10/07/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	574	06/06/2022		<2.0	<2.0	<2.0																	
DUP	574	06/06/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
	574	05/10/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	574	05/10/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	575	05/10/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	575	10/01/2019		<1.7	<1.7	<1.7	<2.6	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<1.7	<4.4	<2.6	<1.7
	576	11/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0 UJ	<2.0	<2.0			<2.0	<2.0
DUP	576	11/06/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	576	05/12/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	576	05/12/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	577	05/19/2021		3.8	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	6.5	2.1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	577	05/19/2021		3.9	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	6.7	2.2	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	578	07/11/2022		4.7	<2.0	<2.0																	
DUP	578	07/11/2022		3.9	<2.0	<2.0																	
	578	05/19/2021		4.7	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	9.0	3.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	579	05/21/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	580	04/08/2024	Treatment incomplete/in progress - bottled water.	45	<2.0	4.2																	
DUP	580	04/08/2024	Treatment incomplete/in progress - bottled water.	47	<2.0	4.0																	
	580	05/21/2021	Declined treatment offer.	43 J	<2.0	2.8	<2.0 UJ	<2.0	<2.0	<2.0	33	26	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	580	05/21/2021	Declined treatment offer.	45	<2.0	2.7	<2.0	<2.0	<2.0	<2.0	39	29	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	581	10/25/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	581	10/25/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	581	07/30/2024		62	4.1	16	<2.0	<2.0	3.6	<2.0	40	33	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	581	07/30/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	581	05/09/2024		<2.0	<2.0	<2.0																	
BED1	581	01/18/2024		<2.0	<2.0	<2.0																	
BED1	581	10/20/2023		<2.0	<2.0	<2.0																	
PT	581	08/08/2023		57	3.5	13																	
BED1	581	08/08/2023		<2.0	<2.0	<2.0																	
BED1-DUP	581	08/08/2023		<2.0	<2.0	<2.0																	
BED1	581	05/30/2023		<2.0	<2.0	<2.0																	
BED1-DUP	581	05/30/2023		<2.0	<2.0	<2.0																	
BED1	581	03/07/2023		<2.0	<2.0	<2.0																	
BED1	581	11/03/2022		<2.0	<2.0	<2.0																	
PT	581	08/29/2022		61	4.1	13																	
BED1	581	08/29/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	581	05/18/2022		<2.0	<2.0	<2.0																	
BED1-DUP	581	05/18/2022		<2.0	<2.0	<2.0																	
BED1	581	02/15/2022		<2.0	<2.0	<2.0																	
BED1	581	10/21/2021		<2.0	<2.0	<2.0																	
	581	05/25/2021	GAC installed 08/24/2021.	60	3.3 J	13	<2.0	<2.0	2.0	<2.0	35	35	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	582	09/06/2022		<2.0	<2.0	<2.0																	
DUP	582	09/06/2022		<2.0	<2.0	<2.0																	
	582	05/25/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	582	05/25/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	583	12/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	583	09/18/2024		45	4.0	8.1	<2.0	<2.0	5.2	<2.0	44	21	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	583	09/18/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	583	06/04/2024		<2.0	<2.0	<2.0																	
BED1	583	03/11/2024		<2.0	<2.0	<2.0																	
BED1	583	12/11/2023		<2.0	<2.0	<2.0																	
PT	583	09/18/2023		37	2.5	4.9																	
BED1	583	09/18/2023		<2.0	<2.0	<2.0																	
BED1	583	05/08/2023		<2.0	<2.0	<2.0																	
BED1	583	02/02/2023		<2.0	<2.0	<2.0																	
BED1	583	10/19/2022		<2.0	<2.0	<2.0																	
PT	583	08/09/2022		43	2.6 J	4.9																	
BED1	583	08/09/2022		<2.0	<2.0	<2.0																	
BED1	583	05/02/2022		<2.0	<2.0	<2.0																	
BED1	583	03/23/2022		<2.0	<2.0	<2.0																	
	583	06/02/2021	GAC installed 11/09/2021.	60	3.4	5.4	<2.0	<2.0	2.6	<2.0	52	24	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	583	06/02/2021	GAC installed 11/09/2021.	65	3.1	5.6	<2.0	<2.0	2.4	<2.0	51	25	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			2.2	<2.0
BED1	584	12/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	584	08/27/2024		70	11	3.2	<2.0	<2.0	<2.0	3.2	29	16	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	584	08/27/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	584	05/13/2024		<2.0	<2.0	<2.0																	
BED1	584	02/23/2024		<2.0	<2.0	<2.0																	
BED1-DUP	584	02/23/2024		<2.0	<2.0	<2.0																	
BED1	584	11/21/2023		<2.0	<2.0	<2.0																	
PT	584	08/30/2023		100	13 J	4.0 J																	
BED1	584	08/30/2023		<2.0	<2.0	<2.0																	
BED1	584	05/25/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	584	02/15/2023		<2.0	<2.0	<2.0																	
BED1	584	11/03/2022		<2.0	<2.0	<2.0																	
PT	584	08/09/2022		79	15 J	3.7																	
BED1	584	08/09/2022		<2.0	<2.0	<2.0																	
BED1	584	04/27/2022		<2.0	<2.0	<2.0																	
BED1	584	01/26/2022		<2.0	<2.0	<2.0																	
	584	06/02/2021	GAC installed 10/05/2021.	80	13	3.7	<2.0	<2.0	<2.0	6.2	28	19	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	585	10/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	585	07/16/2024		70	2.4	7.6	<2.0	<2.0	<2.0	<2.0	58	39	2.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			2.4	<2.0
BED1	585	07/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	585	04/18/2024		<2.0	<2.0	<2.0																	
BED1	585	01/16/2024		<2.0	<2.0	<2.0																	
BED1	585	10/18/2023		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
PT	585	08/01/2023	Carbon Changeout 08/01/2023 - results driven.	65 J	2.5 J	8.5 J																	
BED1	585	08/01/2023	Carbon Changeout 08/01/2023 - results driven.	<2.0	<2.0	<2.0																	
BED1	585	06/21/2023		4.2	<2.0	<2.0																	
BED2	585	06/21/2023		3.6	<2.0	<2.0																	
BED1	585	12/21/2022		<2.0	<2.0	<2.0																	
PT	585	07/07/2022		70	2.3 J	6.4																	
BED1	585	07/07/2022		<2.0	<2.0	<2.0																	
BED1	585	04/06/2022		<2.0	<2.0	<2.0																	
	585	06/02/2021	GAC installed 03/30/2022.	75	2.2	7.5	<2.0	<2.0	<2.0	<2.0	60	50	3.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			2.0	<2.0
	586	06/27/2022		<2.0	<2.0	<2.0																	
	586	06/08/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	587	06/08/2021	PWS connection 11/23/2022. Well decommissioned 11/23/2022.	20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	27	12	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	588	06/08/2021	Replacement well installed (Regulatory Location ID #685). Not qualified so bottled water stopped. Well decommissioned according to NJ Data Miner.	52	16	15	<2.0	<2.0	6.8	<2.0	41	24	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	589	11/22/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	589	08/22/2024		50	16	9.1	2.0	4.3	3.8	<2.0	42	27	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	589	08/22/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	589	06/04/2024		<2.0	<2.0	<2.0																	
BED1	589	02/28/2024		<2.0	<2.0	<2.0																	
BED1	589	12/05/2023		<2.0	<2.0	<2.0																	
BED1-DUP	589	12/05/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	589	09/12/2023		57	16 J	9.7																	
BED1	589	09/12/2023		<2.0	<2.0	<2.0																	
BED1	589	04/05/2023		<2.0	<2.0	<2.0																	
	589	08/29/2022	GAC installed 01/18/2023.	30	3.4 J	4.6																	
	589	06/08/2021		10	3.2	<2.0	2.8	6.2	<2.0	<2.0	6.3	4.2	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	590	03/25/2024		<2.0	<2.0	<2.0																	
	590	06/27/2022		<2.0	<2.0	<2.0																	
DUP	590	06/27/2022		<2.0	<2.0	<2.0																	
	590	06/08/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	590	06/08/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	591	06/08/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	592	06/20/2022		<2.0	<2.0	<2.0																	
PRE	592	06/20/2022		<2.0	<2.0	<2.0																	
	592	06/24/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	593	10/07/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	593	11/01/2022		<2.0	<2.0	<2.0																	
	593	06/24/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	593	06/24/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	594	08/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0 UJ			<2.0	<2.0
DUP	594	08/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	594	08/02/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	595	08/19/2024		6.0	2.2	<2.0	<2.0	<2.0	<2.0	<2.0	6.2	2.4	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	595	07/19/2022		5.9	2.1	<2.0																	
	595	08/02/2021		4.7	2.5	<2.0	<2.0	<2.0	<2.0	<2.0	5.6	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	596	08/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	596	07/28/2022		<2.0	<2.0	<2.0																	
	596	08/02/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	597	09/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	597	09/12/2022		<2.0	<2.0	<2.0																	
DUP	597	09/12/2022		<2.0	<2.0	<2.0																	
	597	08/04/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	597	08/04/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	598	10/25/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	598	07/23/2024		61	2.8	15	<2.0	<2.0	<2.0	<2.0	46	23	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	598	07/23/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	598	04/19/2024		<2.0	<2.0	<2.0																	
BED1	598	01/18/2024		<2.0	<2.0	<2.0																	
BED1	598	10/20/2023		<2.0	<2.0	<2.0																	
BED1-DUP	598	10/20/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	598	08/01/2023		58	<2.0	4.5																	
BED1	598	08/01/2023		<2.0	<2.0	<2.0																	
BED1	598	05/03/2023		<2.0	<2.0	<2.0																	
BED1	598	02/13/2023		<2.0	<2.0	<2.0																	
BED1	598	11/16/2022		<2.0	<2.0	<2.0																	
PT	598	09/12/2022		95	2.1	5.9																	
BED1	598	09/12/2022		<2.0	<2.0	<2.0																	
BED1	598	06/29/2022		<2.0	<2.0	<2.0																	
BED1	598	01/25/2022		<2.0	<2.0	<2.0																	
	598	08/04/2021	GAC installed 10/12/2021.	90	2.2	9.3	<2.0	<2.0	<2.0	<2.0	54	24	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	599	08/04/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	600	01/05/2022	GAC removed 02/02/2022 at owner's request. Permanent bottled water until owner declined bottled water service.	<2.0	<2.0	<2.0																	
BED1-DUP	600	01/05/2022	GAC removed 02/02/2022 at owner's request. Permanent bottled water until owner declined bottled water service.	<2.0	<2.0	<2.0																	
POST	600	08/04/2021	GAC installed 10/27/2021.	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	600	08/04/2021	GAC installed 10/27/2021.	110	17	18	<2.0	<2.0	24	6.3	63	50	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	601	06/26/2023		3.8	<2.0	<2.0																	
DUP	601	06/26/2023		4.1	<2.0	<2.0																	
	601	08/04/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	6.7	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	602	09/24/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	602	05/02/2022		<2.0	<2.0	<2.0																	
	602	08/04/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	603	08/15/2022		<2.0	<2.0	<2.0																	
DUP	603	08/15/2022		<2.0	<2.0	<2.0																	
	603	08/04/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	604	10/03/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	604	07/05/2024		49	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	45	16	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	604	07/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	604	04/03/2024		<2.0	<2.0	<2.0																	
BED1	604	01/09/2024		<2.0	<2.0	<2.0																	
BED1	604	10/04/2023		<2.0	<2.0	<2.0																	
PT	604	07/11/2023		49	<2.0	<2.0																	
BED1	604	07/11/2023		<2.0	<2.0	<2.0																	
BED1	604	04/13/2023		<2.0	<2.0	<2.0																	
BED1	604	01/09/2023		<2.0	<2.0	<2.0																	
BED1	604	10/12/2022		<2.0	<2.0	<2.0																	
PT	604	07/05/2022		49	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	604	07/05/2022		<2.0	<2.0	<2.0																	
BED1-DUP	604	07/05/2022		<2.0	<2.0	<2.0																	
	604	08/09/2021	GAC installed 05/11/2022.	49 J	2.0	<2.0	<2.0	<2.0	2.6	<2.0	36 J	16	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	604	08/09/2021	GAC installed 05/11/2022.	49	<2.0	<2.0	<2.0	<2.0	2.4	<2.0	36	16	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	605	08/09/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	606	08/09/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	607	08/09/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	608	08/09/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	609	04/08/2024	GAC installed 07/16/2024.	240	4.2	10																	
	609	08/09/2021	Declined treatment offer.	58	<2.0	<2.0	<2.0	<2.0	3.0	<2.0	56	26	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	610	04/03/2023		<2.0	<2.0	<2.0																	
	610	08/10/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	611	04/03/2023		<2.0	<2.0	<2.0																	
	611	08/10/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	612	10/21/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	612	10/21/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	612	09/06/2022		<2.0	<2.0	<2.0																	
PRE	612	09/06/2022		<2.0	<2.0	<2.0																	
POST	612	08/10/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	612	08/10/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	613	10/21/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	613	10/21/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	613	09/06/2022		<2.0	<2.0	<2.0																	
PRE	613	09/06/2022		<2.0	<2.0	<2.0																	
	613	08/10/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	614	07/22/2024		6.7	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	12	4.4	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	614	08/10/2021		2.8	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	6.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	615	08/26/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	615	07/28/2022		<2.0	<2.0	<2.0																	
	615	08/10/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	616	06/12/2023		<2.0	<2.0	<2.0																	
PRE	616	06/12/2023		<2.0	<2.0	<2.0																	
POST	616	08/10/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	616	08/10/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	617	11/12/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	617	08/27/2024		56	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	25	14	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	617	08/27/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	617	06/05/2024		<2.0	<2.0	<2.0																	
BED1	617	01/30/2024		<2.0	<2.0	<2.0																	
BED1	617	10/25/2023		<2.0	<2.0	<2.0																	
PT	617	08/08/2023		46	<2.0	<2.0																	
BED1	617	08/08/2023		<2.0	<2.0	<2.0																	
BED1	617	05/08/2023		<2.0	<2.0	<2.0																	
BED1	617	02/01/2023		<2.0	<2.0	<2.0																	
BED1	617	10/26/2022		<2.0	<2.0	<2.0																	
PT	617	08/02/2022		44 J	<2.0 UJ	<2.0 UJ																	
BED1	617	08/02/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	617	04/12/2022		<2.0	<2.0	<2.0																	
BED1	617	01/18/2022		<2.0	<2.0	<2.0																	
POST	617	08/11/2021	GAC installed 11/04/2021.	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	617	08/11/2021	GAC installed 11/04/2021.	35	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	23	12	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	618	09/24/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	618	09/24/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	618	08/29/2022		<2.0	<2.0	<2.0																	
	618	08/11/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	618	08/11/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	619	09/16/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	619	08/01/2022		<2.0	<2.0	<2.0																	
	619	08/11/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	620	03/21/2022		<2.0	<2.0	<2.0																	
	620	08/11/2021		<2.0	3.3	<2.0	<2.0 UJ	<2.0 UJ	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	621	08/11/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	622	06/05/2023		2.3	<2.0	<2.0																	
DUP	622	06/05/2023		2.6	<2.0	<2.0																	
	622	08/16/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	7.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	623	07/22/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	623	07/22/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	623	06/20/2022		<2.0	<2.0	<2.0																	
	623	08/16/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	624	08/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	624	08/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	624	07/19/2022		<2.0	<2.0	<2.0																	
	624	08/16/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	625	08/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	625	08/01/2022		<2.0	<2.0	<2.0																	
DUP	625	08/01/2022		<2.0	<2.0	<2.0																	
	625	08/16/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	625	08/16/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	626	08/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	626	07/19/2022		<2.0	<2.0	<2.0																	
	626	08/16/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	16	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	627	08/19/2021	Treatment incomplete/in progress - non-response to bottled water offer.	15	2.6 J	5.4	<2.0	<2.0	<2.0	<2.0	15	7.5	2.8	4.7	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	627	08/19/2021	Treatment incomplete/in progress - non-response to bottled water offer.	16	2.7 J	5.6	<2.0	<2.0	<2.0	<2.0	15	7.9	3.0	5.1	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	628	10/21/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	628	10/21/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	628	09/20/2022		<2.0	<2.0	<2.0																	
DUP	628	09/20/2022		<2.0	<2.0	<2.0																	
	628	08/26/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	628	08/26/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	629	11/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	629	11/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	629	08/29/2022		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
	629	09/01/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	630	09/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	630	08/29/2022		<2.0	<2.0	<2.0																	
	630	09/01/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	630	09/01/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	631	10/30/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	631	10/30/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	631	09/26/2022		<2.0	<2.0	<2.0																	
DUP	631	09/26/2022		<2.0	<2.0	<2.0																	
	631	09/01/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	632	08/29/2022		2.0	<2.0	<2.0																	
	632	09/07/2021		2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	13	2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	632	09/07/2021		2.1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	13	2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	633	08/21/2023		<2.0	<2.0	<2.0																	
DUP	633	08/21/2023		<2.0	<2.0	<2.0																	
	633	09/09/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	634	10/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	634	10/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	634	07/09/2024		2.9	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	3.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	634	07/09/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	634	05/07/2024		<2.0	<2.0	<2.0																	
BED1	634	01/22/2024		<2.0	<2.0	<2.0																	
BED1	634	10/10/2023		<2.0	<2.0	<2.0																	
PT	634	07/19/2023		3.5	<2.0	<2.0																	
BED1	634	07/19/2023		<2.0	<2.0	<2.0																	
BED1	634	04/17/2023		<2.0	<2.0	<2.0																	
BED1	634	01/25/2023		<2.0	<2.0	<2.0																	
BED1	634	10/07/2022		<2.0	<2.0	<2.0																	
BED1-DUP	634	10/07/2022		<2.0	<2.0	<2.0																	
PT	634	07/13/2022		2.3	<2.0	<2.0																	
BED1	634	07/13/2022		<2.0	<2.0	<2.0																	
BED1-DUP	634	07/13/2022		<2.0	<2.0	<2.0																	
BED1	634	04/13/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1-DUP	634	04/13/2022		<2.0	<2.0	<2.0																	
BED1	634	01/19/2022		<2.0	<2.0	<2.0																	
	634	09/09/2021	GAC installed 11/02/2021.	54	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	33	14	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	634	09/09/2021	GAC installed 11/02/2021.	53	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	33	14	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	635	09/09/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	636	09/13/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	2.1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	636	09/13/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	637	09/24/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	637	08/29/2022		<2.0	<2.0	<2.0																	
DUP	637	08/29/2022		<2.0	<2.0	<2.0																	
	637	09/27/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	637	09/27/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	638	10/03/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	638	07/05/2024		33	6.9	8.6	<2.0	9.5	2.4	<2.0	21	17	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	638	07/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	638	04/03/2024		<2.0	<2.0	<2.0																	
BED1	638	01/09/2024		<2.0	<2.0	<2.0																	
BED1	638	10/04/2023		<2.0	<2.0	<2.0																	
PT	638	07/21/2023		33	5.5	11																	
BED1	638	07/21/2023		<2.0	<2.0	<2.0																	
BED1	638	04/12/2023		<2.0	<2.0	<2.0																	
BED1	638	01/23/2023		<2.0	<2.0	<2.0																	
BED1	638	10/13/2022		<2.0	<2.0	<2.0																	
PT	638	07/20/2022		35	5.0	9.1																	
BED1	638	07/20/2022		<2.0	<2.0	<2.0																	
BED1	638	04/19/2022		<2.0	<2.0	<2.0																	
	638	10/07/2021	GAC installed 01/04/2022.	32	9.8	9.8	<2.0	9.4	2.5	<2.0	15	12	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	638	10/07/2021	GAC installed 01/04/2022.	32	9.5 J	9.4	<2.0 UJ	8.6 J	2.4 J	<2.0 UJ	15	12	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0 UJ	<2.0 UJ			<2.0	<2.0
POST	639	03/20/2024		<2.0	<2.0	<2.0																	
PRE	639	03/20/2024		<2.0	<2.0	<2.0																	
POST	639	10/08/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	639	10/08/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE-DUP	639	10/08/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	640	10/03/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	640	07/05/2024		44	9.0	<2.0	<2.0	<2.0	3.7	<2.0	27	17	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	640	07/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	640	04/03/2024		<2.0	<2.0	<2.0																	
BED1	640	01/09/2024		<2.0	<2.0	<2.0																	
BED1	640	10/04/2023		<2.0	<2.0	<2.0																	
PT	640	07/07/2023		41	6.9	2.0																	
BED1	640	07/07/2023		<2.0	<2.0	<2.0																	
BED1	640	04/12/2023		<2.0	<2.0	<2.0																	
BED1	640	01/23/2023		<2.0	<2.0	<2.0																	
	640	10/29/2021	GAC installed 11/16/2022.	40	6.0	<2.0	<2.0	<2.0	3.3	<2.0	30	14	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	640	10/29/2021	GAC installed 11/16/2022.	42	6.2	<2.0	<2.0	<2.0	3.5	<2.0	31	15	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	641	10/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	641	07/02/2024		60	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	33	16	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			3.1	<2.0
BED1	641	07/02/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	641	04/09/2024		<2.0	<2.0	<2.0																	
BED1	641	01/11/2024		<2.0	<2.0	<2.0																	
BED1	641	10/10/2023		<2.0	<2.0	<2.0																	
PT	641	07/19/2023		60	<2.0	<2.0																	
BED1	641	07/19/2023		<2.0	<2.0	<2.0																	
BED1-DUP	641	07/19/2023		<2.0	<2.0	<2.0																	
BED1	641	04/17/2023		<2.0	<2.0	<2.0																	
BED1	641	01/12/2023		<2.0	<2.0	<2.0																	
BED1	641	10/07/2022		<2.0	<2.0	<2.0																	
PT	641	07/11/2022		63	<2.0	<2.0																	
BED1	641	07/11/2022		<2.0	<2.0	<2.0																	
BED1-DUP	641	07/11/2022		<2.0	<2.0	<2.0																	
BED1	641	04/07/2022		2.1	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED2	641	04/07/2022		<2.0	<2.0	<2.0																	
	641	10/29/2021	GAC installed 01/05/2022.	65	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	34	16	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	642	10/03/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	642	07/05/2024		46	8.1	5.9	<2.0	<2.0	2.1	<2.0	28	20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	642	07/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	642	04/03/2024		<2.0	<2.0	<2.0																	
BED1	642	01/09/2024		<2.0	<2.0	<2.0																	
BED1	642	10/04/2023		<2.0	<2.0	<2.0																	
PT	642	07/07/2023		<2.0	<2.0	<2.0																	
BED1	642	07/07/2023		52	6.1	11																	
BED2	642	07/07/2023		<2.0	<2.0	<2.0																	
BED1	642	04/12/2023		<2.0	<2.0	<2.0																	
BED1	642	01/16/2023		<2.0	<2.0	<2.0																	
BED1	642	10/13/2022		<2.0	<2.0	<2.0																	
PT	642	08/03/2022		<2.0	<2.0	<2.0																	
BED1	642	08/03/2022		<2.0	<2.0	<2.0																	
BED1	642	05/03/2022		<2.0	<2.0	<2.0																	
	642	11/12/2021	GAC installed 01/27/2022.	97 J	13 J	17 J	<2.0	<2.0	2.3 J	2.6 J	46 J	31 J	2.8 J	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	642	11/12/2021	GAC installed 01/27/2022.	80	17 J	22	<2.0 UJ	<2.0 UJ	2.4	3.0	48 J	31 J	3.5 J	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	643	06/12/2023		<2.0	<2.0	<2.0																	
PRE	643	06/12/2023		<2.0	<2.0	<2.0																	
POST	643	11/23/2021		3.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	12	2.4	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	643	11/23/2021		5.8	2.2	2.2	<2.0 UJ	<2.0	<2.0	<2.0	22	4.2	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0 UJ			<2.0	<2.0
PRE-DUP	643	11/23/2021		5.3	<2.0 UJ	2.0	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	19	3.8	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0 UJ	<2.0 UJ			<2.0	<2.0
BED1	644	10/03/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	644	07/05/2024		130	9.0	6.1	<2.0	<2.0	2.1	5.9	380	89	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			7.7	<2.0
BED1	644	07/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	644	07/05/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	644	04/03/2024		<2.0	<2.0	<2.0																	
BED1-DUP	644	04/03/2024		<2.0	<2.0	<2.0																	
BED1	644	01/09/2024		<2.0	<2.0	<2.0																	
BED1-DUP	644	01/09/2024		<2.0	<2.0	<2.0																	
BED1	644	10/04/2023		<2.0	<2.0	<2.0																	
PT	644	07/07/2023		130	5.4	6.6																	
BED1	644	07/07/2023		<2.0	<2.0	<2.0																	
BED1-DUP	644	07/07/2023		<2.0	<2.0	<2.0																	
BED1	644	04/12/2023		<2.0	<2.0	<2.0																	
BED1-DUP	644	04/12/2023		<2.0	<2.0	<2.0																	
BED1	644	01/16/2023		<2.0	<2.0	<2.0																	
BED1-DUP	644	01/16/2023		<2.0	<2.0	<2.0																	
BED1	644	10/13/2022		<2.0	<2.0	<2.0																	
PT	644	08/03/2022		120	5.0	6.4																	
BED1	644	08/03/2022		<2.0	<2.0	<2.0																	
BED1	644	05/03/2022		2.3 J	<2.0 UJ	<2.0 UJ																	
BED2	644	05/03/2022		<2.0	<2.0	<2.0																	
	644	12/08/2021	GAC installed 01/11/2022.	130	2.3	4.4	<2.0	<2.0	<2.0	2.7	450	100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			9.0	<2.0
DUP	644	12/08/2021	GAC installed 01/11/2022.	140	2.4	4.8	<2.0	<2.0	<2.0	3.0	480	110	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			9.8	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
	645	04/08/2024		<2.0	<2.0	<2.0																	
	645	12/08/2021		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	646	01/20/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	646	01/20/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	647	02/27/2023		<2.0	<2.0	<2.0																	
	647	01/26/2022	Replacement well. (Original well Regulatory Location ID #121).	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ			2.7 J	<2.0 UJ
BED1	647	01/26/2022	Replacement well. (Original well Regulatory Location ID #121).	<2.0	<2.0	<2.0																	
	648	05/20/2024		<2.0	<2.0	<2.0																	
DUP	648	05/20/2024		<2.0	<2.0	<2.0																	
	648	02/07/2022		<2.0	<2.0	<2.0	<2.0 UJ	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0 UJ	<2.0	<2.0	<2.0	<2.0 UJ			<2.0	<2.0
DUP	648	02/07/2022		<2.0	<2.0	<2.0	<2.0 UJ	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	649	07/01/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	649	02/07/2022		<2.0	<2.0	<2.0	<2.0 UJ	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	649	02/07/2022		<2.0	<2.0	<2.0	<2.0 UJ	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	650	02/14/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	651	07/01/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	651	02/14/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ			<2.0 UJ	<2.0 UJ
DUP	651	02/14/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	652	02/27/2023		<2.0	<2.0	<2.0																	
	652	02/14/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	653	06/10/2024		<2.0	<2.0	<2.0																	
PRE	653	06/10/2024		<2.0	<2.0	<2.0																	
PRE-DUP	653	06/10/2024		<2.0	<2.0	<2.0																	
POST	653	02/14/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	653	02/14/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	654	03/11/2024		<2.0	<2.0	<2.0																	
BED1	654	12/14/2023		<2.0	<2.0	<2.0																	
PT	654	09/12/2023		80	<2.0	<2.0																	
BED1	654	09/12/2023		<2.0	<2.0	<2.0																	
BED1	654	05/17/2023		<2.0	<2.0	<2.0																	
BED1	654	03/02/2023		<2.0	<2.0	<2.0																	
BED1	654	12/20/2022		<2.0	<2.0	<2.0																	
PT	654	07/26/2022		66	<2.0	2.0																	
BED1	654	07/26/2022		<2.0	<2.0 UJ	<2.0																	
	654	02/21/2022	GAC installed 04/19/2022.	69	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	32	23	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	655	03/13/2023		<2.0	<2.0	<2.0																	
DUP	655	03/13/2023		<2.0	<2.0	<2.0																	
	655	02/21/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	655	02/21/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	656	06/03/2024		<2.0	<2.0	<2.0																	
DUP	656	06/03/2024		<2.0	<2.0	<2.0																	
	656	02/28/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	657	10/23/2024		2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	66	2.6	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			4.4	<2.0
BED2	657	10/23/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	657	07/31/2024		430	23 J	72	<2.0	<2.0	3.3 J	7.3 J	610	210	62 J	2.1 J	<2.0	<2.0	<2.0	<2.0	<2.0			11 J	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
BED1	657	07/31/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	9.8	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	657	07/31/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	11	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	657	05/15/2024		<2.0	<2.0	<2.0																	
BED1	657	02/21/2024		<2.0	<2.0	<2.0																	
BED1-DUP	657	02/21/2024		<2.0	<2.0	<2.0																	
BED1	657	11/08/2023		<2.0	<2.0	<2.0																	
PT	657	07/31/2023		330	19	64																	
BED1	657	07/31/2023		<2.0	<2.0	<2.0																	
BED1	657	04/26/2023		<2.0	<2.0	<2.0																	
BED1	657	02/06/2023		<2.0	<2.0	<2.0																	
BED1	657	10/24/2022		<2.0	<2.0	<2.0																	
	657	02/28/2022	GAC installed 09/29/2022.	310	20 J	70 J	<2.0	<2.0	2.1 J	6.2 J	560	160	52 J	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0	<2.0			6.9 J	<2.0 UJ
DUP	657	02/28/2022	GAC installed 09/29/2022.	390	21 J	71 J	<2.0	<2.0	2.1 J	6.3 J	680	200	52 J	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0	<2.0			6.6 J	<2.0 UJ
	658	05/08/2023		9.8	<2.0	<2.0																	
	658	03/07/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0	<2.0			<2.0	<2.0
DUP	658	03/07/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	659	03/21/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	659	03/21/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	660	03/21/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	661	03/23/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ			<2.0 UJ	<2.0 UJ
DUP	661	03/23/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	662	03/28/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	663	07/01/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	663	03/28/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	663	03/28/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	664	04/25/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	665	03/22/2023		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
BED1	665	10/03/2022		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
	665	04/25/2022	GAC installed 08/17/2022.	67	2.7	8.9	<2.0	<2.0	2.7	<2.0	49	33	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	665	04/25/2022	GAC installed 08/17/2022.	76	2.8	9.6	<2.0	<2.0	2.8	<2.0	51	35	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	666	06/05/2023		<2.0	<2.0	<2.0																	
	666	05/16/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	666	05/16/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	667	05/23/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	6.4	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	668	05/23/2022	Well not connected to the residence.	110 J	3.1	23	<2.0	<2.0	29	<2.0	52	30	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	668	05/23/2022	Well not connected to the residence.	75 J	3.1	25	<2.0	<2.0	32	<2.0	54	30	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	669	06/06/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	669	06/06/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	670	06/20/2022		4.4	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	12	3.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	671	04/10/2023		<2.0	<2.0	<2.0																	
DUP	671	04/10/2023		<2.0	<2.0	<2.0																	
	671	07/05/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	671	07/05/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	672	07/11/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			2.5	<2.0
DUP	672	07/11/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
	673	07/19/2022	Treatment incomplete/in progress - bottled water.	94	<2.0	4.0 J	<2.0	<2.0	<2.0	<2.0	72 J	40 J	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	673	07/19/2022	Treatment incomplete/in progress - bottled water.	70	<2.0	4.2	<2.0	<2.0	<2.0	<2.0	52 J	41	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	674	04/03/2023		<2.0	<2.0	<2.0																	
	674	07/19/2022		<2.0	5.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	675	06/05/2023		2.0	<2.0	<2.0																	
PRE	675	06/05/2023		2.0	<2.0	<2.0																	
POST	675	07/19/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	3.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	675	07/19/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	2.9	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	676	07/26/2023		<2.0	<2.0	<2.0																	
PRE	676	07/26/2023		<2.0 UJ	<2.0 UJ	<2.0 UJ																	
PRE-DUP	676	07/26/2023		<2.0	<2.0	<2.0																	
	676	07/28/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	676	07/28/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	677	08/15/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	677	08/15/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	678	08/18/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	678	08/18/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	679	11/14/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	679	08/14/2024		16	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	16	8.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	679	08/14/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	679	05/22/2024		<2.0	<2.0	<2.0																	
BED1	679	02/29/2024		<2.0	<2.0	<2.0																	
BED1	679	11/08/2023		<2.0	<2.0	<2.0																	
PT	679	08/16/2023		21	2.2	<2.0																	
BED1	679	08/16/2023		<2.0	<2.0	<2.0																	
BED1	679	05/18/2023		<2.0	<2.0	<2.0																	
BED1	679	02/16/2023		<2.0	<2.0	<2.0																	
BED1	679	11/02/2022	Carbon Changeout 09/02/2022 - 5yr.	<2.0	<2.0	<2.0																	
PT	679	08/17/2022	Replacement well. (Original well Regulatory Location ID #210). Qualified for treatment so GAC System transferred from original well to replacement well. GAC System installed 04/30/2018.	17 J	2.9 J	<2.0	<2.0	<2.0	<2.0 UJ	<2.0	13 J	7.8 J	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0 UJ			<2.0	<2.0
BED1	679	08/17/2022	Replacement well. (Original well Regulatory Location ID #210). Qualified for treatment so GAC System transferred from original well to replacement well. GAC System installed 04/30/2018.	<2.0	<2.0	<2.0																	
BED1	680	10/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
PT	680	07/18/2024		58	27	21	<2.0	<2.0	<2.0	<2.0	46	29	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	680	07/18/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	680	04/12/2024		<2.0	<2.0	<2.0																	
BED1	680	01/16/2024		<2.0	<2.0	<2.0																	
BED1	680	10/11/2023		<2.0	<2.0	<2.0																	
PT	680	07/25/2023		84	17	23																	
BED1	680	07/25/2023		<2.0	<2.0	<2.0																	
BED1	680	04/24/2023		<2.0	<2.0	<2.0																	
BED1	680	01/16/2023		<2.0	<2.0	<2.0																	
	680	08/29/2022	GAC installed 12/01/2022.	58	19	18	<2.0	<2.0	2.6	<2.0	66 J	40	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	680	08/29/2022	GAC installed 12/01/2022.	66	19	18	<2.0	<2.0	2.7	<2.0	67	38	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	681	07/18/2023		<2.0	<2.0	<2.0																	
PT	681	09/08/2022	Replacement well. (Original well Regulatory Location ID #450).	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	681	09/08/2022	Replacement well. (Original well Regulatory Location ID #450).	<2.0	<2.0	<2.0																	
POST	682	04/03/2023		<2.0	<2.0	<2.0																	
PRE	682	04/03/2023		<2.0	<2.0	<2.0																	
	682	09/12/2022		<2.0 UJ	<2.0	<2.0	<2.0 UJ	<2.0	<2.0	<2.0	<2.0 UJ	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0 UJ	<2.0 UJ
DUP	682	09/12/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	683	03/23/2023		<2.0	<2.0	<2.0																	
PRE	683	03/23/2023		<2.0	<2.0	<2.0																	
	683	09/20/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	683	09/20/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	3.3	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	684	05/15/2023		<2.0	<2.0	<2.0																	
	684	09/20/2022		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	3.7	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	685	07/18/2023		<2.0	<2.0 UJ	<2.0																	
DUP	685	07/18/2023		<2.0	<2.0	<2.0																	
	685	09/26/2022	Replacement well. (Original well Regulatory Location ID #588).	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	685	09/26/2022	Replacement well. (Original well Regulatory Location ID #588).	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	686	04/15/2024		<2.0	<2.0	<2.0																	
DUP	686	04/15/2024		<2.0	<2.0	<2.0																	
	686	01/17/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	686	01/17/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	687	03/25/2024		2.7	<2.0	<2.0																	
	687	02/20/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	688	02/20/2023	Permanent bottled water.	24	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	37	17	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	688	02/20/2023	Permanent bottled water.	24	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	36	17	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	689	03/07/2024		3.6	<2.0	<2.0																	
	689	02/27/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	9.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	689	02/27/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	7.4	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	690	02/27/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
	691	02/27/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	692	02/27/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	693	03/06/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	693	03/06/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	694	04/15/2024		<2.0	<2.0	<2.0																	
	694	03/23/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	695	03/18/2024		<2.0	<2.0	<2.0																	
DUP	695	03/18/2024		<2.0	<2.0	<2.0																	
	695	03/23/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	695	03/23/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	696	03/23/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	697	04/03/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	697	04/03/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	698	04/03/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	699	02/21/2024		<2.0	<2.0	<2.0																	
DUP	699	02/21/2024		<2.0	<2.0	<2.0																	
	699	04/10/2023	Replacement well. (Original well Regulatory Location ID #99).	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	699	04/10/2023	Replacement well. (Original well Regulatory Location ID #99).	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	700	05/08/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	700	05/08/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE-DUP	700	05/08/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	701	03/07/2024		<2.0	<2.0	<2.0																	
	701	06/05/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	701	06/05/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	702	06/12/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	702	06/12/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	703	03/25/2024		<2.0	<2.0	<2.0																	
PRE	703	03/25/2024		2.3	<2.0	<2.0																	
	703	06/19/2023	Replacement well. (Original well Regulatory Location ID #466).	10	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	9.0	4.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	703	06/19/2023	Replacement well. (Original well Regulatory Location ID #466).	9.9	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	9.3	4.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	704	06/26/2023	Treatment incomplete/in progress - bottled water.	36 J	<2.0 UJ	4.0 J	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	31 J	14 J	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ			<2.0 UJ	<2.0 UJ
DUP	704	06/26/2023	Treatment incomplete/in progress - bottled water.	29	<2.0	3.1	<2.0	<2.0	<2.0	<2.0	24	12	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	705	10/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	705	07/11/2024		60	8.8	8.5	<2.0	<2.0	3.7	2.5	40	25	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	705	07/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	705	04/09/2024		<2.0	<2.0	<2.0																	
BED1	705	01/10/2024		<2.0	<2.0	<2.0																	
PT	705	09/13/2023		70	10	13																	
BED1	705	09/13/2023		<2.0	<2.0	<2.0																	

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
	705	07/18/2023	Replacement well. (Original well Regulatory Location ID #243). Qualified for treatment so GAC System transferred from original well to replacement well. GAC System installed 03/27/2018. Carbon Changeout 05/16/2023 - 5yr.	59	8.1	8.3	<2.0	<2.0	3.1	2.4	41	26	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	706	07/18/2023	Building is vacant, treatment not offered.	58	4.0	6.3	<2.0	<2.0	<2.0	<2.0	41	27	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	707	07/18/2023	Building is vacant, treatment not offered.	93 J	6.4	5.8	<2.0 UJ	<2.0 UJ	2.7	2.3	42	27	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	707	07/18/2023	Building is vacant, treatment not offered.	58 J	5.7	5.8	<2.0	<2.0	2.3	<2.0	39	27	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	708	07/18/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	709	08/14/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	709	08/14/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	710	03/07/2024		<2.0	<2.0	<2.0																	
DUP	710	03/07/2024		<2.0	<2.0	<2.0																	
	710	08/28/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	710	08/28/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	711	10/30/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	711	06/12/2024		<2.0	<2.0	<2.0																	
	711	09/05/2023	GAC installed 01/10/2024.	20	25	12	<2.0	<2.0	<2.0	<2.0	100	25	20	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	711	09/05/2023	GAC installed 01/10/2024.	19	23	11	<2.0	<2.0	<2.0	<2.0	120	24	16	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	712	09/19/2023	Treatment incomplete/in progress - declined bottled water.	55	<2.0	2.0	<2.0	<2.0	<2.0	<2.0	48	26	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	712	09/19/2023	Treatment incomplete/in progress - declined bottled water.	54	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	46	23	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	713	09/19/2023	Treatment incomplete/in progress - bottled water.	61	2.7	16	<2.0	<2.0	<2.0	<2.0	32	26	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	713	09/19/2023	Treatment incomplete/in progress - bottled water.	65	2.6	16	<2.0	<2.0	<2.0	<2.0	32	27	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	714	03/07/2024		<2.0	<2.0	<2.0																	
	714	10/24/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	714	10/24/2023		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	715	02/12/2024		<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ	<2.0 UJ			<2.0 UJ	<2.0 UJ
DUP	715	02/12/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	716	02/12/2024	Permanent bottled water.	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	716	02/12/2024	Permanent bottled water.	47	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	38	23	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	717	03/12/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	717	03/12/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	718	03/12/2024		4.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	719	03/12/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	720	03/12/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	721	03/18/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	721	03/18/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	722	03/18/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	722	03/18/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	723	04/08/2024	Treatment incomplete/in progress - declined bottled water.	23	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	33	14	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025,
Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
DUP	723	04/08/2024	Treatment incomplete/in progress - declined bottled water.	24	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	34	14	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	724	04/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	724	04/15/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	725	12/04/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	725	09/25/2024		39	<2.0	5.7	<2.0	<2.0	<2.0	<2.0	33	17	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	725	09/25/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1-DUP	725	09/25/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	725	04/22/2024	GAC installed 06/04/2024.	54	<2.0	5.8	<2.0	<2.0	3.2	<2.0	47	23	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	725	04/22/2024	GAC installed 06/04/2024.	52	<2.0	7.7	<2.0	<2.0	3.0	<2.0	47	25	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	726	06/17/2024		13	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	10	6.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	726	04/29/2024	Sample from this well location may be mislabeled. Confirmation sample collected 6/17/2024.	11	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	6.4	4.6	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	727	07/01/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	727	07/01/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	727	04/29/2024	Sample from this well location may be mislabeled. Confirmation sample collected 7/1/2024.	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0 UJ			<2.0	<2.0
DUP	727	04/29/2024	Sample from this well location may be mislabeled. Confirmation sample collected 7/1/2024.	10 J	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	6.5 J	4.6 J	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	728	10/29/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	728	05/20/2024		27	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	30	12	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	728	05/20/2024		28	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	31	13	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	729	06/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	6.8	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	729	06/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	6.1	2.1	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	730	06/17/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	730	06/17/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PT	731	07/10/2024		46	4.5	8.2	<2.0	<2.0	<2.0	<2.0	26	13	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	731	07/10/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
BED1	731	06/25/2024		<2.0	<2.0	<2.0																	
	731	06/06/2024	Replacement well. (Original well Regulatory Location ID #475). Qualified for treatment so GAC System transferred from original well to replacement well. GAC System installed 11/09/2015. Carbon Changeout 09/14/2021 - 5yr.	47	4.9	9.4	<2.0	<2.0	<2.0	<2.0	26	14	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	731	06/06/2024	Replacement well. (Original well Regulatory Location ID #475). Qualified for treatment so GAC System transferred from original well to replacement well. GAC System installed 11/09/2015. Carbon Changeout 09/14/2021 - 5yr.	47	4.7	9.0	<2.0	<2.0	<2.0	<2.0	25	13	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	732	07/22/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST-DUP	733	09/24/2024		4.4 J	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	6.1 J	2.5	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
POST	733	09/24/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	2.6 J	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
PRE	733	09/24/2024		48	<2.0	2.3	<2.0	<2.0	<2.0	<2.0	31	19	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Table 1. Residential Potable Well PFAS Results in the Vicinity of the Chemours Chambers Works Prior to January 1, 2025, Deepwater, New Jersey

Sample	Location	Date	Field Sample Comments	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaDA	PFTrDA	PFTeDA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	DONA
	734	11/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	734	11/19/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	736	12/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	736	12/11/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
	737	12/19/2024		220	2.9	15	<2.0	<2.0	<2.0	<2.0	130	93	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			2.9	<2.0
DUP	737	12/19/2024		210	3.0	16	<2.0	<2.0	<2.0	<2.0	120	93	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			2.0	<2.0
	738	12/31/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0
DUP	738	12/31/2024		<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0			<2.0	<2.0

Concentrations are in nanograms per liter (ng/L). Concentrations are rounded by the laboratory and reported to two significant figures.

For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter.

For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 5.0 ng/L for PFOA.

For samples collected after 6/30/2016, each target compound RL is 2.0 ng/L.

J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise;

B = Not detected substantially above the level reported in the laboratory or field blanks.

Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples.

Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537.

QREP = Qualification Re-Evaluation Program. OMM = Operation, Maintenance, and Monitoring. PWS = Public Water Service. NJDEP = New Jersey Department of Environmental Protection.

See Table 2 for the additional results of the 2018 Branched and Linear Study samples.